

000-042 IBM certifications I IBM certifications II IBM Developing with IBM Enterprise PL/I

000-042: Developing with IBM Enterprise PL/I

Practice Exam: 000-042 Exams

Exam Number/Code: 000-042

Exam Name: Developing with IBM Enterprise PL/I

Questions and Answers: 140 Q&As

([IBM certifications I](#) [IBM certifications II](#))



IBM certifications I IBM certifications II [000-042](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and IBM certifications I IBM certifications II product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title. Exam : [000-042](#)

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM IBM certifications I IBM certifications II 000-042** examination of original title complete coverage. Just4Exam **000-042 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-042

Exam Name: Developing with IBM Enterprise PL/I(IBM certifications I IBM certifications II)

Questions and Answers: 140 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-042 Exam.

000-042 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications I IBM certifications II product experts, included the current newest 000-042 examination questions.

3. 100% Guarantee to Pass Your IBM certifications I IBM certifications II exam and get your IBM certifications I IBM certifications II Certification.

All will purchase "000-042 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the IBM certifications I IBM certifications II 000-042 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 000-042 Q&A are more than 96%. All you need to study the whole 000-042 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 000-042 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC

or VUE test centers Seal. we will refund your full cost of 000-042 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 000-042 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[IBM 000-042](#) Test belongs to one of the IBM certifications I IBM certifications II certified test, if needs to obtain the IBM certifications I IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications I IBM certifications II certified subject of examination.

000-042

Just4Exam professional provide IBM certifications I IBM certifications II 000-042 the newest Q&A, completely covers 000-042 test original topic. With our complete IBM certifications I IBM certifications II resources, you will minimize your IBM certifications I IBM certifications II cost and be ready to pass your 000-042 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 000-042 exam

000-042 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-042 exam questions updated on regular basis

Same type as the certification exams, 000-042 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-042 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-042

Title : Developing with IBM Enterprise PL/I

1. Given the following declarations, which statement correctly refers to X?

DCL R CHAR(10);

DCL X CHAR(10) BASED;

DCL P PTR;

DCL Z CHAR(10);

P = ADDR(R);

A. Z = P -> X;

B. P = ADDR(X);

C. Z = X;

D. X = 'THIS IS X';

Answer: A

2. Which of the following is a typical deadlock situation?

Situation 1:

Transaction A waiting for resource_2 and Transaction B waiting for resource_1 while resource_1 is held by Transaction C and resource_2 is held by Transaction B

Situation 2:

Transaction A waiting for resource_1 and Transaction B waiting for resource_2 while resource_1 is held by Transaction B and resource_2 is held by Transaction C

Situation 3:

Transaction A Waiting for resource_2, Transaction B waiting for resource_3, Transaction C waiting for resource_1, while resource_1, resource_2 and resource_3 are held by Transactions A, B and C respectively.

Situation 4:

Transaction B waiting for resource_1 and Transaction C waiting for resource_2 while resource_1 is held by Transaction C and resource_2 is held by Transaction A

- A. Situation 1
- B. Situation 2
- C. Situation 3
- D. Situation 4

Answer: C

3. Which of the following PL/I features is NOT new with Enterprise PL/I?

- A. VALUE attribute for named constants.
- B. UNIONS or CELLS to assign identical storage to different variables.
- C. Writing numeric constants with the underscore sign as a separator.
- D. Using hexadecimal constants.

Answer: D

4. The lead developer on a project has just learned that Pat, a highly skilled programmer on the team, has been reassigned. The lead developer is familiar with Pat's work and is concerned because no one on the team has the necessary skills to pick up the work immediately. A new employee with the required skills is joining the team next week, but the timeline for a mission critical milestone has been moved up to the end of this week. Which of the following is the most appropriate action for the lead developer to take to ensure that the critical milestone is met?

- A. Direct the team to cover all of Pat's work until the new employee arrives.
- B. Explain to the team why this change in schedule is important to the customer.
- C. Personally cover the work until the new employee arrives.
- D. Explore with the team whether they will be able to meet the new deadline.

Answer: C

5. The lead developer is presenting sample code. One of the team members identifies an error in the code. Which of the following is the most appropriate response for the lead developer to make?

- A. Apologize for the error and continue the presentation.
- B. Thank the person for pointing out the error.
- C. Suggest that this error be discussed in the next meeting.
- D. Declare the point irrelevant because this is sample code.

Answer: B

6. Given the following code:

```
DCL INDATA FILE RECORD INPUT;
DCL INSTRUC CHAR(100);
DCL EOF BIT(1) INIT('0'B);
ON ENDFILE(INDATA) EOF = '1'B;
OPEN FILE(INDATA);
READ FILE(INDATA) INTO(INSTRUC);
DO WHILE (^EOF);
CALL SR_PROCESS;
```

```
READ FILE(INDATA) INTO(INSTRUC);
END;
CLOSE FILE(INDATA);
```

If the database (input file) changes from OS-PS to DB2 view and the necessary syntax has been changed accordingly, which of the following DB2-related steps is NOT additionally required to guarantee the same level of stability and functionality?

- A. Check the SQLCODE after each EXEC SQL FETCH statement.
- B. Check the SQLCODE after each EXEC SQL OPEN / CLOSE statement.
- C. Set the EOF bit to '1'B, if SQLCODE = 100 (not found).
- D. Check the CURRENT SQLID.

Answer: D

7. SUBSCRIPTRANGE checks which of the following?

- A. The subscripts of an array are checked for conformance with iSUB defining rules.
- B. The address generated for accessing an array element is checked to be sure it falls within the storage allocated to the array.
- C. The value of each subscript used to refer to an array element is checked for validity after the element is accessed.
- D. The value of each subscript used to refer to an array element is checked for validity before the element is accessed.

Answer: D

8. Prerequisite:

A sorted input dataset with record length 100 contains at least one record for each of the values '1', '2', '3' in the first byte. The applied sort criteria is 1,100,ch,a.

Requirements:

- 1.) All records with '1' in the first byte must be ignored.
- 2.) All records with '2' in the first byte must be written to the output dataset.
- 3.) If there is a '3' in the first byte, the read iteration must be left.
- 4.) The program must not abend or loop infinitely.

If the code below does not fulfill the specifications provided above, which of the following is the most likely reason?

```
DCL DDIN FILE RECORD INPUT;
DCL DDOUT FILE RECORD OUTPUT;
DCL 1 INSTRUC,
3 A CHAR(1),
3 * CHAR(99);
DCL EOF_IN BIT(1) INIT('0'B);
DCL (Z1,Z2,Z3,ZO) BIN FIXED(31) INIT(0);
ON ENDFILE(DDIN) EOF_IN = '1'B;
READ FILE(DDIN) INTO (INSTRUC);
LOOP: DO WHILE(^EOF_IN);
SELECT(INSTRUC.A);
WHEN('1') DO;
Z1 += Z1;
ITERATE LOOP;
END;
WHEN('3') DO;
Z3 = Z3+1;
LEAVE LOOP;
END;
WHEN('2') DO;
Z2 = Z2+1;
WRITE FILE(DDOUT) FROM(INSTRUC);
END;
```

```

OTHER DO;
ZO = ZO+1;
PUT SKIP LIST(INSTRUC.A);
END;
END;/*select*/
READ FILE(DDIN) INTO(INSTRUC);
END;/*loop*/

```

A. The code does not fulfill the requirement because the program will loop infinitely.A.The code does not fulfill the requirement because the program will loop infinitely.

B. The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset.B.The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset.

C. The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset.C.The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset.

D. The code fulfills the requirement.D.The code fulfills the requirement.

Answer: A

9. Which of the following is NOT part of the PL/I code review?

- A. Training course for the program's author
- B. Attendance of people with technical expertise
- C. Decision whether the review object is a appropriate solution
- D. Documentation of results of the review

Answer: A

10. In which of the following examples will a dummy argument be passed?

- A. DCL A EXT ENTRY;
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
 - B. DCL A EXT ENTRY (FIXED, BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
 - C. DCL A EXT ENTRY (FIXED BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
 - D. PGM: PROC OPTIONS(MAIN);
DCL (X,Y) FIXED BIN;
CALL C (X,Y);
- C: PROC (A,B);
DCL (A,B) BIN FIXED;
END C;
END PGM;

Answer: B

11. Which of the following is LEAST likely to be performed by an online application?

- A. Checkpoint/restart logic
- B. Transaction processing
- C. End user interaction
- D. Sorting

Answer: A

12. Given the following declarations, which code is likely to perform best and correctly initialize structure S?

```
DCL 1 S UNALIGNED,
```

```

2 A CHAR(3),
2 B BIN FIXED(31),
2 C DEC FIXED(5);
DCL 1 T UNALIGNED LIKE S;
T = ";
A. S = ";
B. S = T, BY NAME;
C. CALL PLIFILL(ADDR(S), ' ', STG(S));
D. CALL PLIMOVE(ADDR(S), ADDR(T), STG(S));

```

Answer: D

13. Given the following declarations, a list of 100 elements must be created so that the element created last can be accessed as the first element of the list. A new element is always inserted in front of the element created before. The variable NEXT in the last element should contain the value NULL. Which of the following pieces of code implements this?

```

DCL 1 NODE BASED (ANCHOR),
2 NEXT POINTER,
2 DATA FIXED BIN (31);
DCL ANCHOR POINTER;
DCL P POINTER INIT (NULL());
DCL I FIXED BIN(31);

```

```

A. DO I = 1 TO 100;
ALLOCATE NODE;
NODE.DATA = I;
NODE.NEXT = P;
P = ANCHOR;
END;

```

```

B. DO I = 1 TO 100;
P = ANCHOR;
ALLOCATE NODE;
NOTE.DATA = I;
NODE.NEXT = P;
END;

```

```

C. I = 1 TO 100;
ALLOCATE NODE;
NODE.DATA = I;
NODE.NEXT = P;
ANCHOR = P;
END;

```

```

D. DO I = 1 TO 100;
NODE.DATA = I;
NODE.NEXT = P;
ALLOCATE NODE;
P = ANCHOR;
END;

```

Answer: A

14. Requirement:

If the value of the numeric variable I is 1 it needs to be changed to 2 and vice versa. In all other cases it must remain unchanged.

Which of the following solutions meets the requirement and does not require essential structural modifications when the requirement is changed to the following:

If the value of the numeric variable I is 512 it needs to be changed to 731 and if the value is 814 it needs to be

changed to 5. In all other cases it must be set to 111.

A. IF I = 1 !! I = 2

THEN I = 3 - I;

B. DCL ONETWO(2) BIN FIXED(15) INIT(2,1);

IF I = 1 !! I = 2

THEN I = ONETWO(I);

C. SELECT (I);

WHEN(1) I = 2;

WHEN(2) I = 1;

OTHER;

END;

D. IF I = 1 THEN I = 2;

IF I = 2 THEN I = 1;

Answer: C

15. The XMLCHAR builtin function provides the ability to do which of the following?

A. Check XML for well-formedness

B. Check XML for validity

C. Create an XML buffer from a structure

D. Read an XML file into a structure

Answer: C

16. Which of the following best describes an atomic transaction?

A. The database modifications must follow an 'all or nothing' rule

B. Only valid data will be written to database

C. If one part of the transaction fails, the remainder may still be processed

D. Referential Integrity is maintained in the database

Answer: A

17. In the following example what value will be printed to SYSPRINT, if any, from the PUT LIST in PGM_A?

PGM_A: PROC;

DCL INPARAM CHAR (10) INIT('FIRST CALL');

DCL P_OUT PTR;

DCL OUTPARAM CHAR(10) BASED (P_OUT);

DCL PGM_B ENTRY(CHAR(10),PTR) EXTERNAL;

CALL PGM_B (INPARAM,P_OUT);

IF OUTPARAM = 'RESULT ' THEN

DO;

INPARAM = ";

CALL PGM_B (INPARAM,P_OUT);

END;

PUT LIST(OUTPARAM);

END;

PGM_B: PROC(INPARAM,P_OUT);

DCL INPARAM CHAR (10);

DCL P_OUT PTR;

DCL OUTPARAM CHAR (10) INIT("");

P_OUT = ADDR(OUTPARAM);

IF INPARAM ='FIRST CALL' THEN

OUTPARAM = 'RESULT ';

ELSE

OUTPARAM = 'NO RESULT ';

END;

- A. Blanks
- B. 'NO RESULT'
- C. Unpredictable
- D. 'RESULT'

Answer: C

18. A program reads a GSAM dataset sequentially, reads complementary information from DB2-Databases and uses this information to update an IMS-Database. At the end of the program statistics about how many records have been read and how many IMS-Segments have been updated should be printed. The program should write checkpoints regularly and should be restartable. Which of the following groups of information saved when the checkpoint is written will provide enough information to be able to restart the program correctly?

- A. The key of the last record read from the GSAM dataset and the key of the last IMS segment changed.
- B. The number of records read from the GSAM dataset and the number of IMS segments changed.
- C. The number of records read from the GSAM dataset, the key of the last record read from the GSAM dataset and the key of the last IMS segment updated.
- D. The key of the last IMS segment changed and the number of segments changed.

Answer: B

19. What could be used when a structure is passed to a subroutine to verify that the area the structure occupies in storage has not been overwritten?

- A. Structure is passed as a pointer.
- B. Structure has eyecatchers at start and at end.
- C. Structure has a length field at start.
- D. Structure is passed as an aggregate.

Answer: B

20. Which of the following will definitely NOT cause an unresolved external entry?

- A. Missing library at link time
- B. The main procedure name matching the binder or load module 'name'
- C. A mismatch in names between the CALL and the actual procedure
- D. An incorrect DECLARE for the external entry

Answer: B

More [000-042 Braindumps](#)

Related 000-042 Exams

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM Web Sphere Information Analyzer v8.0*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-913](#) *informix 4gl development*

[000-316](#) *IBM Web Sphere Integration Developer V6.1*

[000-431](#) *IBM Tivoli Storage Manager V5.5 Administration*

[000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

[000-665](#) *Architecture design of soa solution*

[000-908](#) *Tivoli Monitoring V6.2 Implementation*

[000-669](#) *SOA Fundamentals (2008)*

[000-111](#) *IBMDistributed Systems Storage Solutions Version 7*

000-872 *ib m tivoli storage manager v5.2 implementation*

000-011 *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

000-286 *test286,application development wwebsphere studio,v5.0*

000-995 *IBM Web Sphere Process Server V6.1.System Administration*

000-890 *IBM Tivoli Monitoring V6.1 Implementation*

000-076 *IBM System x Sales*

000-017 *Foundations of Tivoli process automation engine V7.1*

Other IBM Exams

000-815 000-665 000-992 000-631 000-215 000-081 000-011 000-101

000-892 000-885 000-894 000-842 000-797 000-425 000-903 000-217

COG-180 000-205 000-896 000-961