

## 000-734 IBM certifications II

### IBM DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

000-734: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

**Practice Exam:** 000-734 Exams

**Exam Number/Code:** 000-734

**Exam Name:** DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

**Questions and Answers:** 102 Q&As

( [IBM certifications II](#) )



Exam : [000-734](#)

IBM certifications II [000-734](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and IBM certifications II product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-734** examination of original title complete coverage.Just4Exam **000-734 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-734**

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows( IBM certifications II )

Questions and Answers: 102 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-734 Exam.

000-734 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications II product experts, included the current newest 000-734 examination questions.

3. 100% Guarantee to Pass Your IBM certifications II exam and get your IBM certifications II Certification.

All will purchase "000-734 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate.Just4Exam helps you one time pass the IBM certifications II 000-734 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 000-734 Q&A are more than 96%.All you need to study the whole 000-734 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 000-734 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 000-734 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 000-734 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[IBM 000-734](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

000-734

Just4Exam professional provide IBM certifications II 000-734 the newest Q&A, completely covers 000-734 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-734 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about 000-734 exam

000-734 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-734 exam questions updated on regular basis

Same type as the certification exams, 000-734 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-734 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-734

Title : DB2 9 Advanced DB Administrator for Linux, UNIX, and Windows

1. Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO; run REORG against the table.
- C. Set the table COMPRESS attribute to NO; run INSPECTRESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO; run RUNSTATS against the table.

Answer: B

2. A batch application executes a large number of update statements. The service level agreement for the application states that the application must complete its work as quickly as possible to ensure that dependent workloads can start on time. What is one way to help the application complete quickly?

- A. Code the application to issue a LOCK TABLE statement.
- B. Code the application to issue a LOCK ROW statement.
- C. Decrease the number of I/O servers.
- D. Increase the locklist parameter.

Answer: A

3. What would indicate intra-partition parallelism in an Optimizer Plan?

- A. BTQ
  - B. LTQ
  - C. IP
  - D. DTQ
- Answer: B

4. Which registry variable should be set to keep the buffer pools in memory on AIX and Linux?

- A. DB2\_KEEP\_BP
- B. DB2\_PINNED\_BP
- C. DB2MEMDISCLAIM
- D. DB2MEMMAXFREE

Answer: B

5. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);  
CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Answer: B

6. A database administrator needs to create a table with key columns C1 (i.e. YearDay), C2, and C This table needs to be partitioned by column C1 with three months per data partition. Additionally, data needs to be organized by columns C2 and C3, so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

- A. CREATE TABLE tab1  
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))  
PARTITION BY RANGE (c2) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2, c3))
- B. CREATE TABLE tab1  
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))  
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2, c3))
- C. CREATE TABLE tab1  
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))  
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2))
- D. CREATE TABLE tab1  
(c1 INT,  
c2 CHAR(2),  
c3 INT,

c4 CHAR(2))

PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)

ORGANIZE BY DIMENSIONS (c3))

Answer: B

7. Which server houses the database partitions in the AIX BCU V2.1?

A. IBM System p5 570

B. IBM System p5 575

C. IBM System p5 590

D. IBM System p5 595

Answer: B

8. Which procedure will successfully configure the memory areas within a database, including buffer pools, to use the Self Tuning Memory Manager (STMM)?

A. 1) Set the SELF\_TUNING\_MEM database configuration parameter to ON.

2) Set the relevant configuration parameters within the database configuration file to AUTOMATIC.

3) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.

B. 1) Set the SELF\_TUNING\_MEM database configuration parameter to ON.

2) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.

C. 1) Set the SELF\_TUNING\_MEM database configuration parameter to ON.

Answer: A

9. If the sort heap threshold parameter SHEAPTHRES\_SHR is set to a value of 0, what will happen?

A. All sorts will be done in a temporary table space.

B. The shared sort memory allocation will be calculated by DB2.

C. No shared memory is allocated for sorting.

D. All sorts will be done in shared memory.

Answer: D

10. If the ADD DBPARTITIONNUM command is used to add a new database partition to an existing DB2 instance, which statement is correct?

A. All existing databases in the instance are expanded to the new database partition but data cannot be stored on the new partition until it has been added to a partition group.

B. Database partition groups within existing databases will automatically include the new database partition and will redistribute their existing data to the new partition.

C. Any single partition databases within the instance will automatically become multi-partition databases once the new partition is added to the instance.

D. A database administrator would need to modify the db2nodes.cfg file to complete the addition of the new partition to the instance.

Answer: A

11. A database administrator needs to update a table named TRANSACT by removing February 2005 data and replacing it with February 2007 data. What are the proper steps, in the correct order, required to accomplish this?

A. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable

2) LOAD FROM transact.del OF DEL REPLACE INTO newtable

3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table

4) SET INTEGRITY FOR transact

B. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable

2) LOAD FROM transact.del OF DEL REPLACE INTO newtable

3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '01/01/2007' ENDING '02/28/2007' FROM new table

4) SET INTEGRITY FOR transact

C. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable

2) LOAD FROM transact.del OF DEL REPLACE INTO newtable

- 3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
- 4) RUNSTATS ON TABLE transact
- D. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
- 2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
- 3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
- 4) REORG TABLE transact

Answer: A

12. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1 and C2 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) include (c2);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);  
CREATE INDEX xtab2 ON tab1 (c3) INCLUDE (c2);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1);

Answer: A

13. Given a SHEAPTHRES value of 2560, in which two cases will a SHEAPTHRES\_SHR value of 1024 be meaningful? (Choose two.)

- A. INTRA\_PARALLEL NO
- B. MAX\_CONNECTIONS 2000, MAX\_COORDAGENTS 100
- C. MAX\_AGENTS 100, MAX\_CONNECTIONS 2000
- D. MAX\_CONNECTIONS 500, MAX\_COORDAGENTS 1000
- E. INTRA\_PARALLEL YES

Answer: BE

14. A database administrator wants to design a multi-partition database that can take advantage of both intra-partition parallelism and inter-partition parallelism. Which configuration will allow the use of these types of parallelism while using the least number of hardware components (servers, processors)?

- A. one server having at least two processors
- B. two servers having one processor and one logical database partition
- C. one server having four processors and two logical database partitions
- D. two servers each having four processors and two logical database partitions

Answer: C

15. A database administrator would like to examine repartitioning options for a partitioned database named PRODDb. A workload has been captured on the system (Windows) and is stored in a file named WORKLOAD.SQL. What is the proper command to run the Design Advisor so that it will evaluate the information stored in the file and give advice on re-partitioning?

- A. db2adviz -d proddb -i workload.sql -P
- B. db2adviz -d proddb -i workload.sql -partitioning
- C. db2adviz -d proddb -i workload.sql -m P
- D. db2adviz -d proddb -i workload.sql -m ALL

Answer: C

16. When is the connection concentrator enabled?

- A. When the value of MAX\_CONNECTIONS is greater than the value of MAX\_COORDAGENTS.
- B. When the value of MAX\_AGENTS is greater than the value of MAX\_CLIENTS.
- C. When the value of NUM\_AGENTS is greater than the value of MAX\_AGENTS.
- D. When the value of NUM\_CONNECTIONS is greater than the value of NUM\_COORDAGENTS.

Answer: A

17. When a database administrator chooses the dimensions for an MDC table, which two characteristics should be considered? (Choose two.)

- A. the query transaction rate
- B. numeric data versus character data
- C. extent size
- D. the cardinality of the candidate columns
- E. prefetch size

Answer: CD

18. Which statement is true about clustering indexes in a DPF environment?

- A. The partitioning key columns should be added to all indexes with the INCLUDE option.
- B. It is not possible to have a clustering index in a DPF environment.
- C. The index columns should be prefixed by the partitioning key columns.
- D. The partitioning key columns should be added immediately after the column in the index with the highest cardinality.

Answer: C

19. Which data organization schemes are supported?

- A. PARTITION BY HASH and ORGANIZE BY
- B. PARTITION BY RANGE and ORGANIZE BY KEY SEQUENCE
- C. PARTITION BY HASH and ORGANIZE BY KEY SEQUENCE
- D. PARTITION BY RANGE and ORGANIZE BY

Answer: D

20. In which two environments would intra-partition parallelism be used? (Choose two.)

- A. Single database partition, single processor
- B. Single database partition, multiple processors
- C. Multiple database partitions, single processor
- D. Multiple database partitions, multiple processors

Answer: BD

More [000-734 Braindumps](#)

### Related 000-734 Exams

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

[000-253](#) *Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn*

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

[000-918](#) *System Administration for IBM Informix Dynamic Server V11*

[000-798](#) *ib m tivoli monitoring for transaction perf v5.2 implement*

[000-351](#) *ib m eserver i5 iseries single system adminsitration v5r3*

[000-647](#) *Rational Performance Tester*

[000-807](#) *Test 807, Web Services Dev for IBMWeb Sphere App Server V6.1*

[000-664](#) *Test664.SOA Fundamentals*

[000-806](#) *IBM Test 806, IBMWeb Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

[000-792](#) *ib m tivoli access mgr for business integration v3.9.1 implmn*

[000-484](#) *enterprise connectivity with j2ee v1.3*

000-834 *Object Oriented Analysis and Design-Part2(Design)*

000-971 *System i Administrator V5.07.11*

000-021 *IBM Tivoli Workload Scheduler V8.5 Implementation*

000-734 *DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows*

000-705 *business intelligence solutions v8.1*

000-631 *rational-clearcase for unix*

### **Other IBM Exams**

000-062      000-257      000-438      000-348      000-923      000-078      000-M14      000-233

000-667      000-x01      000-316      000-568      000-905      000-M02      000-235      000-m25

000-854      LOT-803      000-255      000-447