

## 1Z0-242 Other Oracle Certification

### Oracle PeopleSoft Application Developer II: App Engine & Integration

**1Z0-242: PeopleSoft Application Developer II: App Engine & Integration**

**Practice Exam:** 1Z0-242 Exams

**Exam Number/Code:** 1Z0-242

**Exam Name:** PeopleSoft Application Developer II: App Engine & Integration

**Questions and Answers:** 100 Q&As

( [Other Oracle Certification](#) )



Other Oracle Certification [1Z0-242](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and Other Oracle

Exam : [1Z0-242](#)

Certification product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle Other Oracle Certification 1Z0-242** examination of original title complete coverage. Just4Exam **1Z0-242 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 1Z0-242**

Exam Name: PeopleSoft Application Developer II: App Engine & Integration( Other Oracle Certification )

Questions and Answers: 100 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1Z0-242 Exam.

1Z0-242 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Other Oracle Certification product experts, included the current newest 1Z0-242 examination questions.

3. 100% Guarantee to Pass Your Other Oracle Certification exam and get your Other Oracle Certification Certification.

All will purchase "1Z0-242 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the Other Oracle Certification 1Z0-242 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 1Z0-242 Q&A are more than 96%. All you need to study the whole 1Z0-242 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 1Z0-242 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC

or VUE test centers Seal. we will refund your full cost of 1Z0-242 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 1Z0-242 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

**Oracle 1Z0-242** Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination.

1Z0-242

Just4Exam professional provide Other Oracle Certification 1Z0-242 the newest Q&A, completely covers 1Z0-242 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1Z0-242 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about 1Z0-242 exam

1Z0-242 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1Z0-242 exam questions updated on regular basis

Same type as the certification exams, 1Z0-242 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1Z0-242 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

**Just4Exam.com** offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-242

Title : Oracle Spplication Server 10g:Administration II

1. You want to see exactly when a PeopleCode program fires in the context of the Component Processor flow. Which two methods will work? (Choose two.)

- A. Insert a Print() statement in the program.
- B. Insert a WinMessage() statement in the program.
- C. Insert a MessageCatalog() statement in the program.
- D. Run the PeopleCode Debugger and insert a breakpoint on the program.
- E. Run the PeopleCode Debugger and select Debug, View Component Buffers.

Answer: BD

2. View the Exhibit.

An object-oriented PeopleCode program traverses the data buffer to get the value for Session Number (SESSION\_NBR) in the Session Details record (PSU\_CRG\_SESSN) on the Course Sessions page.

The program uses a built-in function to instantiate the Level 0 object, then uses object methods to instantiate the remaining data buffer objects.

Select the option that represents the order in which the program instantiates the data buffer objects.

- A. &Row\_Level0, &Row\_Level1, &Record, &Field
- B. &Rowset\_Level0, &Row\_Level1, &Record, &Field
- C. &Rowset\_Level0, &Rowset\_Level1, &Row\_Level1, &Record, &Field
- D. &Rowset\_Level0, &Row\_Level0, &Rowset\_Level1, &Row\_Level1, &Record, &Field

Answer: D

3. An Application Engine program uses a Do Select action. What occurs when the Select statement is executed?

- A. Each row returned by the Select statement is stored in the state record. The Select statement continues until no more rows are returned. Then, the control passes to the calling section.
- B. All rows returned by the Select statement are stored in a cursor. Then, the control is passed to the calling section.
- C. All rows returned by the Select statement are stored in the state record. Then, the control is passed to the next section in the program.
- D. All rows returned by the Select statement are stored in a cursor. The first row is stored in the state record. Then, the remaining actions in the step are processed sequentially. Thereafter, the control returns to the Do Select to fetch another row, until no more rows are returned.
- E. When a row is returned, the remaining steps in the section execute and control returns to the calling step.
- F. When a row is returned, it is stored in the state record. Then, the control is passed to the calling section.

Answer: D

4. You add a dynamic call to an Application Engine program following these steps:

1. Add the fields AE\_APPLID and AE\_SECTION to the state record if they are not already present.
2. Build the state record.
3. Verify that the state record is the default state record for the Application Engine program.
4. In a PeopleCode action, use a conditional test to populate the fields AE\_APPLID and AE\_SECTION with an Application Engine program name and section name, respectively.
5. Following the PeopleCode action, add a Call Section action.

Select the correct statement.

- A. The Application Engine program will execute as expected.
- B. Step 2 is not needed for dynamic call.
- C. Step 3 is not needed.
- D. Add a step after step 5 to insert a SQL action that will use the values in the state record to populate the Program and Section fields of the Application Engine Call Section action.
- E. Add a step after step 5 to select the Dynamic Call check box in the Call Section action.
- F. Step 4 is wrong. The PeopleCode program should use the AESection class to issue the dynamic call.

Answer: E

5. The Get Student Enrollments page uses a PeopleCode program to select and display rows based on user input.

When the user clicks Refresh, FieldChange PeopleCode populates a stand-alone rowset using a Select method.

When you test the program, the new rows are appended to the previous rows instead of replacing them. How do you fix this problem?

- A. Use a work scroll instead of a stand-alone rowset.
- B. Add &Rowset.Flush(); after the Select method.
- C. Use an Update method instead of a Select method.
- D. Add &Rowset.Flush(); before the Select method.
- E. Add &Rowset.Refresh (); after the Select method.
- F. Add &Rowset.Refresh(); before the Select method.

Answer: D

6. Evaluate this PeopleCode snippet.

```
Local Array of Number &MyArray;
```

```
Local Any &Len, &Result;
```

```
&MyArray = CreateArray(3);
```

```
&MyArray[1] = 100;
```

```
&MyArray[2] = 200;
&MyArray[3] = 300;
&Result = &MyArray.POP();
&Len = &MyArray.LEN;
&End = &MyArray[&Len];
```

What are the correct values for &Result and &End?

- A. &Result is 300  
&End is 200
- B. &Result is 300  
&End is Null
- C. &Result is 300  
&End is 300
- D. &Result is Null  
&End is 300
- E. &Result is 100  
&End is 300

Answer: A

7. Here is a snippet of PeopleCode that uses the Fetch method of the SQL class.

```
&SQL = CreateSQL("Select EFFORT_AMT from PS_PSU_TASK_EFFORT where TASK= :1",
PSU_TASK_TBL.TASK);
&Var1 = &SQL.Fetch(&Var2);
```

Select the two correct statements. (Choose two.)

- A. &Var2 specifies which row to fetch.
- B. &Var2 specifies which field to fetch.
- C. &Var1 is populated with TRUE if a row is fetched.
- D. &Var1 is populated with the number of rows returned.
- E. &Var2 is populated with EFFORT\_AMT from the row fetched.
- F. &Var1 is populated with EFFORT\_AMT from the row fetched.
- G. &Var1 is populated with EFFORT\_AMT from the first row returned.

Answer: CE

8. Examine the join in this Select statement:

```
SELECT A.TASK , B.EFFORT_AMT
FROM PS_PROJECT A , PS_EFFORT B
WHERE A.TASK = B.TASK
```

```
AND A.RESOURCE = B.RESOURCE
```

Select the equivalent Select statement.

- A. SELECT A.TASK , B.EFFORT\_AMT  
FROM PS\_PROJECT A , PS\_EFFORT B  
WHERE %Join(A.TASK, B.RESOURCE)
- B. SELECT A.TASK , B.EFFORT\_AMT  
FROM PS\_PROJECT A , PS\_EFFORT B  
WHERE %Common(PROJECT A, EFFORT B)
- C. SELECT A.TASK , B.EFFORT\_AMT  
FROM %Common(KEYS, PROJECT A, EFFORT B)
- D. SELECT A.TASK , B.EFFORT\_AMT  
FROM PS\_PROJECT A , PS\_EFFORT B  
WHERE %Join(COMMON\_KEYS, TASK A, EFFORT\_AMT B)
- E. SELECT A.TASK , B.EFFORT\_AMT  
FROM %Join(COMMON\_KEYS, PROJECT A, EFFORT B)

Answer: E

9. View the Exhibit.

Your client is upgrading its purchasing application to use object-oriented PeopleCode to incorporate the benefits of application classes.

The PeopleCode for the Purchase Order application is now encapsulated in an Application Package called PSU\_PO.

The assign\_order\_nbr function is now ORDER\_NBR, a method of the ORDER class.

You are tasked with modifying this program to call the new ORDER\_NBR method.

Which four PeopleCode statements will you use in the new program? (Choose four.)

- A. Class PSU\_PO:ORDER;
- B. &New.ORDER\_NBR(PSU\_PO\_HDR.ORDER\_NBR);
- C. Import PSU\_PO:ORDER;
- D. Declare method PSU\_PO:ORDER:ORDER\_NBR;
- E. &New = Create Order();
- F. Local ORDER &New;
- G. Method ORDER\_NBR (&ORDER\_NBR As Field out);

Answer: BCEF

10. The Customer Orders page uses data from the ITEM table to perform price calculations. You decide to write a PeopleCode program to create a stand-alone rowset that will load data from the ITEM table into the data buffer. Select three PeopleCode statements that can be used with stand-alone rowsets. (Choose three.)

- A. &RS\_Item = GetRowSet(SCROLL.ITEM);
- B. &RS\_Item = CreateRowSet(RECORD.ITEM);
- C. &Price = &RS\_Item(&i).ITEM.PRICE.Value;
- D. &RS\_Item.Select("Where ITEM = :1", CUST\_ORDER.ITEM);
- E. &RS\_Item.Fill("Where CUST\_TYPE = :1", CUST\_ORDER.TYPE);
- F. &RS\_Item = ScrollSelect(1, Scroll.ITEM, Record.ITEM, ("Where CUST\_TYPE = :1", CUST\_ORDER.CUST\_TYPE);

Answer: BCE

11. An Application Engine program inserts rows into PS\_VENDOR.

The program encounters an error and abends (ends abnormally).

You correct the error, but now PS\_VENDOR is in an unknown state.

Select the correct statement.

- A. If Log File was enabled in Configuration Manager, a script file was created that you use to return the database to its original state. After you correct the error, you can run the program again.
- B. If Recover was enabled for the program, the changes to PS\_VENDOR are rolled back. After you correct the error, you can run the program again.
- C. If Restart was enabled for the program, a checkpoint was saved with the last commit. After you correct the error, you can restart the program and processing will resume from the point of the last commit.
- D. If Resume was enabled in PeopleSoft Process Scheduler, the program automatically resumes processing after the condition that caused the error is corrected.
- E. If a state record was defined for the program, PS\_VENDOR is restored based on parameters that were written to the state record. Then you can restart the program using the same run control parameters.

Answer: C

12. You modify an Application Engine program to use parallel processing with temporary tables.

The Application Engine program includes this code snippet, which is part of a SQL statement that inserts rows into a temporary table.

```
INSERT INTO PS_CRS_FULL_TMP
```

What changes do you need to make to the code so that the Application Engine program will implement parallel processing properly?

- A. No changes to the code are needed as long as the temporary table has been properly configured for parallel processing.
- B. Replace INSERT INTO PS\_CRS\_FULL\_TMP with %INSERT INTO PS\_CRS\_FULL\_TMP so that the meta-SQL resolves to the correct state record at run time.

- C. Replace INSERT INTO PS\_CRS\_FULL\_TMP with %INSERT INTO %Table(CRS\_FULL\_TMP) so that the system variables resolve to the correct syntax at run time.
- D. Replace INSERT INTO PS\_CRS\_FULL\_TMP with INSERT INTO %Table(CRS\_FULL\_TMP) so that the meta-SQL resolves to the correct temporary table instance at run time.
- E. Replace INSERT INTO PS\_CRS\_FULL\_TMP with %INSERT INTO %Temp(CRS\_FULL\_TMP) so that the meta-SQL resolves to the correct syntax and temporary table instance at run time.

Answer: D

13. View the Exhibit.

On the Employee Review page, you have a business rule with these requirements:

- 1. If Review Type is Supervisor, then the prompt for Reviewer ID returns only supervisors.
- 2. If Review Type is Peer or Performance, then the prompt for Reviewer ID returns all employees.

Select the three steps required to implement this business rule. (Choose three.)

- A. Associate the REVIEWER\_ID field with REVIEWER\_VW.
- B. Create REVIEWER\_VW as a dynamic view of the EMPLOYEE table.
- C. Add the DERIVED.EDITTABLE field to the page and make it invisible.
- D. Set the prompt table edit for the REVIEWER\_ID field to REVIEWER\_VW.
- E. Set the prompt table edit for the REVIEWER\_ID field to DERIVED.%EDITTABLE.
- F. Use a SQL Select statement in PeopleCode to populate the REVIEWER\_VW view.
- G. Use a conditional statement in PeopleCode to populate the DERIVED.EDITTABLE field.

Answer: CEG

14. Select three Application Engine action types that can be used to control program flow. (Choose three.)

- A. Log Message
- B. Call Section
- C. XSLT
- D. PeopleCode
- E. Do While
- F. Evaluate

Answer: BDE

15. An Application Engine program requires a loop that will exit after 1000 rows have been processed. The COUNTER field in the state record is incremented in each iteration of the loop. Which option contains code that could be used in a Do While action to test for COUNTER?

- A. Do While %Bind(Counter) < 1000
- B. %SELECT (COUNTER)  
FROM PS\_INSTALLATION  
Where COUNTER < 1000
- C. If %Bind(Counter) >= 1000 then  
Exit;
- D. %Select(COUNTER)  
FROM PS\_STATE\_AET  
Where COUNTER < 1000
- E. %Select(COUNTER)  
SELECT 'X'  
FROM PS\_INSTALLATION  
WHERE %Bind(COUNTER) < 1000;

Answer: E

16. You want to examine the component buffer for the Customer Orders (PSU\_CUST\_ORDER ) component. Which four steps are necessary? (Choose four.)

- A. Start the PeopleCode Debugger and set a breakpoint.
- B. Access the Structure view on the PSU\_CUST\_ORDER component.

- C. In Application Designer, select Component Buffers.
- D. Access the Customer Orders component in the browser and trigger the breakpoint. Return to PeopleSoft Application Designer when the breakpoint triggers.
- E. Open, or create, a PeopleCode program that will execute while Customer Orders is running in the browser.
- F. Drill down through the component hierarchy in the Structure view on the PSU\_CUST\_ORDER component.
- G. In Application Designer, select Debug, View Component Buffers.

Answer: ADEG

17. View the Exhibit.

This run control page executes an Application Engine program that updates the Course table using the parameters entered by a user.

In addition to the run control page, which three elements must be in place? (Choose three.)

- A. A state record with fields to hold input parameters
- B. Component variables to pass the input parameters
- C. A data buffer object to retrieve the input parameters
- D. Application Engine SQL to retrieve the input parameters
- E. A PeopleCode record object to update the Course table
- F. A Process Instance table to store run control parameters
- G. A run control record with fields to store the input parameters

Answer: ADG

18. View the Exhibit.

A PeopleCode program at level 0 checks the values for Percent Available (PCT\_AVAILABLE) at level 1.

Analyze this code snippet.

```
Local Rowset &RS_Level0, &RS_Level1;
Local Row &Row_Level0, &Row_Level1;
Local Record &Rec_TaskRsrc;
Local Field &Fld_PctAvail ;
&RS_Level0 = GetLevel0();
&Row_Level0 = &RS_Level0.GetRow(1);
&RS_Level1 = &Row_Level0.GetRowset(Scroll.PSU_TASK_RSRC);
&Row_Level1 = &RS_Level1.GetRow(1);
&Rec_TaskRsrc = &Row_Level1.GetRecord(Record.PSU_Task_RSRC);
&Fld_PctAvail = &Rec_TaskRsrc.GetField(Field.PCT_AVAILABLE);
&Pct = &Fld_PctAvail.Value;
```

Select the correct option.

- A. The program will produce the expected results.
- B. The program is missing a loop to process each row in the level 1 rowset.
- C. The program is missing a loop to process each rowset in the level 1 row.
- D. The program can be simplified to:  

```
&Pct = &RS_Level0.PSU_Task_RSRC.PCT_AVAILABLE.Value;
```
- E. This line of code is not needed:  

```
&RS_Level1 = &Row_Level0.GetRowset(Scroll.PSU_TASK_RSRC);
```
- F. The &RS\_Level0 = GetLevel0(); function is missing the Level 0 scroll name.

Answer: B

19. How do you configure Process Scheduler to initiate an Application Engine trace for SQL and Step?

- A. Add %%TRACE%% %%SQL%% %%STEP%% to the parameter list for the Process Type.
- B. On the Run Control page, select the SQL Trace and Step Trace check boxes.
- C. On the Process Monitor page, select the SQL Trace and Step Trace check boxes.
- D. On the Process Definition Override Options page, for Parameter List, select Append and enter -TRACE 3.
- E. On the Process Definition Override Options page, for Parameter List, select Append and enter -TRACE SQL STEP.
- F. On the Process Definition Override Options page, for Parameter List, select Append and enter %%TRACE%% %%

SQL%% %%STEP%%.

Answer: D

20. A Process Scheduler process is configured to run an Application Engine program. You need to modify the process to use parameters entered by the user at run time. Which four additional steps do you need to take? (Choose four.)

- A. Create a process type for the new process.
- B. Add bind variables to the command-line parameters.
- C. Write a PeopleCode program to pass the parameters.
- D. Create a state record with fields to pass input parameters.
- E. Create a run control page with fields to enter the input parameters.
- F. Create a run control record with fields to store the input parameters.
- G. Modify the Application Engine program to retrieve the input parameters.

Answer: DEFG

More [1Z0-242 Braindumps](#)

### Related 1Z0-242 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-233](#) Oracle 11i install. patch and maintain applications

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-223](#) Oracle order management 11i fundamentals

[1Z0-053](#) Oracle Database 11g: Administration II

[1z0-222](#) Oracle purchasing 11i fundamentals

[1z0-403](#) Enterprise Linux System Administration

[1z0-213](#) Oracle receivables 11i fundamentals

[1z0-232](#) Oracle 11i system administration fundamentals

[1z0-235](#) Oracle 11i applications DBA: Fundamentals I

[1z0-204](#) Oracle EBS R12: E-Business Essentials

### Other Oracle Exams

[1z0-132](#) [1z0-010](#) [1z0-147](#) [1Z1-403](#) [1z0-257](#) [1z0-238](#) [1Z0-207](#) [1z1-051](#)

[1z0-050](#) [1z0-054](#) [1z0-007](#) [1z0-231](#) [1z0-204](#) [1Z0-108](#) [1Z0-242](#) [1z0-600](#)

[1z0-120](#) [1z0-035](#) [1z0-131](#) [1Z0-053](#)