

1z0-040 10g DBA

Oracle oracle database 10g:new features for adminsitrators

1z0-040: oracle database 10g:new features for adminsitrators

Practice Exam: 1z0-040 Exams

Exam Number/Code: 1z0-040

Exam Name: oracle database 10g:new features for adminsitrators

Questions and Answers: 140 Q&As

([10g DBA](#))



Exam : [1z0-040](#)

10g DBA [1z0-040](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and 10g DBA product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 10g DBA 1z0-040** examination of original title complete coverage.Just4Exam **1z0-040 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 1z0-040

Exam Name: oracle database 10g:new features for adminsitrators(10g DBA)

Questions and Answers: 140 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-040 Exam.

1z0-040 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the 10g DBA product experts, included the current newest 1z0-040 examination questions.

3. 100% Guarantee to Pass Your 10g DBA exam and get your 10g DBA Certification.

All will purchase "1z0-040 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate.Just4Exam helps you one time pass the 10g DBA 1z0-040 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 1z0-040 Q&A are more than 96%.All you need to study the whole 1z0-040 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 1z0-040 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 1z0-040 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 1z0-040 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[Oracle 1z0-040](#) Test belongs to one of the 10g DBA certified test, if needs to obtain the 10g DBA certificate, you also need to participate in other related test, the details you may visit the [10g DBA](#) certified topic, in there, you will see all related 10g DBA certified subject of examination.

1z0-040

Just4Exam professional provide 10g DBA 1z0-040 the newest Q&A, completely covers 1z0-040 test original topic. With our complete 10g DBA resources, you will minimize your 10g DBA cost and be ready to pass your 1z0-040 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 1z0-040 exam

1z0-040 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-040 exam questions updated on regular basis

Same type as the certification exams, 1z0-040 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-040 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-040

Title : Oracle(r) Database 10g:New Features For Adminsitators

1. Which are the three levels at which the Segment Advisor generates advice? (Choose three.)

A.block level

B.object level

C.schema level

D.segment level

E.tablespace level

Answer: BDE

2. You created a locally managed tablespace by using the following SQL statement:

```
CREATE TABLESPACE hr_tbs
```

```
DATAFILE 'data.dat' SIZE 1M REUSE
```

```
AUTOEXTEND ON MAXSIZE 100M;
```

The warning and critical tablespace usage threshold values are set to 85% and 97%, respectively. Which two statements regarding the threshold-based alerts generation for the HR_TBS tablespace are correct? (Choose two.)

A.A critical alert will be generated when 97 MB space is used.

B.A critical alert will be generated when 970 KB space is used.

C.A warning alert will be generated when 85 MB space is used.

- D.A warning alert will be generated when 850 KB space is used.
- E.A critical alert will be generated when 970 KB is left as free space.
- F.A warning alert will be generated when 850 KB is left as free space.
- G.No critical alert will be generated because it is a small file tablespace.
- H.No warning alert will be generated because the tablespace is autoextensible.

Answer: AC

3. View the Exhibit and examine the SQL statement used to create the EMP table.

You need to shrink the EMP table segment. Which SQL statement would you execute as a prerequisite before you execute the ALTER TABLE emp SHRINK SPACE; command?

- A.ALTER TABLESPACE emp OFFLINE;
- B.ALTER TABLESPACE emp READ ONLY;
- C.ALTER TABLE emp DEALLOCATE UNUSED;
- D.ALTER TABLE emp ENABLE ROW MOVEMENT;
- E.ALTER TABLE emp DISABLE ALL TRIGGERS;
- F.ALTER TABLE emp ENABLE NOVALIDATE CONSTRAINT emp_last_name_nn;

Answer: D

4. You are checking every 10 minutes for alerts regarding the violation of tablespace usage threshold. Some of the tablespaces' fullness was not detected on time. As a result the transactions were aborted before you had a chance to resolve the space issue. What would you do to avoid transaction failures?

- A.use bigfile tablespaces (BFTs)
- B.enable resumable space allocation
- C.modify the background process PMON settings
- D.modify the LOG_CHECKPOINT_TIMEOUT parameter
- E.reduce the default tablespace usage threshold values for the database

Answer: B

5. View the exhibit and examine the sparsely populated EMP table segment.

You execute the following SQL command.

```
ALTER TABLE emp SHRINK SPACE;
```

Identify how the data in the segment will be reorganized as a result of the above statement.

- A. Exhibit 1.
- B. Exhibit 2.
- C. Exhibit 3
- D. Exhibit 4
- E. Exhibit 5

Answer: A

6. Which two statements regarding the Policy Framework in Enterprise Manager (EM) are correct? (Choose two.)

- A.Policy violations are prioritized as High, Medium, or Informational by category.
- B.Policies can be disabled completely, or flagged as ignored, for the specified target.
- C.Policies can be flagged as ignored, but never completely disabled, for the specified target.
- D.Policy violations must be corrected, otherwise the database will shut down until corrective action occurs.

Answer: AB

7. You plan to create an external table from the EMPLOYEES, DEPARTMENTS, and LOCATIONS database tables.

Which method or command should you use to create and populate the external table?

- A.the expdp and impdp commands
- B.conventional export and import
- C.CREATE TABLE.. and SQL*Loader
- D.CREATE TABLE.. and INSERT INTO.. SELECT.. FROM..
- E.CREATE TABLE.. ORGANIZATION EXTERNAL ..AS SELECT.. FROM..

Answer: E

8. View the Exhibit and examine the highlighted alert.

You have received an alert with the Category specified as Snapshot Too Old. Which page would you open from the Advisor Central page to determine the system recommendations to avoid such alerts in future?

- A.ADDM
- B.Memory Advisor
- C.Segment Advisor
- D.Undo Management
- E.SQL Tuning Advisor
- F.SQL Access Advisor

Answer: D

9. Which two statements regarding the FLASHBACK_TRANSACTION_QUERY view are correct? (Choose two.)

- A.You can find information about only active transactions from the view.
- B.You can find information about read only transactions from the view.
- C.You require the SELECT ANY TRANSACTION system privilege to access the view.
- D.You can find information about both active and committed transactions from the view.
- E.You require the SELECT ON FLASHBACK_TRANSACTION_QUERY object privilege to access the view.

Answer: CD

10. You explicitly specified the tablespace usage threshold values while creating a tablespace. You need to revert to the database-wide default tablespace usage threshold values for the tablespace. Which PL/SQL package would you use?

- A.DBMS_STATS
- B.DBMS_ALERT
- C.DBMS_SPACE
- D.DBMS_MONITOR
- E.DBMS_SERVER_ALERT
- F.DBMS_SPACE_ADMIN

Answer: E

11. You have three production databases, HRDB, FINDB, and ORGDB, that use the same ASM instance. At the end of the day, you execute the following command on the ASM instance to shut down:

```
SQL> shutdown immediate;
```

What is the result of executing this command?

- A.All the instances, including the ASM instance, are shut down in the ABORT mode.
- B.The ASM instance is shut down, but the other instances are still running.
- C.The ASM instance is still functional, but the other instances are shut down.
- D.All the instances, including the ASM instance, are shut down in the IMMEDIATE mode.
- E.HRDB, FINDB, and ORGDB instances are shut down in the ABORT mode and the ASM instance is shut down in the IMMEDIATE mode.
- F.HRDB, FINDB, and ORGDB instances are shut down in the NORMAL mode and the ASM instance is shut down in the IMMEDIATE mode.

Answer: D

12. You have three temporary tablespace groups named G1, G2, and G3 in your database.

You are creating a new temporary tablespace as follows:

```
CREATE TEMPORARY TABLESPACE TEMP1 TEMPFILE '/u1/data/temp1.dbf' SIZE 10M TABLESPACE GROUP ";
```

Which statement regarding the above command is correct?

- A.It will create the tablespace TEMP1 in group G1.
- B.It will create the tablespace TEMP1 in group G3.
- C.It will not add the tablespace TEMP1 to any group.

- D.It will create the tablespace TEMP1 in the default group.
- E.It will throw an error with message 'specified group is not available'.
- F.It will create a new group with a system-generated name and add the tablespace TEMP1 to it.

Answer: C

13. You need to ensure that the database users should be able to use the various flashback query features in order to go back in time by four hours. What would you do to achieve this? (Choose two.)

- A.set SQL_TRACE=True
- B.set UNDO_RETENTION=14400
- C.set FAST_START_MTTR_TARGET=240
- D.set LOG_CHECKPOINT_INTERVAL=240
- E.set DB_FLASHBACK_RETENTION_TARGET=14400
- F.issue ALTER DATABASE FLASHBACK ON; command
- G.set the RETENTION GUARANTEE clause for the undo tablespace

Answer: BG

14. You want to perform the database backup when user activity on your system is low, such as between 12:00 a.m. and 2:00 a.m.

Which command terminates with an error if the backup is not complete at the end of the specified duration?

- A.RMAN> BACKUP DURATION 2:00 MINIMIZE LOAD DATABASE;
- B.RMAN> BACKUP DURATION 2:00 PARTIAL FILESPERSET 1 DATABASE;
- C.RMAN> BACKUP DURATION 2:00 PARTIAL MINIMIZE TIME DATABASE;
- D.RMAN> BACKUP AS COPY DURATION 2:00 PARTIAL MINIMIZE LOAD DATABASE;

Answer: A

15. The system was running a normal workload during the last 24 hours. You need to ensure that with the same workload you should be able to flashback tables by three hours. What would you do to find the system recommendations for the undo retention period and the undo tablespace size?

- A.set DB_FLASHBACK_RETENTION_TARGET=10800
- B.create a new scheduler window for the time period of 24 hours and use the optimizer statistics
- C.modify the Automatic Workload Repository (AWR) snapshot time interval to three hours and use ADDM findings
- D.specify New Undo Retention as three hours and Analysis Time period as Last One Day in the Undo Advisor page and use its recommendations

Answer: D

16. You have 100 segments in the USERS tablespace. You realize that the USERS tablespace is running low on space. You can use Segment Advisor to _____.

- A.add data files to the tablespace
- B.identify the segments that you should shrink
- C.modify the storage parameters for the tablespace
- D.automatically shrink the segments with unused space
- E.check the alerts generated for the tablespace that is running low on space

Answer: B

17. You have 100 segments in the USERS tablespace. You get an alert that the USERS tablespace is running low on space. You decide to shrink some segments. Which option would you use to determine which segments to shrink?

- A.Segment Advisor
- B.SQL Tuning Advisor
- C.SQL Access Advisor
- D.Segment Resource Estimation
- EAutomatic Database Diagnostic Monitor (ADDM)

Answer: A

18. You executed the following SQL statement to shrink the EMPLOYEES table segment stored in the EXAMPLE tablespace:

```
ALTER TABLE employees SHRINK SPACE CASCADE;
```

Which statement is correct in this scenario?

- A. The data in the segment will be compacted but the high water mark will not be adjusted.
- B. The EMPLOYEES table will be changed to read-only mode during the shrink operation.
- C. The indexes created on the EMPLOYEES table will need to be rebuilt after the shrink operation is over.
- D. The shrink behavior will be cascaded to all dependent segments of the table that support a shrink operation.
- E. Data manipulation language (DML) operations will not be possible on the EMPLOYEES table during the COMPACTION phase of the shrink operation.

Answer: D

19. An online tablespace, TEST_TBS, is full and you realize that no server-managed tablespace threshold alerts were generated for the TEST_TBS tablespace. What could be the reason, if the TEST_TBS tablespace does not include autoextensible data files?

- A. TEST_TBS is a small file tablespace.
- B. TEST_TBS is a bigfile tablespace (BFT).
- C. TEST_TBS is the default temporary tablespace.
- D. TEST_TBS is a dictionary-managed tablespace.
- E. Threshold values for the TEST_TBS tablespace are not explicitly specified.

Answer: D

20. View the Exhibit and examine the recommendation graph provided for a test database by the Undo Advisor.

The graph recommends that the size of undo tablespace should be set to _____.

- A. 1 MB
- B. 6 MB
- C. 10 MB
- D. 15 MB
- E. 11 MB

Answer: E

More [1z0-040 Braindumps](#)

Related 1z0-040 Exams

[1z0-042](#) oracle database 10g:administration i

[1Z0-043](#) Oracle Database 10g: Administration II

[1z0-048](#) Oracle Database 10g R2: Administering RAC

[1Z0-108](#) Oracle WebLogic Server 10g System Administration

[1z0-095](#) Oracle 9i and 10g OCM Course Attendance Exam

[1z1-046](#) Oracle database 10g:Managing Oracle on Linux for DBAs

[1z0-040](#) oracle database 10g:new features for adminsitrators

[1z0-046](#) Oracle Database 10g: Managing Oracle on Linux for DBAs

[1z0-312](#) Oracle Application Server 10g: Administrator II

Other Oracle Exams

[1Z1-238](#) [1z0-130](#) [1z1-052](#) [1z0-101](#) [1z0-212](#) [1z0-046](#) [1z0-262](#) [1z1-050](#)

[1z0-141](#) [1Z1-054](#) [1z0-209](#) [1z0-271](#) [1z0-222](#) [1z0-233](#) [1z0-403](#) [1z0-033](#)

[1z0-007](#) [1z0-010](#) [1Z1-241](#) [1z0-048](#)