

1z0-047 Other Oracle Certification Oracle Oracle Database SQL Expert

1z0-047: Oracle Database SQL Expert

Practice Exam: 1z0-047 Exams

Exam Number/Code: 1z0-047

Exam Name: Oracle Database SQL Expert

Questions and Answers: 278 Q&As

([Other Oracle Certification](#))



Other Oracle Certification [1z0-047](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and Other Oracle Certification product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

Exam : [1z0-047](#)

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle Other Oracle Certification 1z0-047** examination of original title complete coverage. Just4Exam **1z0-047 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 1z0-047

Exam Name: Oracle Database SQL Expert(Other Oracle Certification)

Questions and Answers: 278 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-047 Exam.

1z0-047 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Other Oracle Certification product experts, included the current newest 1z0-047 examination questions.

3. 100% Guarantee to Pass Your Other Oracle Certification exam and get your Other Oracle Certification Certification.

All will purchase "1z0-047 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the Other Oracle Certification 1z0-047 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 1z0-047 Q&A are more than 96%. All you need to study the whole 1z0-047 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 1z0-047 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC

or VUE test centers Seal. we will refund your full cost of 1z0-047 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 1z0-047 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

Oracle 1z0-047 Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination.

1z0-047

Just4Exam professional provide Other Oracle Certification 1z0-047 the newest Q&A, completely covers 1z0-047 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z0-047 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 1z0-047 exam

1z0-047 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-047 exam questions updated on regular basis

Same type as the certification exams, 1z0-047 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-047 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

Just4Exam.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-047

Title : Oracle Database SQL Expert

1. Which two statements are true? (Choose two.)

- A. The USER_SYNONYMS view can provide information about private synonyms.
- B. The user SYSTEM owns all the base tables and user-accessible views of the data dictionary.
- C. All the dynamic performance views prefixed with V\$ are accessible to all the database users.
- D. The USER_OBJECTS view can provide information about the tables and views created by the user only.
- E. DICTIONARY is a view that contains the names of all the data dictionary views that the user can access.

Answer: AE

2. View the Exhibit and examine the description of the CUSTOMERS table.

You want to add a constraint on the CUST_FIRST_NAME column of the CUSTOMERS table so that the value inserted in the column does not have numbers.

Which SQL statement would you use to accomplish the task?

- A. ALTER TABLE CUSTOMERS
ADD CONSTRAINT cust_f_name
CHECK(REGEXP_LIKE(cust_first_name,'^A-Z'))NOVALIDATE ;

B. ALTER TABLE CUSTOMERS
ADD CONSTRAINT cust_f_name
CHECK(REGEXP_LIKE(cust_first_name,'[0-9]'))NOVALIDATE ;

C. ALTER TABLE CUSTOMERS
ADD CONSTRAINT cust_f_name
CHECK(REGEXP_LIKE(cust_first_name,['[:alpha:]']))NOVALIDATE ;

D. ALTER TABLE CUSTOMERS
ADD CONSTRAINT cust_f_name
CHECK(REGEXP_LIKE(cust_first_name,['[:digit:]']))NOVALIDATE ;

Answer: C

3. Which two statements are true regarding the execution of the correlated subqueries? (Choose two.)

- A. The nested query executes after the outer query returns the row.
- B. The nested query executes first and then the outer query executes.
- C. The outer query executes only once for the result returned by the inner query.
- D. Each row returned by the outer query is evaluated for the results returned by the inner query.

Answer: AD

4. You need to load information about new customers from the NEW_CUST table into the tables CUST and CUST_SPECIAL. If a new customer has a credit limit greater than 10,000, then the details have to be inserted into CUST_SPECIAL. All new customer details have to be inserted into the CUST table. Which technique should be used to load the data most efficiently?

- A. external table
- B. the MERGE command
- C. the multitable INSERT command
- D. INSERT using WITH CHECK OPTION

Answer: C

5. View the Exhibit and examine the structure of the EMPLOYEES table.

You want to retrieve hierarchical data of the employees using the top-down hierarchy. Which SQL clause would let you choose the direction to walk through the hierarchy tree?

- A. WHERE
- B. HAVING
- C. GROUP BY
- D. START WITH
- E. CONNECT BY PRIOR

Answer: E

6. EMPDET is an external table containing the columns EMPNO and ENAME. Which command would work in relation to the EMPDET table?

- A. UPDATE empdet
SET ename = 'Amit'
WHERE empno = 1234;
- B. DELETE FROM empdet
WHERE ename LIKE 'J%';
- C. CREATE VIEW empvu
AS
SELECT * FROM empdept;
- D. CREATE INDEX empdet_idx
ON empdet(empno);

Answer: C

7. OE and SCOTT are the users in the database. The ORDERS table is owned by OE. Evaluate the statements

issued by the DBA in the following sequence:

```
CREATE ROLE r1;  
GRANT SELECT, INSERT ON oe.orders TO r1;  
GRANT r1 TO scott;  
GRANT SELECT ON oe.orders TO scott;  
REVOKE SELECT ON oe.orders FROM scott;
```

What would be the outcome after executing the statements?

- A. SCOTT would be able to query the OE.ORDERS table.
- B. SCOTT would not be able to query the OE.ORDERS table.
- C. The REVOKE statement would remove the SELECT privilege from SCOTT as well as from the role R1.
- D. The REVOKE statement would give an error because the SELECT privilege has been granted to the role R1.

Answer: A

8. View the Exhibit and examine the structure of the MARKS_DETAILS and MARKS tables.

Which is the best method to load data from the MARKS_DETAILS table to the MARKS table?

- A. Pivoting INSERT
- B. Unconditional INSERT
- C. Conditional ALL INSERT
- D. Conditional FIRST INSERT

Answer: A

9. View the Exhibit and examine the description of the EMPLOYEES table.

You want to display the EMPLOYEE_ID, FIRST_NAME, and DEPARTMENT_ID for all the employees who work in the same department and have the same manager as that of the employee having EMPLOYEE_ID 104. To accomplish the task, you execute the following SQL statement:

```
SELECT employee_id, first_name, department_id  
FROM employees  
WHERE (manager_id, department_id) =(SELECT department_id, manager_id  
FROM employees  
WHERE employee_id = 104)  
AND employee_id <> 104;
```

When you execute the statement it does not produce the desired output. What is the reason for this?

- A. The WHERE clause condition in the main query is using the = comparison operator, instead of EXISTS.
- B. The WHERE clause condition in the main query is using the = comparison operator, instead of the IN operator.
- C. The WHERE clause condition in the main query is using the = comparison operator, instead of the = ANY operator.
- D. The columns in the WHERE clause condition of the main query and the columns selected in the subquery should be in the same order.

Answer: D

10. Evaluate the CREATE TABLE statement:

```
CREATE TABLE products  
(product_id NUMBER(6) CONSTRAINT prod_id_pk PRIMARY KEY,  
product_name VARCHAR2(15));
```

Which statement is true regarding the PROD_ID_PK constraint?

- A. It would be created only if a unique index is manually created first.
- B. It would be created and would use an automatically created unique index.
- C. It would be created and would use an automatically created nonunique index.
- D. It would be created and remains in a disabled state because no index is specified in the command.

Answer: B

11. View the Exhibit and examine the structure of the EMP table which is not partitioned and not an index-organized table.

Evaluate the following SQL statement:

```
ALTER TABLE emp
```

```
DROP COLUMN first_name;
```

Which two statements are true regarding the above command? (Choose two.)

- A. The FIRST_NAME column would be dropped provided it does not contain any data.
- B. The FIRST_NAME column would be dropped provided at least one or more columns remain in the table.
- C. The FIRST_NAME column can be rolled back provided the SET UNUSED option is added to the above SQL statement.
- D. The FIRST_NAME column can be dropped even if it is part of a composite PRIMARY KEY provided the CASCADE option is used.

Answer: BD

12. View the Exhibit and examine PRODUCTS and ORDER_ITEMS tables.

You executed the following query to display PRODUCT_NAME and the number of times the product has been ordered:

```
SELECT p.product_name, i.item_cnt
FROM (SELECT product_id, COUNT (*) item_cnt
FROM order_items
GROUP BY product_id) i RIGHT OUTER JOIN products p
ON i.product_id = p.product_id;
```

What would happen when the above statement is executed?

- A. The statement would execute successfully to produce the required output.
- B. The statement would not execute because inline views and outer joins cannot be used together.
- C. The statement would not execute because the ITEM_CNT alias cannot be displayed in the outer query.
- D. The statement would not execute because the GROUP BY clause cannot be used in the inline view.

Answer: A

13. Which three tasks can be performed using regular expression support in Oracle Database 10g? (Choose three.)

- A. It can be used to concatenate two strings.
- B. It can be used to find out the total length of the string.
- C. It can be used for string manipulation and searching operations.
- D. It can be used to format the output for a column or expression having string data.
- E. It can be used to find and replace operations for a column or expression having string data.

Answer: CDE

14. Evaluate the following CREATE SEQUENCE statement:

```
CREATE SEQUENCE seq1
START WITH 100
INCREMENT BY 10
MAXVALUE 200
CYCLE
NOCACHE;
```

The sequence SEQ1 has generated numbers up to the maximum limit of 200. You issue the following SQL statement:

```
SELECT seq1.nextval FROM dual;
```

What is displayed by the SELECT statement?

- A. 1
- B. 10
- C. 100
- D. an error

Answer: A

15. In which scenario would you use the ROLLUP operator for expression or columns within a GROUP BY clause?

- A. to find the groups forming the subtotal in a row

- B. to create group-wise grand totals for the groups specified within a GROUP BY clause
- C. to create a grouping for expressions or columns specified within a GROUP BY clause in one direction, from right to left for calculating the subtotals
- D. to create a grouping for expressions or columns specified within a GROUP BY clause in all possible directions, which is cross-tabular report for calculating the subtotals

Answer: C

16. View the Exhibit and examine the data in ORDERS and ORDER_ITEMS tables.

You need to create a view that displays the ORDER ID, ORDER_DATE, and the total number of items in each order.

Which CREATE VIEW statement would create the view successfully?

A. CREATE OR REPLACE VIEW ord_vu (order_id,order_date)
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
"NO OF ITEMS"

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

B. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
"NO OF ITEMS"

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

C. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
FROM orders o JOIN order_items i

ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

D. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)||' NO OF ITEMS'

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date

WITH CHECK OPTION;

Answer: B

17. View the Exhibit and examine the description of the ORDERS table.

Which two WHERE clause conditions demonstrate the correct usage of conversion functions? (Choose two.)

A. WHERE order_date > TO_DATE('JUL 10 2006','MON DD YYYY')

B. WHERE TO_CHAR(order_date,'MON DD YYYY') = 'JAN 20 2003'

C. WHERE order_date > TO_CHAR(ADD_MONTHS(SYSDATE,6),'MON DD YYYY')

D. WHERE order_date IN (TO_DATE('Oct 21 2003','Mon DD YYYY'), TO_CHAR('NOV 21 2003','Mon DD YYYY'))

Answer: AB

18. View the Exhibit and examine the description of the EMPLOYEES table.

Your company decided to give a monthly bonus of \$50 to all the employees who have completed five years in the company. The following statement is written to display the LAST_NAME, DEPARTMENT_ID, and the total annual salary:

```
SELECT last_name, department_id, salary+50*12 "Annual Compensation"
```

```
FROM employees
```

```
WHERE MONTHS_BETWEEN(SYSDATE, hire_date)/12 >= 5;
```

When you execute the statement, the "Annual Compensation" is not computed correctly. What changes would you make to the query to calculate the annual compensation correctly?

A. Change the SELECT clause to SELECT last_name, department_id, salary*12+50 "Annual Compensation".

- B. Change the SELECT clause to SELECT last_name, department_id, salary+(50*12) "Annual Compensation".
- C. Change the SELECT clause to SELECT last_name, department_id, (salary+50)*12 "Annual Compensation".
- D. Change the SELECT clause to SELECT last_name, department_id, (salary*12)+50 "Annual Compensation".

Answer: C

19. View the Exhibit and examine the descriptions of ORDER_ITEMS and ORDERS tables.

You want to display the CUSTOMER_ID, PRODUCT_ID, and total (UNIT_PRICE multiplied by QUANTITY) for the order placed. You also want to display the subtotals for a CUSTOMER_ID as well as for a PRODUCT_ID for the last six months.

Which SQL statement would you execute to get the desired output?

- A. SELECT o.customer_id, oi.product_id, SUM(oi.unit_price*oi.quantity) "Total"
FROM order_items oi JOIN orders o
ON oi.order_id=o.order_id
GROUP BY ROLLUP (o.customer_id,oi.product_id)
WHERE MONTHS_BETWEEN(order_date, SYSDATE) <= 6;
- B. SELECT o.customer_id, oi.product_id, SUM(oi.unit_price*oi.quantity) "Total"
FROM order_items oi JOIN orders o
ON oi.order_id=o.order_id
GROUP BY ROLLUP (o.customer_id,oi.product_id)
HAVING MONTHS_BETWEEN(order_date, SYSDATE) <= 6;
- C. SELECT o.customer_id, oi.product_id, SUM(oi.unit_price*oi.quantity) "Total"
FROM order_items oi JOIN orders o
ON oi.order_id=o.order_id
GROUP BY ROLLUP (o.customer_id, oi.product_id)
WHERE MONTHS_BETWEEN(order_date, SYSDATE) >= 6;
- D. SELECT o.customer_id, oi.product_id, SUM(oi.unit_price*oi.quantity) "Total"
FROM order_items oi JOIN orders o
ON oi.order_id=o.order_id
WHERE MONTHS_BETWEEN(order_date, SYSDATE) <= 6
GROUP BY ROLLUP (o.customer_id, oi.product_id) ;

Answer: D

20. Evaluate the following SQL statement:

```
ALTER TABLE hr.emp
SET UNUSED (mgr_id);
```

Which statement is true regarding the effect of the above SQL statement?

- A. Any synonym existing on the EMP table would have to be re-created.
- B. Any constraints defined on the MGR_ID column would be removed by the above command.
- C. Any views created on the EMP table that include the MGR_ID column would have to be dropped and re-created.
- D. Any index created on the MGR_ID column would continue to exist until the DROP UNUSED COLUMNS command is executed.

Answer: B

More [1z0-047 Braindumps](#)

Related 1z0-047 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

1Z0-055 Oracle Database 11g: New Features for 9i OCPs

1Z0-216 Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

1z0-233 Oracle 11i install. patch and maintain applications

1z0-231 Oracle implement workflow 11i/2.6

1z0-225 Oracle EBS R12: Inventory and Purchasing Fundamentals

1z0-238 R12 Oracle: install, Patch and Maintain Oracle Applications

1z0-264 Hyperion Essbase Analytics 9.3 Developer

1z0-223 Oracle order management 11i fundamentals

1Z0-053 Oracle Database 11g: Administration II

1z0-222 Oracle purchasing 11i fundamentals

1z0-403 Enterprise Linux System Administration

1z0-213 Oracle receivables 11i fundamentals

1z0-232 Oracle 11i system administration fundamentals

1z0-235 Oracle 11i applications DBA: Fundamentals I

1z0-204 Oracle EBS R12: E-Business Essentials

Other Oracle Exams

1z0-226 1z0-610 1z0-221 1z0-222 1z0-640 1z0-209 1Z0-615 1Z0-114

1z0-131 1z0-630 1z0-223 1Z0-228 1z1-312 1z0-001 1z0-202 1Z0-208

1z0-130 1Z0-218 1z0-236 1Z0-041