

310-065 SCJP SUN Other Certifications

SUN Sun Certified Programmer for the Java 2 Platform. SE6.0

310-065: Sun Certified Programmer for the Java 2 Platform. SE6.0

Practice Exam: 310-065 Exams

Exam Number/Code: 310-065

Exam Name: Sun Certified Programmer for the Java 2 Platform. SE6.0

Questions and Answers: 207 Q&As

([SCJP SUN Other Certifications](#))



Exam : [310-065](#)

SCJP SUN Other Certifications [310-065](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and SCJP SUN Other Certifications product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **SUN SCJP SUN Other Certifications 310-065** examination of original title complete coverage. Just4Exam **310-065 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 310-065

Exam Name: Sun Certified Programmer for the Java 2 Platform. SE6.0(SCJP SUN Other Certifications)

Questions and Answers: 207 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-065 Exam.

310-065 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SCJP SUN Other Certifications product experts, included the current newest 310-065 examination questions.

3. 100% Guarantee to Pass Your SCJP SUN Other Certifications exam and get your SCJP SUN Other Certifications Certification.

All will purchase "310-065 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the SCJP SUN Other Certifications 310-065 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctness of the Q&A is 100%, the coverage of 310-065 Q&A are more than 96%. All you need to study the whole 310-065 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-065 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC

or VUE test centers Seal. we will refund your full cost of 310-065 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-065 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[SUN 310-065](#) Test belongs to one of the SCJP SUN Other Certifications certified test, if needs to obtain the SCJP SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the **[SCJP SUN Other Certifications](#)** certified topic, in there, you will see all related SCJP SUN Other Certifications certified subject of examination.

310-065

Just4Exam professional provide SCJP SUN Other Certifications 310-065 the newest Q&A, completely covers 310-065 test original topic. With our complete SCJP SUN Other Certifications resources, you will minimize your SCJP SUN Other Certifications cost and be ready to pass your 310-065 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 310-065 exam

310-065 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-065 exam questions updated on regular basis

Same type as the certification exams, 310-065 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-065 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-065

Title : Sun Certified Programmer for the Java 2 Platform. SE 6.0

```
1. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

- C. If lines 16, 17 and 18 were removed, compilation would fail.
 - D. If lines 24, 25 and 26 were removed, compilation would fail.
 - E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
 - F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.
- Answer: BEF

```
2. }
```

```
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```
3. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

4. Given:

```
1. public class Boxer1{
```

```
2. Integer i;
```

```
3. int x;
```

```
4. public Boxer1(int y) {
```

```
5. x = i+y;
```

```
6. System.out.println(x);
```

```
7. }
```

```
8. public static void main(String[] args) {
```

```
9. new Boxer1(new Integer(4));
```

```
10. }
```

```
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

5.

```
31. public static void main( String[] argv ) {  
32.     new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
6. new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

7. Given:

```
31. // some code here  
32. try {  
33. // some code here  
34. } catch (SomeException se) {  
35. // some code here  
36. } finally {  
37. // some code here  
38. }
```

Under which three circumstances will the code on line 37 be executed? (Choose three.)

- A. The instance gets garbage collected.
- B. The code on line 33 throws an exception.
- C. The code on line 35 throws an exception.
- D. The code on line 31 throws an exception.
- E. The code on line 33 executes successfully.

Answer: BCE

```
8. public static void main(String[] args) {  
9.     new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.

E. A NumberFormatException occurs at runtime.

F. An IllegalStateException occurs at runtime.

Answer: D

9.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

10. }

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

A. System.load("prop.custom");

B. System.getenv("prop.custom");

C. System.property("prop.custom");

D. System.getProperty("prop.custom");

E. System.getProperties().getProperty("prop.custom");

Answer: DE

11. public int fubar(Foo foo) { return foo.bar(); }

21.

22. public void testFoo() {

23.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```

12. x = i+y;
6. System.out.println(x);
7. }
8. public static void main(String[] args) {
9. new Boxer1(new Integer(4));
10. }
11. }

```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```

13. }

```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```

14. class ClassB extends ClassA {}
13. class ClassC extends ClassA {}

```

and:

```

21. ClassA p0 = new ClassA();
22. ClassB p1 = new ClassB();
23. ClassC p2 = new ClassC();
24. ClassA p3 = new ClassB();
25. ClassA p4 = new ClassC();

```

Which three are valid? (Choose three.)

- A. p0 = p1;
- B. p1 = p2;
- C. p2 = p4;
- D. p2 = (ClassC)p1;
- E. p1 = (ClassB)p3;
- F. p2 = (ClassC)p4;

Answer: AEF

```

15. System.out.println(myProp);
15. }
16. }

```

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

```
16. }
```

```
8. public static void main(String[] args) {
```

```
9. new Boxer1(new Integer(4));
```

```
10. }
```

```
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```
17.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
18. }
```

```
16. }
```

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

19. }

18. }

Which code, inserted at line 15, allows the class Sprite to compile?

A. Foo { public int bar() { return 1; } }

B. new Foo { public int bar() { return 1; } }

C. new Foo() { public int bar() { return 1; } }

D. new class Foo { public int bar() { return 1; } }

Answer: C

20. Given:

11. public static void main(String[] args) {

12. Object obj = new int[] { 1, 2, 3 };

13. int[] someArray = (int[])obj;

14. for (int i : someArray) System.out.print(i + " ");

15. }

What is the result?

A. 1 2 3

B. Compilation fails because of an error in line 12.

C. Compilation fails because of an error in line 13.

D. Compilation fails because of an error in line 14.

E. A ClassCastException is thrown at runtime.

Answer: A

21. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

22. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
23. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
24.
20. public int fubar( Foo foo ) { return foo.bar(); }
21.
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
25. }
```

27.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
26. class ClassC extends ClassA {}
```

and:

```
21. ClassA p0 = new ClassA();
```

```
22. ClassB p1 = new ClassB();
```

```
23. ClassC p2 = new ClassC();
```

```
24. ClassA p3 = new ClassB();
```

```
25. ClassA p4 = new ClassC();
```

Which three are valid? (Choose three.)

A. p0 = p1;

B. p1 = p2;

C. p2 = p4;

D. p2 = (ClassC)p1;

E. p1 = (ClassB)p3;

F. p2 = (ClassC)p4;

Answer: AEF

27.

```
22. public void testFoo() {
```

```
23.
```

```
24. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

27.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

28. Given:

```
11. public class Test {
12.     public enum Dogs {collie, harrier, shepherd};
13.     public static void main(String [] args) {
14.         Dogs myDog = Dogs.shepherd;
15.         switch (myDog) {
16.             case collie:
17.                 System.out.print("collie ");
18.             case default:
19.                 System.out.print("retriever ");
20.             case harrier:
21.                 System.out.print("harrier ");
22.         }
23.     }
24. }
```

What is the result?

- A. harrier
- B. shepherd
- C. retriever
- D. Compilation fails.
- E. retriever harrier
- F. An exception is thrown at runtime.

Answer: D

29. }

Which code, inserted at line 15, allows the class Sprite to compile?

- A. `Foo { public int bar() { return 1; } }`
- B. `new Foo { public int bar() { return 1; } }`
- C. `new Foo() { public int bar() { return 1; } }`
- D. `new class Foo { public int bar() { return 1; } }`

Answer: C

30. `System.out.println(x);`

`7. }`

`8. public static void main(String[] args) {`

`9. new Boxer1(new Integer(4));`

`10. }`

`11. }`

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A `NullPointerException` occurs at runtime.
- E. A `NumberFormatException` occurs at runtime.
- F. An `IllegalStateException` occurs at runtime.

Answer: D

More [310-065 Braindumps](#)

310-065 Sun Certified Programmer for the Java 2 Platform. SE6.0

310-055 Sun Certified Programmer for the Java 2 Platform. SE 5.0

310-036 SUN CERTIFIED JAVA 2 PROGRAMMER 1.4 UPGRADE

212-055 Sun Certified Programmer for the Java 2 Platform. SE 5.0

310-035 SUN CERTIFIED PROGRAMMER FOR THE JAVA 2 PLATFORM 1.4

310-065Big5 Sun Certified Programmer for the Java 2 Platform. SE6.0

310-056 Sun Certified Programmer for J2SE 5.0 - Upgrade

310-055Big5 Sun Certified Programmer for the Java 2 Platform. SE 5.0

Other SUN Exams

<u>310-345</u>	<u>310-056</u>	<u>310-090</u>	<u>310-630</u>	<u>310-027</u>	<u>310-083</u>	<u>310-100</u>	<u>310-065Big5</u>
<u>310-045</u>	<u>310-203</u>	<u>310-560</u>	<u>310-220</u>	<u>310-610</u>	<u>310-150</u>	<u>310-877</u>	<u>310-091</u>
<u>310-880</u>	<u>412-600</u>	<u>310-036</u>	<u>310-202</u>				