

310-202 SCSA10

SUN Sun Certified System Administrator for Solaris 10 OS.Part 2

310-202: Sun Certified System Administrator for Solaris 10 OS.Part 2

Practice Exam: 310-202 Exams

Exam Number/Code: 310-202

Exam Name: Sun Certified System Administrator for Solaris 10 OS.Part 2

Questions and Answers: 379 Q&As

([SCSA10](#))



Exam : [310-202](#)

SCSA10 [310-202](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and SCSA10 product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SCSA10 310-202** examination of original title complete coverage.Just4Exam **310-202 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 310-202

Exam Name: Sun Certified System Administrator for Solaris 10 OS.Part 2(SCSA10)

Questions and Answers: 379 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-202 Exam.

310-202 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SCSA10 product experts, included the current newest 310-202 examination questions.

3. 100% Guarantee to Pass Your SCSA10 exam and get your SCSA10 Certification.

All will purchase "310-202 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate.Just4Exam helps you one time pass the SCSA10 310-202 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 310-202 Q&A are more than 96%.All you need to study the whole 310-202 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-202 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-202 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-202 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[SUN 310-202](#) Test belongs to one of the SCSA10 certified test, if needs to obtain the SCSA10 certificate, you also need to participate in other related test, the details you may visit the [SCSA10](#) certified topic, in there, you will see all related SCSA10 certified subject of examination.

310-202

Just4Exam professional provide SCSA10 310-202 the newest Q&A, completely covers 310-202 test original topic. With our complete SCSA10 resources, you will minimize your SCSA10 cost and be ready to pass your 310-202 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 310-202 exam

310-202 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-202 exam questions updated on regular basis

Same type as the certification exams, 310-202 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-202 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Sun 310-202

Title : Sun(r) Certified System Administrator for Solaris 10 OS.Part 2

1. You are logged on as the root user and issue the command:

```
# snoop -v -i
```

filename

What two statements about the effect of the output of this command are true? (Choose two.)

- A. snoop displays packets from filename instead of the network
- B. snoop displays one line for each packet.
- C. snoop displays multiple lines for each packet.
- D. snoop verifies each packet.
- E. snoop is launched in interactive mode.

Answer: AC

2. You are installing a SPARC system using a custom jumpstart installation. You want to automate the installation as much as possible and would like to avoid answering questions normally presented during the system identification phase of the installation. You choose to perform a Custom JumpStart installation. Which answers describe system identification information that can be obtained from the identification service provided by the boot-server? (Choose three.)

- A. Hostname

- B. Domain name
- C. Root password
- D. Software group selection
- E. Disk partitioning and file system specifications

Answer: ABC

3. The following ZFS file system is available on your system:

```
NAME USED AVAIL REFER MOUNTPOINT
```

```
files 82K 72.8G 24.5K /data
```

You want to temporarily unmount the /data file system. Which set of commands will unmount the /data file system so that it is not available to users and then mount the system when you are ready to make it available again?

- A. umount /data - to unmount the file system; mount /data to mount the file system.
- B. zfs umount /data - to unmount the file system; zfs mount /data to mount the file system.
- C. zfs unmount /data - to unmount the file system; zfs mount /data to mount the file system.
- D. zfs unmount /data - to unmount the file system; zfs mount -a to mount the file system.

Answer: D

4. Only local system files are used during the boot process to configure the system for local Ethernet LAN connectivity.

Immediately after reboot the ifconfig -a command displays:

```
lo0: flags=1000849<UP,LOOPBACK,RUNNING,MULTICAST,IPv4> mtu 8232 index 1
inet 127.0.0.1 netmask ff000000
```

Which local network configuration file is missing?

- A. /etc/ethers
- B. /etc/netmasks
- C. /etc/networks
- D. /etc/inet/hosts
- E. /etc/hostname.interface

Answer: E

5. You are logged in as the root user and issue the command:

```
# snoop -q -o
```

```
filename
```

What two statements about the output results of this command are true? (Choose two.)

- A. Network traffic is displayed
- B. Network traffic is sent to filename
- C. The snoop command will quit after a default amount of time.
- D. Packet count is NOT displayed.
- E. The contents of the filename is in ASCII text.

Answer: BD

6. What are two beneficial features of soft partitions? (Choose two.)

- A. They allow a single large volume to be subdivided into more than eight segments.
- B. They improve throughput by scattering access across multiple physical volumes.
- C. They allow multiple physical volumes to be combined into a single logical volume.
- D. They allow the file system to grow as the underlying volume size increases without moving or destroying the data already stored on it.
- E. They allow a file system to grow beyond the limits of the underlying physical volume.
- F. They provide a more reliable method for storing data and improving availability.

Answer: AD

7. You are responsible for maintaining a server used to support installations by means of Flash archives.

Because of the diversity of systems on your organization's network, you have many different Flash archives on this

server.

Which command can be used to find out who created the archives and when they were created?

- A. flar info archivename
- B. flar version archivename
- C. flar manifest archivename
- D. flar create -i archivename

Answer: A

8. A junior administrator is having difficulty getting a service installed and configured on a Solaris 10 OS and has asked for assistance. The service must be started automatically from inetd. The installation script has placed entries appropriate to the service in /etc/inetd.conf and they are formatted correctly. The service does NOT start on demand and the administrator has issued several pkill -HUP inetd commands. This same service installs and works fine on a Solaris 9 OS.

Assuming that there are no problems with the binaries associated with the service, what command must be run to configure and enable this service on the Solaris 10 OS?

- A. reboot
- B. inetadm -l
- C. inetconv -e -f
- D. inetadm -e /etc/inetd.conf

Answer: C

9. Which two entries are valid for the contents of the /etc/hostname.ce0 file? (Choose two.)

- A. corprouter1
- B. 192.168.10.1
- C. ce0 192.168.10.1
- D. ifconfig ce0 inet 192.168.10.1

Answer: AB

10. You are logged on as root and issue the command:

```
#snoop -a
```

Which two statements about the output results from this command are true? (Choose two.)

- A. Network traffic is displayed.
- B. Only the MAC addresses are displayed.
- C. All outgoing packets have the snoop flag appended..
- D. Listen to packets on /dev/audio
- E. All Network traffic is sent to the default log file.

Answer: AD

11. When the Name Service Cache Daemon (nscd) is running, and the hosts cache is enabled, what is the result of manually modifying the /etc/inet/hosts file?

- A. The nscd is restarted automatically.
- B. The hosts cache is immediately updated to reflect the change.
- C. The nscd exits and the message error code 1 is sent to syslogd.
- D. The hosts cache is invalidated upon the next call to the nscd daemon.

Answer: D

12. You have just configured the network interface on systemA . The following information is displayed pertaining to the network interface on systemA:

```
lo0: flags=2001000849<UP,LOOPBACK,RUNNING,MULTICAST,IPv4,VIRTUAL> mtu 8232 index 1 inet 127.0.0.1 netmask ff000000?
```

```
rtls0: flags=1004842<BROADCAST,RUNNING,MULTICAST,DHCP,IPv4> mtu 1500 index 2 inet 192.168.1.31 netmask ffffff00 broadcast 192.168.1.255 ether 0:10:dc:a3:7e:4b
```

From systemB, you test the network connectivity by sending ICMP ECHO_REQUEST packets to systemA. The following message is displayed: no answer from systemA

What is most likely the problem?

- A. The interface is not plumbed.
- B. The interface is not configured.
- C. The interface does not have valid routes configured.
- D. The interface is not marked as UP

Answer: D

13. A system administrator found the following message in the `/var/adm/messages` file:

```
Jan 26 14:44:29 host genunix: [ID 936769 kern.notice] pm0 is /pseudo/pm@0
```

Which statement is true?

- A. The message was logged by the kernel.
- B. The message was created by the logger command:
`logger -t genunix -p kern.notice "pm0 is /pseudo/pm@0".`
- C. The message was created by the logger command:
`logger "genunix: [ID 936769 kern.notice] pm0 is /pseudo/pm@0".`
- D. The message was created by the logger command:
`logger -t genunix -p kern.notice "[ID 936769 kern.notice] pm0 is /pseudo/pm@0".`

Answer: A

14. You need to change the hostname and IP address of a server. Without manually editing all of the required files, which command can be run to restore a system's configuration to an unconfigured state, ready to be reconfigured again?

- A. `/usr/sbin/sys-unconfig`
- B. `/usr/sbin/unconfig`
- C. `/sbin/ipconfig`
- D. `/usr/sbin/set_parms initial`

Answer: A

15. Given:

```
dhcp-100 -> dhcp-105 FTP R port=32990 220 dhcp-100 ...
dhcp-105 -> dhcp-100 FTP C port=32990
dhcp-105 -> dhcp-100 FTP C port=32990 USER rootrn
dhcp-100 -> dhcp-105 FTP R port=32990
dhcp-100 -> dhcp-105 FTP R port=32990 331 Password require
dhcp-105 -> dhcp-100 FTP C port=32990
dhcp-105 -> dhcp-100 FTP C port=32990 PASS rootrn
dhcp-100 -> dhcp-105 FTP R port=32990
dhcp-100 -> dhcp-105 FTP R port=32990 530 Login incorrect.
dhcp-105 -> dhcp-100 FTP C port=32990 SYSTrn
```

Which two statements are true? (Choose two.)

- A. The password for root on dhcp-105 is root.
- B. A user on dhcp-105 is trying to connect using ftp to dhcp-100
- C. A user on dhcp-100 cannot log in to dhcp-105
- D. A user on dhcp-100 successfully logged in to dhcp-105
- E. A user on dhcp-105 is trying to log in to dhcp-100 with root id.

Answer: BE

16. During boot up, your x86-based laptop that is running the Solaris 10 OS displays the message:

```
NFS server arizona not responding, still trying
```

Which two are valid troubleshooting procedures for this problem? (Choose two.)

- A. Restart the NFS client-side daemons.
- B. Verify that your laptop is connected to the correct network.
- C. Verify that the NFS client entry in `/etc/inetd.conf` is correct, then get `inetd` to reread the `/etc/inetd.conf`

D. Verify that the server arizona is up and that its network interface is up.

E. Verify that the nfsd daemon is running on your laptop.

Answer: BD

17. You need to register your x86-based system on a JumpStart server. Which option specifies that this x86 system is a DHCP client?

A. -d

B. -e

C. -c

D. -p

Answer: A

18. An administrator needs to assign the 192.168.3.7 IP address to the hme1 interface. The hme1 interface is currently unused.

Which two commands are needed to enable hme1 and assign it the address without rebooting the system, as well as to make the configuration persist across reboots? (Choose two).

A. ifconfig hme1 plumb 192.168.3.7 up

B. echo "192.168.3.7" > /etc/hostname.hme1

C. echo "ifconfig hme1 plumb 192.168.3.7 up">> /etc/hostname.hme1

D. ifconfig plumb hme1 inet 192.168.3.7 netmask 255.255.255.0 up

Answer: AB

19. Which answers describe characteristics of the non-global zone? (Choose two)

A. A unique zone ID for each individual zone, starting at ID 0.

B. A non-global zone has its own unique kernel.

C. Unaware of other non-global zones except the global zone.

D. Shares the Solaris kernel with the global zone.

E. The non-global zone can contain software that is not installed from or shared with the global zone.

Answer: DE

20. You run the command:

```
ping host1
```

After a short time, you receive the response:

```
no answer from host1
```

Which is a cause of this message?

A. Your local network interface is configured as down.

B. The interface on host1 has been configured as down.

C. Your IP address is not in the /etc/hosts file on host1

D. Your local system is unable to resolve the IP address for host1.

Answer: B

21. Given:

```
# rpcinfo -p |grep rusersd
```

```
100002 2 tcp 32776 rusersd
```

```
100002 3 tcp 32776
```

```
rusersd
```

```
100002 2 udp 32786 rusersd
```

```
100002 3 udp 32786 rusersd
```

Which three are true? (Choose three.)

A. rusersd always uses port 100002

B. rusersd is registered with rpcbind

C. rusersd uses TCP and UDP protocols.

D. rusersd is currently using ports 32776 and 32786

E. The process identifiers (pids) of rusersd are 32776 and 32786.

Answer: BCD

22. What are three outcomes of executing the `# svcadm restart system/name-service-cache` command? (Choose three.)

- A. The host reboots.
- B. The `nscd` daemon restarts.
- C. `/etc/nscd.conf` is reread.
- D. The `ybind` daemon restarts.
- E. The local host's cache of the name services is cleared out.

Answer: BCE

23. Given the output from `dumpadm` on a system with the node name, rabbit:

```
# dumpadm
```

```
Dump content: kernel pages
```

```
Dump device: /dev/dsk/c2t3d0s0 (dedicated)
```

```
Savecore directory: /var/crash/wm13w6
```

```
Savecore enabled: no
```

Which three commands have been executed to accomplish this configuration? (Choose three.)

- A. `dumpadm -n`
- B. `dumpadm -c none`
- C. `dumpadm -s wm13w6`
- D. `dumpadm -d c2t3d0s0`
- E. `dumpadm -d /dev/dsk/c2t3d0s0`
- F. `dumpadm -s /var/crash/wm13w6`

Answer: AEF

24. At boot up, this service calls the startup scripts which are used to configure each network interface with an IP address and other required network information. Which service is it?

- A. `svc:/network/service:default`
- B. `svc:/network/physical:default`
- C. `svc:/network/ifconfig:default`
- D. `svc:/network/inetd:default`

Answer: B

25. A host named `client12` is having difficulty communicating with a heavily used server named `server14`. The `server14` server has the `ce0`, `ce1`, `ce4`, and `qfe4` interfaces active. The `client12`, `admin6`, and `appserv5` hosts are all on a private network and access the `ce4` interface on `server14` exclusively and cannot access other network interfaces on `server14`. The `appserv5` and `admin6` hosts are currently generating heavy traffic to `server14` due to a running batch process.

Which two commands can you run on `server14` to look at the network traffic generated between only `client12` and `server14` to assist in troubleshooting the communication issue? (Choose two.)

- A. `snoop !admin6`
- B. `snoop -d client12`
- C. `snoop -d ce server14`
- D. `snoop -d ce4 client12`
- E. `snoop -d ce4 client12 server14`
- F. `snoop -i ce4 server14 client12`

Answer: DE

26. Commands can be listed in multiple profiles with different attributes. Additionally, the system takes the default profiles into account.

Which description matches the algorithm the Solaris system uses to determine the attributes of an executable?

- A. The system searches the profiles in order, starting with the default profiles from /etc/security/policy.conf, the profiles in user_attr(4), followed by All, if NOT already specified.
- B. The system searches the profiles in order, starting with the profiles in user_attr(4), then the default profiles from /etc/security/policy.conf, followed by All, if NOT already specified.
- C. The order of the profiles listed is irrelevant. The system applies the best match, ignoring possible earlier wild card matches, preferring profiles from user_attr(4).
- D. The order of the profiles listed is irrelevant. The system applies the best match, ignoring possible earlier wild card matches.
- E. The order of the profiles listed is irrelevant. The system applies the best match, ignoring possible earlier wild card matches, preferring the default profile from /etc/security/policy.conf.

Answer: B

27. On x86-based systems, for which two locations can the ability to utilize PXE network boot be enabled? (Choose two.)

- A. DVD
- B. boot diskette
- C. system BIOS
- D. network adapter configuration tool

Answer: CD

28. The client-server model describes the communication process between two computers or programs.

Which two statements describe a client in the client server model? (Choose two.)

- A. A client machine provides no services.
- B. A client process is a standalone process.
- C. A client machine can provide services to other client applications.
- D. The client is a host or process that uses services from another host or program.
- E. A client process runs continuously, awaiting requests from other programs.

Answer: CD

29. When using the Preboot Execution Environment to boot and install the OS over the network on x86 / x64 based systems, which of the following are required? (Choose three.)

- A. A DHCP server.
- B. PXE network adapter.
- C. An install server which must be x86-based.
- D. A boot server supporting ARP and RARP services.
- E. An install server which can be SPARC or x86-based.
- F. PXE network boot must be supported in the BIOS of the x86-based system.

Answer: ABE

30. You've just configured the network interface on systemA and the following information is displayed pertaining to systemA's network interface:

```
lo0: flags=2001000849<UP,LOOPBACK,RUNNING,MULTICAST,IPv4,VIRTUAL> mtu 8232 index 1 inet 127.0.0.1
netmask ff000000
```

```
rtls0: flags=1004842<BROADCAST,RUNNING,MULTICAST,DHCP,IPv4> mtu 1500 index 2 inet 192.168.1.31 netmask
fffff00 broadcast 192.168.1.255 ether 0:10:dc:a3:7e:4b
```

You've been instructed to change the name of this system to systemB. Which four files need to be modified to change the name of this system from systemA to systemB? (Choose four)

- A. /etc/nodename
- B. /etc/hostname.rtls0
- C. /etc/hostname
- D. /etc/inet/hosts
- E. /etc/domainname
- F. /etc/inet/ipnodes

G. /etc/inetd.conf

Answer: ABDE

More [310-202 Braindumps](#)

Related 310-202 Exams

[310-200](#) Sun Certified System Administrator for Solaris 10 OS.Part 1

[310-202](#) Sun Certified System Administrator for Solaris 10 OS.Part 2

[310-302](#) Sun Certified Network Administrator for Solaris 10 OS

[310-303](#) Sun Certified Security Administrator for the Solaris 10 OS

[310-301](#) Sun Certified Security Administrator

Other SUN Exams

[310-330](#) [310-035](#) [311-203](#) [310-083](#) [310-062](#) [310-](#) [310-620](#) [310-220](#)

[055Big5](#) [310-055](#) [310-878](#)

[310-036](#) [310-011](#) [310-301](#) [310-045](#) [310-016](#) [310-200](#) [310-879](#) [310-203](#)

[310-345](#) [310-015](#)