

310-220 SCDJWS

SUN Sun Certified Developer for Java Web Services

310-220: Sun Certified Developer for Java Web Services

Practice Exam: 310-220 Exams

Exam Number/Code: 310-220

Exam Name: Sun Certified Developer for Java Web Services

Questions and Answers: 250 Q&As

([SCDJWS](#))



Exam : [310-220](#)

SCDJWS [310-220](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and SCDJWS product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **SUN SCDJWS 310-220** examination of original title complete coverage. Just4Exam **310-220 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 310-220

Exam Name: Sun Certified Developer for Java Web Services(SCDJWS)

Questions and Answers: 250 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-220 Exam.

310-220 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SCDJWS product experts, included the current newest 310-220 examination questions.

3. 100% Guarantee to Pass Your SCDJWS exam and get your SCDJWS Certification.

All will purchase "310-220 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the SCDJWS 310-220 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 310-220 Q&A are more than 96%. All you need to study the whole 310-220 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-220 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-220 Q&A, absolutely guarantee you interests have no losses. (For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-220 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[SUN 310-220](#) Test belongs to one of the SCDJWS certified test, if needs to obtain the SCDJWS certificate, you also need to participate in other related test, the details you may visit the [SCDJWS](#) certified topic, in there, you will see all related SCDJWS certified subject of examination.

310-220

Just4Exam professional provide SCDJWS 310-220 the newest Q&A, completely covers 310-220 test original topic. With our complete SCDJWS resources, you will minimize your SCDJWS cost and be ready to pass your 310-220 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 310-220 exam

310-220 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-220 exam questions updated on regular basis

Same type as the certification exams, 310-220 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-220 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-220

Title : Sun Certified Developer for Java Web Services

1. A developer is writing a request-response Web service. An error occurs when the service executes.

Which is true about the Body element of the SOAP reply message?

- A. It must NOT contain any fault elements.
- B. It must contain zero or one fault element.
- C. It must contain an array of fault elements.
- D. It can contain as many fault elements as it needs.

Answer: B

2. Given:

```
<xsd:schema targetNamespace="http://sun.cert/types"
xmlns:suncert="http://sun.cert/types">
<xsd:element name="fooElement" type="suncert:Foo"/>
<xsd:complexType name="Foo">
<xsd:sequence>
<xsd:element name="age" type="xsd:long"/>
<xsd:element name="last" type="xsd:string"/>
<xsd:element name="first" type="xsd:string"/>
```

```
nillable="true"/>
</xsd:sequence>
</xsd:complexType>
</xsd:schema>
```

Which two instances of a fooElement are valid? (Choose two.)

A. <fooElement>

```
<last>Duke</last>
<first xsi:nil="1"/>
</fooElement>
```

B. <fooElement>

```
<age>33</age>
<last>Duke</last>
<first>Monty</first>
</fooElement>
```

C. <fooElement>

```
<age>33</age>
<last>Duke</last>
<first xsi:nil="1"/>
</fooElement>
```

D. <fooElement>

```
<age>33</age>
<last xsi:nil="1"/>
<first>Monty</first>
</fooElement>
```

E. <fooElement>

```
<age>33</age>
<last>Duke</last>
<first xsi:nil="1">Monty</first>
</fooElement>
```

Answer: BC

3. A developer in a business-to-business environment is required to build a Web service client that can be strongly authenticated by a Web service.

What must the developer do to create the client?

A. use role-based security

B. implement form-based security

C. implement basic authentication

D. provide a digital certificate that is signed by a Certificate Authority

Answer: D

4. Given:

```
<schema targetNamespace="http://sun.cert/types"
xmlns:sun="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified">
<xsd:element name="Person" type="sun:PersonType"/>
<xsd:complexType name="PersonType">
<xsd:sequence>
<xsd:element name="first" type="xsd:string"/>
<xsd:element name="last" type="xsd:string"/>
</xsd:sequence>
</xsd:complexType>
</schema>
```

Assume all XML fragments are well-formed.

Which two instances of Person are correct? (Choose two.)

A. <Person>

<first>Monty</first>

<last>Duke</last>

</Person>

B. <t:Person xmlns:t="http://sun.cert/types">

<first>Monty</first>

<last>Duke</last>

</t:Person>

C. <t:Person xmlns:t="http://sun.cert/types">

<t:first>Monty</t:first>

<t:last>Duke</t:last>

</t:Person>

D. <p:Person xmlns:p="http://sun.cert/types">

<f:first xmlns:f="http://sun.cert/types">Monty</f:first>

<f:last>Duke</f:last>

</p:Person>

Answer: CD

5. Given the type declaration in a WSDL description for a Web service:

```
<element name="PurchaseOrder">
```

```
<complexType>
```

```
<sequence>
```

```
<any maxOccurs="1"/>
```

```
</sequence>
```

```
</complexType>
```

```
</element>
```

The Java code generated by a JAX-RPC service endpoint interface consists of a PurchaseOrder JavaBean.

Which property should the PurchaseOrder JavaBean contain?

A. _any of type java.lang.String

B. PurchaseOrder of type java.lang.Object

C. complexType of type java.lang.Object[]

D. _any of type javax.xml.soap.SOAPElement

Answer: D

6. According to the WS-I Basic Profile 1.0a, a conformant WSDL 1.1 portType definition is allowed to use two type operations (that is, Message-Exchange Patterns).

Which two are allowed? (Choose two.)

A. one-way

B. notification

C. solicit-response

D. request-response

Answer: AD

7. In addition to SAX2 and DOM Level 2, which is supported by JAXP 1.2?

A. XSLT

B. JAXB

C. SAAJ

D. JDBC

Answer: A

8. According to the JAX-RPC 1.1 XML-to-Java mappings, which three elements or attribute declarations are mapped to

a Java primitive wrapper class (for example, java.lang.Short)? (Choose three.)

- A. <xsd:element name="age" type="xsd:short" minOccurs="0"/>
- B. <xsd:element name="age" type="xsd:short" nillable="true"/>
- C. <xsd:element name="age" type="xsd:short" nillable="false"/>
- D. <xsd:attribute name="required" type="xsd:boolean" use="optional"/>
- E. <xsd:attribute name="required" type="xsd:boolean" use="required"/>

Answer: ABD

9. A stateful Web service is implemented as an EJB based endpoint.

What are two ways to maintain that state? (Choose two.)

- A. by using URL re-writing
- B. by adding a session cookie to the HTTP headers
- C. by adding a conversation id to the SOAP headers
- D. by requiring clients to send a client id parameter to all methods

Answer: CD

10. Given:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:ns1="http://sun.cert/">
<s:Header>
<ns1:transaction>
<user>root</user>
<transid>9b3e64e326537b4e8c0ff19e953f9673</transid>
</ns1:transaction>
</s:Header>
<s:Body>
<m:StockQuote xmlns:m="http://sun.cert/bar/">
<Quote>
<ns1:symbol>SUNW</ns1:symbol>
<ns1:companyname name="Sun"/>
</Quote>
</s:Body>
</s:Envelope>
```

Which describes this SOAP message?

- A. It is NOT well-formed.
- B. It contains a mandatory header block.
- C. It is WS-I Basic Profile 1.0a compliant.
- D. It does NOT contain the correct namespace declarations.

Answer: A

11. Which SAAJ 1.2 type is used to represent SOAP message header blocks?

- A. org.omg.dom.Document
- B. javax.xml.soap.SOAPPart
- C. javax.xml.soap.DetailEntry
- D. javax.xml.soap.SOAPHeaderElement

Answer: D

12. Given:

11: public BulkResponse findCallerAssociations(
12: Collection findQualifiers,
13: Boolean confirmedByCaller,

```
14: Boolean confirmedByOtherParty,  
15: Collection associationTypes);  
...  
36: BusinessQueryManager queryMngr =  
37: registry.getBusinessQueryManager();  
38: BulkResponse response =  
39: queryMngr.findCallerAssociations(null,  
40: Boolean.TRUE, Boolean.FALSE, null);
```

A developer has established a JAXR connection to a UDDI registry. The developer executes the findCallerAssociations method that is defined in lines 11-15. The context for the method invocation is shown in lines 36-40. The invocation on line 39-40 will return a BulkResponse object.

Which is true about the BulkResponse object?

- A. It contains a Collection of Association objects that the other party has confirmed with the caller.
- B. It contains a Collection of Organization objects that have confirmed the associations with the caller.
- C. It contains a Collection of Association objects that the other party has NOT yet confirmed with the caller.
- D. It contains a Collection of Key objects representing UUID keys for organizations that have confirmed the associations with the caller.

Answer: C

13. Which Java type can be used to represent arbitrary XML data in a JAX-RPC service endpoint interface?

- A. org.w3c.dom.Document
- B. javax.xml.soap.SOAPPart
- C. javax.xml.soap.SOAPElement
- D. javax.xml.soap.SOAPException

Answer: C

14. Where is the Kerberos ticket embedded in a SOAP header processed?

- A. Web service interaction layer
- B. Web service processing layer
- C. Web service interaction and processing layers
- D. It is an HTML issue and it is NOT related to Web services.

Answer: A

15. Given:

```
<schema targetNamespace="http://sun.cert/types"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"  
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"  
xmlns:wSDL="http://schemas.xmlsoap.org/wSDL">  
<!-- insert code here -->  
</schema>
```

Assume all XML fragments are well-formed.

According to the WS-I Basic Profile 1.0a, which type definition can be used to define an array of longs?

- A. <xsd:complexType name="longArray">
<xsd:array>
<xsd:element name="item" type="xsd:long"/>
</xsd:array>
</xsd:complexType>
- B. <xsd:complexType name="longArray">
<xsd:sequence>
<element name="item" type="xsd:long"/>
</xsd:sequence>
</xsd:complexType>
- C. <xsd:complexType name="longArray">

```
<xsd:array>
<xsd:element name="item" type="xsd:long" minOccurs="0"
maxOccurs="unbounded"/>
</xsd:array>
</xsd:complexType>
```

D. <xsd:complexType name="longArray">

```
<xsd:sequence>
<xsd:element name="item" minOccurs="0" maxOccurs="5"
type="xsd:long"/>
</xsd:sequence>
</xsd:complexType>
```

Answer: D

16. A developer uses the delete_tModel function to delete five tModels. Which two describe the behavior of the system after the delete_tModel is executed? (Choose two.)

- A. The delete_tModel logically deletes the tModels .
- B. The tModels cannot be accessed since they are permanently deleted.
- C. The deleted tModels still appear in the results returned by find_tModel.
- D. The deleted tModels are omitted from any results returned by find_tModel.

Answer: AD

17. Given:

```
<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
</xsd:all>
</xsd:complexType>
</schema>
</types>
```

Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.)

- A. <xsd:element name="first" type="xsd:string"/>
- B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/>
- C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>
- D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>

Answer: AC

18. Which two are commonly used as SOAP headers? (Choose two.)

- A. security information
- B. transaction information
- C. postal address information
- D. stock quote request information

Answer: AB

19. Given:

```
<service name="InventoryServices">
<port name="PurchaseOrder" binding="tns:POBinding">
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
```

```

<port name="Invoice" binding="tns:InvoiceBinding">
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
</service>

```

Which describes this WSDL extract?

- A. The extract is WS-I Basic Profile 1.0a compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.0a compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.0a compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.0a compliant because it contains two port elements in the same service.

Answer: B

20. Given:

```

<Schema targetNamespace="http://sun.cert/types"
xmlns:ns0="http://www.w3.org/2001/XMLSchema"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xsd="http://sun.cert/xsdTypes"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<complexType name="Foo">
<sequence>
<!-- insert code here -->
</sequence>
</complexType>
</schema>

```

Assuming that no other namespace declarations exist, which two elements use the long type that is defined in the http://www.w3.org/2001/XMLSchema namespace? (Choose two.)

- A. <element name="length" type="long"/>
- B. <element name="length type="xsi:long"/>
- C. <element name="length" type="xsd:long"/>
- D. <element name="length" type="ns0:long"/>

Answer: AD

More [310-220 Braindumps](#)

Related 310-220 Exams

[310-220](#) Sun Certified Developer for Java Web Services

Other SUN Exams

310-082	310-620	310-051	310-876	310-615	310-011	310-200	310-015
310-400	310-230	310-	310-560	310-630	310-014	310-035	310-131
		600Big5	310-811	310-100	310-220	310-110	