

310-230 SUN Other Certifications

SUN Sun Certified Developer for Java Web Services

310-230: Sun Certified Developer for Java Web Services

Practice Exam: 310-230 Exams

Exam Number/Code: 310-230

Exam Name: Sun Certified Developer for Java Web Services

Questions and Answers: 183 Q&As

([SUN Other Certifications](#))



SUN Other Certifications [310-230](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and SUN Other

Exam : [310-230](#)

Certifications product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **SUN SUN Other Certifications 310-230** examination of original title complete coverage. Just4Exam **310-230 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 310-230

Exam Name: Sun Certified Developer for Java Web Services(SUN Other Certifications)

Questions and Answers: 183 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-230 Exam.

310-230 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SUN Other Certifications product experts, included the current newest 310-230 examination questions.

3. 100% Guarantee to Pass Your SUN Other Certifications exam and get your SUN Other Certifications Certification. All will purchase "310-230 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the SUN Other Certifications 310-230 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 310-230 Q&A are more than 96%. All you need to study the whole 310-230 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-230 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-230 Q&A, absolutely guarantee you interests have no

losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-230 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[SUN 310-230](#) Test belongs to one of the SUN Other Certifications certified test, if needs to obtain the SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the [SUN Other Certifications](#) certified topic, in there, you will see all related SUN Other Certifications certified subject of examination.

310-230

Just4Exam professional provide SUN Other Certifications 310-230 the newest Q&A, completely covers 310-230 test original topic. With our complete SUN Other Certifications resources, you will minimize your SUN Other Certifications cost and be ready to pass your 310-230 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 310-230 exam

310-230 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-230 exam questions updated on regular basis

Same type as the certification exams, 310-230 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-230 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-230

Title : Sun Certified Developer for Java Web Services

1. A developer is defining a SOAP binding in the WSDL for their new service.

Which XML fragment is WSDL 1.1 compliant?

A. <soap:binding

transport=Http://www.w3.org/2001/XMLSchema?style="document"/>

B. <soap:binding

transport=Http://schemas.xmlsoap.org/wsdl/soap/?style="document"/>

C. <soap:binding

transport=Http://schemas.xmlsoap.org/soap/http?style="document"/>

D. <soap:binding

transport=Http://schemas.xmlsoap.org/soap?style="rpc"/>

Answer: C

2. A team of developers is describing a set of endpoints in their new SOA application.

Given the WSDL extract:

```
<service name="InventoryServices">
```

```
<port name="PurchaseOrder" binding="tns:POBinding">
```

```
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
<port name="Invoice" binding="tns:InvoiceBinding">
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
</service>
```

Which statement is true about this WSDL extract?

- A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service.
- E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different.
- F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique.

Answer: B

3. Which three can an EJB-based endpoint use? (Choose three.)

- A. HTTP sessions
- B. Java EE 5 declarative security
- C. Java EE 5 programmatic security
- D. client-demarcated transactions
- E. container-managed transactions

Answer: BCE

4. A developer is creating a servlet-based endpoint for a new payroll application.

What are three requirements for the service? (Choose three.)

- A. It needs to be packaged as a WAR file.
- B. It needs to be packaged as a JAR file.
- C. It requires a META-INF folder.
- D. It requires a WEB-INF folder.
- E. webservices.xml is required.
- F. web.xml is required.

Answer: ADF

5. According to the XML-to-Java mappings used by JAX-WS, which three elements or attribute declarations are mapped to a Java primitive wrapper class (for example, java.lang.Short)? (Choose three.)

- A. <xsd:element name="age" type="xsd:short" minOccurs="0"/>
- B. <xsd:element name="age" type="xsd:short" nillable="true"/>
- C. <xsd:element name="age" type="xsd:short" nillable="false"/>
- D. <xsd:attribute name="required" type="xsd:boolean" use="optional"/>
- E. <xsd:attribute name="required" type="xsd:boolean" use="required"/>
- F. <xsd:attribute name="required" type="xsd:boolean" nillable="false"/>

Answer: ABD

6. Which two statements are true about XML schemas that conform to WS-I Basic Profile 1.1? (Choose two.)

- A. A description may use any construct from XML Schema.
- B. A description may use any construct of XML Schema, except for arrays.
- C. A description must use XML Schema recommendations as the basis of user-defined datatypes and structures.
- D. A description may use any construct of XML Schema, except for defining user-defined datatypes and structures.
- E. RESTful XML schemas may also draw from the XML-Rest Schema.

Answer: AC

7. A company's new investment management Java application and a legacy stock trader application need to communicate, but they use different JMS implementations. A developer decides to implement a JMS bridge to solve the problem.

Which two advantages does this pattern provide? (Choose two.)

- A. It converts the interface of a class into another interface that clients expect.
- B. It decouples an abstraction from its implementation so that the two can vary independently.
- C. It dynamically attaches additional responsibilities to an object.
- D. It optimizes network traffic.
- E. It is vendor independent.

Answer: BE

8. Which situation requires the client to use the Dispatch interface to access the Web service?

- A. The client and the server are on different platforms.
- B. The client has access to the portable artifacts, but not to the WSDL.
- C. The client has access to the WSDL, but not to the portable artifacts.
- D. The client will access a REST-based service.

Answer: D

9. A developer is creating an XML schema that is Basic Profile compliant, and has elements that require long integer values.

Given the code:

```
<Schema targetNamespace="http://sun.cert/types"
xmlns:ns0="http://www.w3.org/2001/XMLSchema"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xsd="http://sun.cert/xsdTypes"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<complexType name="Foo">
<sequence>
<!-- insert code here -->
</sequence>
</complexType>
</schema>
```

Assuming that no other namespace declarations exist, which two elements use the long type that is defined in the `http://www.w3.org/2001/XMLSchema` namespace? (Choose two.)

- A. `<element name="length" type="long"/>`
- B. `<element name="length type="xsi:long"/>`
- C. `<element name="length" type="xsd:long"/>`
- D. `<element name="length" type="ns0:long"/>`
- E. `<element name="length" type="integer"/>`
- F. `<element name="length" type="xsd:integer"/>`

Answer: AD

10. A developer is creating an XML schema using the `xsd:all` operator.

Given the code:

```
<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
</xsd:all>
</xsd:complexType>
```

</schema>

</types>

Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.)

A. <xsd:element name="first" type="xsd:string"/>

B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/>

C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>

D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>

E. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="5"/>

F. <xsd:element name="ssn" type="xsd:string" minOccurs="1" maxOccurs="unlimited"/>

Answer: AC

11. A developer needs to define an array of long integers in their Basic Profile compliant Web service and is given the following code fragment for analysis:

```
<Schema targetNamespace="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:wSDL="http://schemas.xmlsoap.org/wSDL">
<!-- insert code here -->
</Schema>
```

Assume all XML fragments are well-formed.

According to the WS-I Basic Profile 1.1, which type definition can be used to define an array of longs?

A. <xsd:complexType name="longArray">

<xsd:array>

<xsd:element name="item" type="xsd:long"/>

</xsd:array>

</xsd:complexType>

B. <xsd:complexType name="longArray">

<xsd:sequence>

<element name="item" type="xsd:long"/>

</xsd:sequence>

</xsd:complexType>

C. <xsd:complexType name="longArray">

<xsd:array>

<xsd:element name="item" type="xsd:long" minOccurs="0"
maxOccurs="unbounded"/>

</xsd:array>

</xsd:complexType>

D. <xsd:complexType name="longArray">

<xsd:sequence>

<xsd:element name="item" minOccurs="0" maxOccurs="5"
type="xsd:long"/>

</xsd:sequence>

</xsd:complexType>

E. <xsd:complexType name="longArray">

<xsd:sequence>

<xsd:element name="item" minOccurs="0" maxOccurs="5"
type="xsd:integer"/>

</xsd:sequence>

</xsd:complexType>

Answer: D

12. A developer must create a new stock monitoring application using SOAP.

Given the code:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:ns1="http://sun.cert/">
<s:Header>
<ns1:transaction>
<user>root</user>
<transid>9b3e64e326537b4e8c0ff19e953f9673</transid>
</ns1:transaction>
</s:Header>
<s:Body>
<m:StockQuote xmlns:m="http://sun.cert/bar/">
<Quote>
<ns1:symbol>SUNW</ns1:symbol>
<ns1:companyname name="Sun"/>
</Quote>
</s:Body>
</s:Envelope>
```

Which statement is true about this SOAP message?

- A. It is NOT well-formed.
- B. It contains a mandatory header block.
- C. It is WS-I Basic Profile 1.1 compliant.
- D. It does NOT contain the correct namespace declarations.
- E. The transid should be blowfish encrypted.
- F. http://sun.cert/bar/ is not a valid stock quote service.

Answer: A

13. A JAXR client has established connection with a UDDI registry and needs to get a service binding from the registry.

What is required to accomplish this task?

- A. find the appropriate concept and then find the service binding associated with that concept
- B. find the appropriate authentication token and then find the service binding associated with that authentication token
- C. find the appropriate organization, get the tModel associated with that organization, and then find the service binding associated with the tModel
- D. find the appropriate organization, find the services associated with that organization, and then find the service binding associated with the service

Answer: D

14. Which fragment is Basic Profile 1.1 compliant?

```
A. <port name="testWS"> <operation name="runit">
<input message="tns:runit"/>
<output message="tns:runitResponse"/>
</operation>
</port>
<binding name="testWSPortBinding" type="tns:testWS">
.
.
.
<operation name="runit">
<soap:operation soapAction="tns:runit"/>
<input>
<soap:body use="literal"/>
```

```
</input>
<output>
<soap:body use="literal"/>
</output>
</operation>
</binding>
B. <portType name="testWS">
  <operation name="runit">
    <input message="tns:runit"/>
    <output message="tns:runitResponse"/>
  </operation>
  <operation name="saveit">
    <input message="tns:saveit"/>
    <output message="tns:saveitResponse"/>
  </operation>
</portType>
<binding name="testWSPortBinding" type="tns:testWS">
.
.
.
  <operation name="runit">
    <soap:operation soapAction="tns:runit"/>
    <input>
    <soap:body use="literal"/>
    </input>
    <output>
    <soap:body use="literal"/>
    </output>
  </operation>
</binding>
C. <port name="testWS">
  <operation name="runit">
    <input message="tns:runit"/>
    <output message="tns:runitResponse"/>
  </operation>
</port>
<binding name="testWSPortBinding" type="tns:testWS">
.
.
.
  <operation name="runit">
    <soap:operation soapAction="runit"/>
    <input>
    <soap:body use="literal"/>
    </input>
    <output>
    <soap:body use="literal"/>
    </output>
  </operation>
</binding>
D. <portType name="testWS">
  <operation name="runit">
    <input message="tns:runit"/>
```

```

<output message="tns:runitResponse"/>
</operation>
</portType>
<binding name="testWSPortBinding" type="tns:testWS">
.
.
.
<operation name="runit">
<soap:operation soapAction="runit"/>
<input>
<soap:body use="literal"/>
</input>
<output>
<soap:body use="literal"/>
</output>
</operation>
</binding>

```

Answer: D

15. What are two features of a WSDL 1.1 document? (Choose two.)

- A. Service defines a collection of related endpoints.
- B. Service describes the message's payload using XML.
- C. Service assigns an Internet address to a specific binding.
- D. Porttype declares complex data types and elements used elsewhere.
- E. Porttype elements are used to group a set of abstract operations.
- F. Porttype defines a concrete protocol and data format specification.

Answer: AE

16. for a company's new software, the developers are constructing abstract definitions of the data being communicated by their document style Web service.

Given the targetNamespace:

```
xmlns:xsd="http://sun.com/sample.xsd"
```

Which is a valid wsdl:message containing a wsdl:part?

- A. <message name="GetInput">
 <part name="body" attribute="tns:InputRequest"/>
 </message>
- B. <message name="GetInput">
 <part name="body" element="tns:InputRequest"/>
 </message>
- C. <message name="GetInput">
 <part name="body" attribute="xsd:InputRequest"/>
 </message>
- D. <message name="GetInput">
 <part name="body" element="xsd:InputRequest"/>
 </message>
- E. <message name="GetInput">
 <part name="body" element="xsd:string"/>
 </message>
- F. <message name="GetInput">
 <part name="body" element="InputRequest"/>
 </message>

Answer: D

17. Which two statements are true about XML schemas and WSDL 1? (Choose two.)

- A. <http://schemas.xmlsoap.org/wsdl/> is the WSDL namespace for SOAP binding.
- B. xsi is used as a prefix to represent the schema namespace as defined by XSD.
- C. XSD schemas are used as a formal definition of WSDL grammar.
- D. xsd is used as a prefix to represent the schema namespace as defined by XSD.
- E. <http://schemas.xmlsoap.org/wsdl/http/> is the WSDL namespace for SOAP binding.

Answer: CD

18. What are three benefits of using SSL to connect to a Web service without mutual authentication? (Choose three.)

- A. The server is assured of the client's identity if the client issues the certificate.
- B. The client is assured of the server's identity.
- C. Message integrity is preserved between the client and the server.
- D. The communication between the client and the server is still logged.
- E. The communication between the client and the server is encrypted.
- F. Using SSL over HTTP incurs less overhead than HTTPS.

Answer: BCE

19. A company is refactoring an existing website to use Web services clients. The application retrieves lists of parts and displays them to the users in a browser window. Previously, the data was stored as files on the web server and, in order to access the files, the user would simply click on a hyperlink. Now the data must be dynamically generated via a service that another developer has created. They want the easiest way to refactor their website to use Web services.

Which three technologies should they use? (Choose three.)

- A. SOAP
- B. REST
- C. Javascript
- D. XML
- E. JSON
- F. Java

Answer: BCE

20. What are two communication modes supported by JAX-WS? (Choose two.)

- A. Synchronous RPC
- B. Dynamic Service Binding
- C. Dynamic Proxy
- D. Endpoint Invocation
- E. Dispatch

Answer: CE

More [310-230 Braindumps](#)

Related 310-230 Exams

[310-610](#) EDS Certified Sun Fire Workgroup Administrator

[310-230](#) Sun Certified Developer for Java Web Services

[310-345](#) Sun Certified System Administrator for Sun Cluster 3.2

[310-600](#) SUN SIGMA BLACK BELT CERTIFICATION

[310-810](#) Sun Certified MySQL 5.0 Database Administrator Part 1

[310-051](#) SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE(tm) TECHNOLOGY

[310-052](#) Sun Certified Enterprise Architect for J2EE 5

[310-811](#) Sun Certified MySQL 5.0 Database Administrator Part II

412-600 SUN Certified OpenOffice.org Writer Specialist

310-231 Sun Certified Developer for Java Web Services 5

310-105 Sun Certified Solaris Associate

310-019 Sun Certified Associate.Java Platform.Se. Exam Version 1.0

310-330 Sun Certified Systems Installer for Sun Cluster 3.X

310-400 Sun Certified Integrator for Indentity Manager 7.1

310-620 EDS Certified Sun Enterprise 10K Server Administrator

310-203 Sun Certified System Amin for Solaris 10 OS Upgrade

310-066 Upgrade EXAM for the Sun Certified for Java Programmer.SE6.0

310-876 LEVEL2 SYSTEM SUPPORT ENGINEER EXAMINATION

310-878 SUN Certified Field Engineer

310-502 Sun Certified JCAPS Integrator

Other SUN Exams

310-055 310-035 310-052 310-810 310-330 310-540 310-062 310-203

310-100 310-303 310-013 310-131 310-019 310-220 310-620 310-056

310-090 310-061 310-615 310-045