

## 350-040 CCIE

### Cisco CCIE Storage Networking

**350-040: CCIE Storage Networking**

**Practice Exam:** 350-040 Exams

**Exam Number/Code:** 350-040

**Exam Name:** CCIE Storage Networking

**Questions and Answers:** 313 Q&As

( [CCIE](#) )



Exam : [350-040](#)

CCIE [350-040](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and CCIE product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco CCIE 350-040** examination of original title complete coverage. Just4Exam **350-040 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 350-040**

Exam Name: CCIE Storage Networking( CCIE )

Questions and Answers: 313 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 350-040 Exam.

350-040 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the CCIE product experts, included the current newest 350-040 examination questions.

3. 100% Guarantee to Pass Your CCIE exam and get your CCIE Certification.

All will purchase "350-040 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the CCIE 350-040 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 350-040 Q&A are more than 96%. All you need to study the whole 350-040 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 350-040 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 350-040 Q&A, absolutely guarantee you interests have no losses. (For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 350-040 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[Cisco 350-040](#) Test belongs to one of the CCIE certified test, if needs to obtain the CCIE certificate, you also need to participate in other related test, the details you may visit the [CCIE](#) certified topic, in there, you will see all related CCIE certified subject of examination.

350-040

Just4Exam professional provide CCIE 350-040 the newest Q&A, completely covers 350-040 test original topic. With our complete CCIE resources, you will minimize your CCIE cost and be ready to pass your 350-040 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about 350-040 exam

350-040 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

350-040 exam questions updated on regular basis

Same type as the certification exams, 350-040 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 350-040 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 350-040

Title : Storage Networking

1. What set of primitive signals is valid for arbitrated loop?

- A. NOS, LOS, LR, LRR
- B. SOF, EOF, ABTS, ACK
- C. LIFA, LIPA, LIHA, LISA
- D. LIP, LR, LRR, SOF
- E. CLS, OPN, ARB

Answer: E

2. Which three of these are attributes of the 8B/10B encoding scheme used by Fibre Channel? (Choose three.)

- A. facilitates a sufficient number of one-to-zero transitions to enable clock recovery
- B. maintains DC balance
- C. detects all transmission errors
- D. provides variable bit, byte, and word rates
- E. generates special characters beyond the eight-bit code space

Answer: ABE

3. Which two events will trigger a port to start a Link Initialization Protocol procedure? (Choose two.)

- A. the power is turned on
- B. a LOGO ELS command is received
- C. an internal reset is performed
- D. an interface SHUT command is issued
- E. an RSCN is received

Answer: AC

4. Which two of these statements about the R\_T\_TOV are true? (Choose two.)

- A. It is a timer with a default value of 100 ms that is used by the receiver logic to detect loss of synchronization.
- B. It is a timer with a default value of 100 ms that it is used for detecting protocol error conditions.
- C. Its values is two times that of E\_D\_TOV, and it is used as the timeout value for determining when to reinstate a Recovery\_Qualifier.
- D. It is negotiated between the N\_Port and the fabric during the fabric login as one of the common service parameters exchanged.
- E. It is used to time events occurring on a single link.

Answer: AE

5. During principal switch selection and domain ID assignment, all frames are flooded to a destination ID of what well-known Fibre Channel address?

- A. FF.FF.FA
- B. FF.FF.FB
- C. FF.FF.FC
- D. FF.FF.FD
- E. FF.FF.FE

Answer: D

6. What is the correct configuration to place initiator ABC.icq into VSANs 3 and 66 exclusively?

- A. iscsi initiator name ABC.iqn  
vsan 3 66
- B. iscsi initiator name ABC.iqn  
no vsan 1  
vsan 3 - 66
- C. iscsi initiator name ABC.iqn  
no vsan 1  
vsan 3  
vsan 66
- D. iscsi initiator name ABC.iqn  
vsan member vsan 3  
vsan 66
- E. iscsi initiator name ABC.iqn  
vsan member vsan 3,66

Answer: C

7. What Fibre Channel transport functions can be found at the FC-2 level?

- A. Exchange Operation, Information Unit, and Sequence
- B. Session, Exchange, and Information Unit
- C. Sequence, Frame, and Flow Control
- D. Sequence, Frame, and Information Unit
- E. Exchange Management, Link Control, and Flow Control

Answer: C

8. If a Fibre Channel interface is receiving an NOS pattern on its interface, what pattern will the interface be transmitting?

- A. OLS
- B. LR
- C. LRR
- D. IDLE
- E. NOS

Answer: A

9. Which configuration command enables all discovered storage to be available for iSCSI?

- A. iscsi virtual-target all
- B. iscsi target enable fc
- C. fc-target import iscsi
- D. enable fc targets dynamic
- E. iscsi import target fc

Answer: E

10. What is the function of the Link Reset Protocol within the Link Control Facility?

- A. it is part of the LIP process
- B. it is used only for Class 1 connection removal
- C. it is used to arbitrate on loops to recover from loss of synchronization
- D. it is used following a link failure and controls the NOS and LOS substates
- E. it is used following a link timeout or connection error and controls the LR and LRR substates

Answer: E

11. Refer to the exhibit. The fabric containing Switch A is merging with the fabric containing Switch B. Which switch will become the principal switch, and why?

- A. Switch A, because its principal switch priority value is lower
- B. Switch B, because its principal switch priority value is higher
- C. Switch A, because its principal switch WWN is lower
- D. Switch B, because its principal switch WWN is higher
- E. not enough information has been given

Answer: A

12. What makes the R\_CTL field valuable to Extended Link Services?

- A. It uses hex'03' for all request frames and hex'02' for all reply frames.
- B. It uses hex'02' for all request frames and hex'03' for all reply frames.
- C. It uses hex'00' for all request frames and hex'01' for all reply frames.
- D. It uses hex'02' for all request and reply frames (the ILS request and reply frames are not differentiated by the R\_CTL field).
- E. It does not have a fixed value and the value depends on the specific Internal Link Service.

Answer: B

13. What SW\_ILS frame is used to perform principal switch selection?

- A. RDI
- B. DIA
- C. EFP
- D. ELP
- E. ESC

Answer: C

14. In Cisco MDS, how is a pWWN assigned to a dynamically assigned iSCSI?

- A. by the system
- B. by the user in the configuration of the iSCSI target
- C. by the iSCSI host

D. created with iSCSI host name, iSCSI driver, and Connection ID

E. by the storage system attached to Fibre Channel

Answer: A

15. What ordered set is used to determine the class of a frame?

A. COF

B. SYN

C. SOF

D. TYP

E. LIP

Answer: C

16. The Class 2 class of service always uses end-to-end acknowledgments (ACK, BSY or RJT) for every data frame.

What else is true of Class 2?

A. It is an "unreliable" datagram service that does not guarantee fixed latency or in-order delivery.

B. It is a "reliable" datagram service that guarantees fixed latency and in-order delivery.

C. It is a "reliable" datagram service that does not guarantee fixed latency but guarantees in-order delivery.

D. It is a "reliable" datagram service that does not guarantee fixed latency or in-order delivery.

Answer: D

17. Which of these TCP ports does iSNS use?

A. 3205

B. 3225

C. 3226

D. 3325

Answer: A

18. Which of these is used to identify the special characters used in Fibre Channel encoding?

A. K28.5

B. 8B/10B

C. 3B/4B

D. D28.5

E. idle

Answer: A

19. What is the purpose of the Open Fiber Control system?

A. It defines the flow control mechanism for Fibre Channel.

B. It defines the mechanism by which Fibre Channel switches communicate with Gbics.

C. It defines a safety mechanism for shutting down laser data links.

D. It defines the distance limitations for different types of lasers.

E. It specifies the maximum bit error rate for Fibre Channel links.

Answer: C

20. All of these are functions of LIP except which one?

A. reinitialize a loop

B. perform passive attachment to loop

C. indicate loop receiver failure

D. indicate which port to reset on loop

E. acquire an AL\_PA

Answer: B

21. Is the iSNS client supported on VRRP interfaces?

A. yes

- B. no
- C. only when the storage\_services\_enabler\_pkg license is enabled on the switch
- D. only on Cisco IPS line cards

Answer: B

22. In which of these situations will a fabric zone merge failure occur between fabric A and fabric B?

- A. the active zone sets in both fabric A and fabric B are an exact match before the merge is attempted
- B. the active zone set in fabric A has more zones than the active zone set in fabric B
- C. a zone in fabric A contains three members, while a zone with the same name in fabric B contains four members
- D. zone names used in fabric A are 10 characters, while the zone names in fabric B contain fewer than 10 characters
- E. a zone name in fabric A is different from a zone name in fabric B but the zone members in the two zones are the same

Answer: C

23. Which three of these Fibre Channel words are known as primitive signals? (Choose three.)

- A. NOS
- B. R\_RDY
- C. CLS
- D. LIP
- E. IDLE

Answer: BCE

24. What Fibre Channel header field indicates the frame is a Link Control frame?

- A. R\_CTL
- B. CS\_CTL
- C. TYPE
- D. F\_CTL
- E. DF\_CTL

Answer: A

25. The Domain Identifier Assigned (DIA) SW\_ILS command indicates which two of these? (Choose two.)

- A. a principal switch has been selected and the upstream neighbor switch has been assigned a domain identifier
- B. the principal switch selection and address assignment phase has been completed and the fabric is operational
- C. the receiving switch can proceed to request a domain identifier
- D. the principal switch selection has been started, but a principal switch has not been identified yet
- E. a Request Domain Identifier SW\_ILS frame has been received by the principal switch

Answer: AC

26. Which two of these are effects of a BF SW\_ILS? (Choose two.)

- A. It causes a disruptive reconfiguration of the fabric.
- B. It causes a non-disruptive reconfiguration of the fabric.
- C. It causes a new principal switch selection to happen.
- D. It causes all the assigned addresses in the fabric to be changed, while avoiding traffic loss by holding data traffic.
- E. It helps to resolve overlapping domain identifiers.

Answer: BC

27. Which three of these statements about the E\_D\_TOV are correct? (Choose three.)

- A. It is a timer with a default value of 100 ms that is used by the receiver logic to detect loss of synchronization.
- B. It is a timer with a default value of two seconds that is used for detecting protocol error conditions.
- C. It is a timer used as the timeout value for determining when to reinstate a Recovery\_Qualifier.
- D. During fabric login, it is negotiated by the N\_Port and the fabric as one of the common service parameters exchanged.
- E. It represent a limit on the amount of time within which an action can be taken after the transmission of consecutive

data frames within a single sequence.

Answer: BDE

28. Which two statements are true? (Choose two.)

- A. Fabric logins are sent to destination FC-ID 0xFFFFFA.
- B. Fabric logins are sent to destination FC-ID 0xFFFFFC.
- C. FSPF HLO packets are sent from source FC-ID 0xFFFFFD.
- D. FC-ID 0xFFFFFA is reserved for the management server.
- E. Name server logins are sent to destination FC-ID 0xFFFFFD.

Answer: CD

29. Fibre Channel Protocol is a protocol consisting of several layers. What are these layers, in order from FC-0 to FC-4?

- A. Media, Encode and Decode, Framing and Control, Common Services, Upper Level Protocol
- B. Encode and Decode, Media, Framing and Control, Common Services, Upper Level Protocol
- C. Framing and Control, Encode and Decode, Media, Common Services, Upper Level Protocol
- D. Upper Level Protocol, Common Services, Framing and Control, Encode and Decode, Media
- E. Media, Framing and Control, Encode and Decode, Common Services, Upper Level Protocol

Answer: A

30. Can Cisco Fabric Services be used to distribute iSCSI initiator configurations?

- A. yes
- B. no
- C. only when the SAN\_EXTN\_OVER\_IP\_18\_4 license is installed on the switch
- D. only when ENTERPRISE\_PKG is installed on the switch

Answer: A

More [350-040 Braindumps](#)

### Related 350-040 Exams

[350-001](#) CCIE Cisco Certified Internetworking Expert

[350-018](#) CCIE Pre-Qualification Test for Security

[350-001-LAB](#) CCIE-ROUTING AND SWITCHING QUALIFICATION (Lab exam)

[350-030](#) CCIE Voice Written

[350-029](#) CCIE SP Written Exam

[351-001](#) CCIE Routing and Switching Written 3.0 Beta

[350-018-LAB](#) CCIE Pre-Qualification Test for Security (Lab exam)

[350-040](#) CCIE Storage Networking

[350-022](#) CCIE Written, Service Provider: DSL

[350-020](#) CCIE SP Optical Qualification Exam

[350-024](#) CCIE SP IP Telephony Qualification Exam

[350-027](#) CCIE Written: Metro Ethernet

[350-025](#) CCIE Service Provider Dial

[351-018](#) Security 3.0 Beta

[350-050](#) CCIE Wireless Beta Written Exam

[350-021](#) CCIE SP Cable Qualification Exam

[350-023](#) CCIE Written: WAN Switching

[350-026](#) CCIE SP Content Networking ENU

**Other Cisco Exams**

<u>350-029</u>	<u>642-801</u>	<u>646-046</u>	<u>642-746</u>	<u>646-011</u>	<u>640-553</u>	<u>642-873</u>	<u>646-151</u>
<u>646-363</u>	<u>642-565</u>	<u>642-054</u>	<u>640-802</u>	<u>642-551</u>	<u>350-001-</u>	<u>350-021</u>	<u>650-059</u>
					<u>LAB</u>	<u>642-812</u>	<u>642-654</u>
<u>646-573</u>	<u>646-361</u>						