

642-524 Others

Cisco Securing Networks with ASA Foundation

642-524: Securing Networks with ASA Foundation

Practice Exam: 642-524 Exams

Exam Number/Code: 642-524

Exam Name: Securing Networks with ASA Foundation

Questions and Answers: 62 Q&As

([Others](#))



Exam : [642-524](#)

Others [642-524](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and Others product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco Others 642-524** examination of original title complete coverage. Just4Exam **642-524 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 642-524

Exam Name: Securing Networks with ASA Foundation(Others)

Questions and Answers: 62 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-524 Exam.

642-524 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Others product experts, included the current newest 642-524 examination questions.

3. 100% Guarantee to Pass Your Others exam and get your Others Certification.

All will purchase "642-524 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the Others 642-524 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of 642-524 Q&A are more than 96%. All you need to study the whole 642-524 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 642-524 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 642-524 Q&A, absolutely guarantee you interests have no losses. (For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 642-524 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[Cisco 642-524](#) Test belongs to one of the Others certified test, if needs to obtain the Others certificate, you also need to participate in other related test, the details you may visit the [Others](#) certified topic, in there, you will see all related Others certified subject of examination.

642-524

Just4Exam professional provide Others 642-524 the newest Q&A, completely covers 642-524 test original topic. With our complete Others resources, you will minimize your Others cost and be ready to pass your 642-524 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about 642-524 exam

642-524 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-524 exam questions updated on regular basis

Same type as the certification exams, 642-524 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-524 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 642-524

Title : Securing Networks with ASA Foundation

1. You just erased the configuration on your Cisco ASA adaptive security appliance, which has in its flash memory one ASA image file (asa802-k8.bin), one ASDM image file (asdm-602.bin), and no configuration files. You want to reconfigure the Cisco ASA adaptive security appliance using Cisco ASDM, but you realize that you are unable to access Cisco ASDM. Which set of commands provides the minimal configuration that is needed to access Cisco ASDM?

- A. interface, nameif, setup (followed by the setup command interactive prompts)
- B. interface, nameif, setup (followed by the setup command interactive prompts), asdm image
- C. interface, nameif, setup (followed by the setup command interactive prompts), http server
- D. setup (followed by the setup command interactive prompts)
- E. interface, nameif, ip address, no shutdown, hostname, domain-name, clock set, http server enable
- F. interface, nameif, ip address, hostname, domain-name, clock set, http server enable, asdm image

Answer: A

2. Refer to the exhibit. Which two statements accurately describe the effect of the configuration that is shown in the exhibit? (Choose two.)

- A. Users will be prompted for a username and password when they start HTTP connections to host 192.168.1.11 from the outside.

- B. Users will be prompted for a username and password when they start HTTP connections from the inside to host 192.168.1.11 on the outside interface.
- C. The security appliance will first contact host 10.0.1.2 on the inside interface for verification of credentials; if host 10.0.1.2 is unavailable, the security appliance will attempt to authenticate the user via the local user database.
- D. The security appliance will contact a AAA server in the AUTHIN server group for verification of credentials.

Answer: AD

3. The network security administrator for XYZ Corporation wants to apply specific restrictions to one network user, Bob, who works from home and accesses the corporate network from the outside interface of the security appliance. The administrator decides to use the downloadable ACL feature of the security appliance to control network access for this user. Authentication of inbound traffic is already configured on the security appliance, and Bob already has a user account on the Cisco Secure ACS. Which three tasks does the administrator need to complete in order to accomplish the goal of limiting network access for Bob via downloadable ACLs? (Choose three.)

- A. Enable inbound authorization on the security appliance.
- B. Configure the security appliance to use downloadable ACLs.
- C. Attach the downloadable ACL to the user profile for Bob on the Cisco Secure ACS.
- D. In the authorization configuration of the security appliance, specify the RADIUS server where the user account for Bob resides.
- E. Configure the Cisco Secure ACS to use downloadable ACLs.
- F. Configure the downloadable ACLs on the Cisco Secure ACS.

Answer: CEF

4. Refer to the exhibit. Which three commands would verify that the boot image is asa802-k8.bin? (Choose three.)

- A. show disk0:
- B. show bootvar
- C. show startup-config
- D. show asdm image
- E. show device-boot history
- F. show version

Answer: BCF

5. Refer to the exhibit. Given the configuration that is shown, what traffic will be logged to the AAA server?

- A. All connection information will be logged in the accounting database.
- B. All outbound TCP connection information will be logged in the accounting database.
- C. Only authenticated and authorized console connection information will be logged in the accounting database.
- D. No information will be logged. This is not a valid configuration because TACACS+ connection information cannot be captured and logged.

Answer: B

6. Refer to the exhibit. Which two scenarios accurately illustrate the effect of the configuration that is shown in the exhibit? (Choose two.)

- A. User addison enters the login command at the > prompt and logs in with the correct username and password when prompted. User addison can then enter the global configuration mode on the security appliance.
- B. User carter enters the login command at the > prompt and logs in with the correct username and password when prompted. User carter can then enter the global configuration mode on the security appliance.
- C. User carter enters the enable command at the > prompt and logs in with the correct username and password when prompted. User carter can then enter the global configuration mode.
- D. User kenny enters the enable command at the > prompt and logs in with the correct username and password when prompted. User kenny can then enter the global configuration mode.
- E. User kenny enters the command enable 10 to access privilege level 10 and provides the password for privilege level 10 when prompted. User kenny can then enter the global configuration mode.

Answer: AD

7. Which two statements accurately describe the downloadable ACL feature of the security appliance? (Choose two.)
- A. Downloadable ACLs are the only supported authorization method that works without authentication.
 - B. Downloadable ACLs enable you to store full ACLs on a AAA server and download them to the security appliance.
 - C. Downloadable ACLs are supported using TACACS+ or RADIUS.
 - D. The downloadable ACL must be attached to a user or group profile on a AAA server.
 - E. The security appliance supports only per-user ACL authorization.
 - F. Downloadable ACLs cannot be manually removed; they must expire based on the configured timeout.

Answer: BD

8. Which two of the following statements are true about the local user database in the security appliance? (Choose two.)
- A. You can create user accounts with or without passwords in the local database.
 - B. The default privilege level for a new user is 15.
 - C. You can configure the security appliance to lock a user out after the user meets a configured maximum number of failed authentication attempts.
 - D. You can use the local database for CLI access authentication, privileged mode authentication, command authorization, network access authentication, and network access authorization.
 - E. You cannot use the local database for network access authentication.
 - F. The enable_16 user is always present in the local user database and represents the default username.

Answer: AC

9. Refer to the exhibit. A network administrator wants to authenticate remote users who are accessing the WEB1 server from the Internet. When a remote user initiates a session to the WEB1 server, the ASA1 security appliance will verify the credentials of the user with the TX_ACS AAA server via RADIUS. To accomplish this, the administrator must load and configure Cisco Secure ACS software on the TX_ACS AAA server. During the process, the administrator must correctly configure the AAA client information in the Cisco Secure ACS network configuration window. What must the administrator place in field A (AAA Client Hostname) and field B (AAA Client IP Address)?

- A. ATX_ACS
B10.0.1.10
- B. AWEB1
B172.16.1.2
- C. AASA1
B10.0.1.1
- D. ABOB
B192.168.2.10

Answer: C

10. To require users to authenticate before accessing the corporate DMZ servers, the network security administrator needs to configure cut-through proxy authentication via RADIUS. Which three tasks are required to accomplish this goal? (Choose three.)
- A. Specify a AAA server group.
 - B. Designate an authentication server.
 - C. Add users to the local user database.
 - D. Configure per-user override.
 - E. Configure a rule that specifies which traffic flow to authenticate.
 - F. Assign ACLs to users or groups.

Answer: ABE

More [642-524 Braindumps](#)

Related 642-524 Exams

[642-436](#) Cisco Voice over IP (CVOICE)

<u>642-145</u>	<i>Implementing Cisco IOS Unified Communications Advanced</i>
<u>642-456</u>	<i>Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)</i>
<u>642-524</u>	<i>Securing Networks with ASA Foundation</i>
<u>642-504</u>	<i>Securing Networks with Cisco Routers and Switches</i>
<u>642-426</u>	<i>Troubleshooting Unified Communications (TUC)</i>
<u>640-460</u>	<i>IIUC Implementing Cisco IOS Unified Communications (IIUC)</i>
<u>642-383</u>	<i>Cisco Express Foundation for Field Engineers</i>
<u>646-230</u>	<i>Advanced Unified Communications AM</i>
<u>646-656</u>	<i>Wide Area Application Services for Account Managers</i>
<u>646-223</u>	<i>Unified Communications Express AM</i>
<u>642-972</u>	<i>Data Center Application Services Design</i>
<u>642-974</u>	<i>Data Center Networking Infrastructure Support Specialist</i>
<u>646-563</u>	<i>Advanced Security for Account Managers Exam</i>
<u>646-363</u>	<i>Cisco Express Foundation for Account Managers</i>
<u>646-976</u>	<i>Data Center Networking Sales Specialist</i>
<u>642-971</u>	<i>Data Center Networking Infrastructure Design Specialist</i>
<u>650-180</u>	<i>SMBEN SMB Solutions for Engineers</i>
<u>642-373</u>	<i>Cisco Express Foundation for Systems Engineers</i>
<u>642-973</u>	<i>Cisco Data Center Networking Infrastructure</i>

Other Cisco Exams

<u>642-176</u>	<u>350-</u>	<u>646-058</u>	<u>642-975</u>	<u>642-902</u>	<u>642-383</u>	<u>642-355</u>	<u>642-681</u>
	<u>001GB2312</u>	<u>646-589</u>	<u>650-621</u>	<u>640-821</u>	<u>646-230</u>	<u>642-053</u>	<u>646-656</u>
	<u>-LAB</u>	<u>642-372</u>	<u>350-001</u>	<u>642-801</u>	<u>642-371</u>	<u>350-029</u>	<u>646-393</u>