

## 642-873 CCDP

### Cisco Designing Cisco network Service Architectures (ARCH)

**642-873: Designing Cisco network Service Architectures (ARCH)**

**Practice Exam:** 642-873 Exams

**Exam Number/Code:** 642-873

**Exam Name:** Designing Cisco network Service Architectures (ARCH)

**Questions and Answers:** 219 Q&As

( [CCDP](#) )



Exam : [642-873](#)

CCDP [642-873](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and CCDP product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Cisco CCDP 642-873** examination of original title complete coverage.Just4Exam **642-873 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 642-873**

Exam Name: Designing Cisco network Service Architectures (ARCH)( CCDP )

Questions and Answers: 219 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-873 Exam.

642-873 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the CCDP product experts, included the current newest 642-873 examination questions.

3. 100% Guarantee to Pass Your CCDP exam and get your CCDP Certification.

All will purchase "642-873 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate.Just4Exam helps you one time pass the CCDP 642-873 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 642-873 Q&A are more than 96%.All you need to study the whole 642-873 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 642-873 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 642-873 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 642-873 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[Cisco 642-873](#) Test belongs to one of the CCDP certified test, if needs to obtain the CCDP certificate, you also need to participate in other related test, the details you may visit the [CCDP](#) certified topic, in there, you will see all related CCDP certified subject of examination.

642-873

Just4Exam professional provide CCDP 642-873 the newest Q&A, completely covers 642-873 test original topic. With our complete CCDP resources, you will minimize your CCDP cost and be ready to pass your 642-873 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about 642-873 exam

642-873 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-873 exam questions updated on regular basis

Same type as the certification exams, 642-873 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-873 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 642-873

Title : Designing Cisco Network Service Architectures Exam

1. Which site-to-site VPN solution allows Cisco routers, PIX Firewalls, and Cisco hardware clients to act as remote VPN clients in order to receive predefined security policies and configuration parameters from the VPN headend at the central site?

- A. Easy VPN
- B. GRE tunneling
- C. Virtual Tunnel Interfaces
- D. Dynamic Multipoint VPN
- E. Group Encrypted Transport VPN

Answer: A

2. Acme Nutrition manufactures a wide variety of vitamin supplements. It has a single manufacturing facility with 3 regional warehouses and 16 district sales offices. Currently the manufacturing facility requires 210 IP addresses; each warehouse requires 51 IP addresses; each district sales office requires 11 IP addresses; and the IP WAN requires 38 IP addresses.

if Acme Nutrition plans for 20 percent growth in facilities, how many Class C subnets will the district sales offices require?

- A. 19 (3 from the warehouse range and 16 from a separate Class C address)

- B. 19 (3 from the warehouse block, 15 from a separate Class C block and 1 from the IP WAN block)
- C. 20 (4 from the warehouse range, 15 from a separate Class C block and 1 from the IP WAN block)
- D. 16 (3 from the warehouse range and 13 from a separate Class C address)

Answer: B

3. What are two design guidelines for VoIP networks? (Choose two.)

- A. Delay should be no more than 10 ms.
- B. Loss should be no more than 1 percent.
- C. Jitter should be less than 40 ms.
- D. Managed bandwidth is strongly recommended for voice control traffic.

Answer: BD

4. The Cisco network-based virtual firewall service solution helps service providers to deliver cost-effective, scalable, integrated security services for enterprise customers using Cisco platforms. What is a virtual firewall?

- A. another name for a firewall deployed in routed mode
- B. another name for a firewall deployed in transparent mode
- C. a separation of multiple firewall security contexts on a single firewall
- D. a firewall that, when deployed in routed mode, can support up to 1000 VLANs per context

Answer: C

5. What is the device weight limit per CallManager in a Cisco IP phone configuration?

- A. 2500
- B. 3000
- C. 5000
- D. 6500

Answer: C

6. Jitter is an unwanted variation of one or more characteristics of a periodic signal in electronics and telecommunications and \_\_\_\_\_ refers to call issues that cause variations in timing or time of arrival

- A. echo
- B. jitter
- C. packet loss
- D. digitized sampling

Answer: B

7. Which two design concerns must be addressed when designing a multicast implementation? (Choose two.)

- A. only the low-order 23 bits of the MAC address are used to map IP addresses
- B. only the low-order 24 bits of the MAC address are used to map IP addresses
- C. only the high-order 23 bits of the MAC address are used to map IP addresses
- D. only the low-order 23 bits of the IP address are used to map MAC addresses
- E. the 0x01004f MAC address prefix is used for mapping IP addresses to MAC addresses
- F. the 0x01005e MAC address prefix is used for mapping IP addresses to MAC addresses

Answer: AF

8. Which routing protocol supports a flexible area structure using routing levels one and two?

- A. OSPF
- B. EIGRP
- C. IS-IS
- D. BGP

Answer: C

9. When designing the WAN module within the enterprise edge, which document is used to specify the connectivity and performance agreements with the service provider?

- A. RFP
- B. RFC
- C. SLC/SLA
- D. SOW

Answer: C

10. What are three primary activities in the cycle of building an enterprise security strategy? (Choose three.)

- A. activity audit
- B. administration
- C. policy establishment
- D. technology implementation

Answer: ACD

11. For acceptable voice calls, the packet error rate should be less than\_\_\_%

- A. 0.01
- B. 0.1
- C. 1
- D. 2.5

Answer: C

12. Which protocol would provide block access to remote storage over WAN links?

- A. iSCSI
- B. FCIP
- C. SCSI-FP
- D. eSCSI

Answer: A

13. Which one is not the feature of the Cisco Unified Wireless Network architecture?

- A. network unification
- B. remote access
- C. mobility services
- D. network management

Answer: B

14. What type of Call Admission control in CallManager allows for limits to the bandwidth consumed by active calls?

- A. regions
- B. partitions
- C. locations
- D. device Pools

Answer: C

15. You are the network consultant from Cisco.com. Please point out which Layer 2 access designs does not support VLAN extensions?

- A. FlexLinks
- B. loop-free U
- C. looped square
- D. looped triangle

Answer: B

16. Which two of these are recommended practices with trunks? (Choose two.)

- A. use ISL encapsulation
- B. use 802.1q encapsulation
- C. set ISL to desirable and auto with encapsulation negotiate to support ILS protocol negotiation

- D. use VTP server mode to support dynamic propagation of VLAN information across the network
- E. set DTP to desirable and desirable with encapsulation negotiate to support DTP protocol negotiation.

Answer: BE

17. Cisco IDS sensors form the eyes and ears of your Cisco network intrusion detection system. Placing sensors correctly throughout your network is crucial to successfully implementing your Cisco intrusion detection system .Which two of these are characteristics of an IDS sensor? (Choose two.)

- A. has a permissive interface that is used to monitor networks
- B. is an active device in the traffic path
- C. passively listens to network traffic
- D. has a promiscuous interface that is used to monitor the network

Answer: CD

18. You are the Cisco Network Designer in Cisco.com. Which of these is a Layer 2 transport architecture that provides packet-based transmission optimized for data based on a dual ring topology?

- A. Dynamic Trunking Protocol
- B. Resilient Packet Ring
- C. Synchronous Digital Hierarchy
- D. Coarse Wave Division Multiplexing

Answer: B

19. Which three best practices should be implemented at the campus backbone submodule to support the server farm module? (Choose three.)

- A. Implement highly redundant switching and links with no single points or paths of failure.
- B. Implement server load balancing.
- C. Implement the Hot Standby Router Protocol (HSRP) for failover protection.
- D. Implement intrusion detection with automatic notification of intrusion attempts in place.

Answer: ACD

20. What two choices can you make when redundancy is required from a branch office to a regional office? (Choose two.)

- A. multiple Frame Relay PVCs
- B. dual Wan links to the regional office
- C. dual Wan links to another branch office
- D. single links - one to the regional office and one to another branch office

Answer: BD

21. In a VoWLAN deployment, It is recommended \_\_\_\_ dBm separation between cells with the same channel.

- A. 6
- B. 7
- C. 10
- D. 19

Answer: D

22. Which two of these are correct regarding the recommended practice for distribution layer design based on the following configuration?

- A. use a Layer 2 link between distribution switches
- B. use a Layer 3 link between distribution switches
- C. use a redundant link to the core
- D. use a Layer 3 link between distribution switches with route summarization

Answer: CD

23. Which VPN management feature would be considered to ensure that the network had the least disruption of

service when making topology changes?

- A. dynamic reconfiguration
- B. path MTU discovery
- C. auto setup
- D. remote management

Answer: A

24. The network administrator would like to generate synthetic traffic using the Service Assurance Agent contained in Cisco IOS. Which CiscoWorks network management application will be used to report the latency and availability for configured traffic operations on an end-to-end and hop-by-hop (router-to-router) basis?

- A. nGenius Real-Time Monitor
- B. CiscoView
- C. Device Fault Manager
- D. Internetwork Performance Monitor

Answer: D

25. When is the site-to-site remote access model appropriate? (Choose one.)

- A. for multiple ISDN connections
- B. for modem concentrated dial-up connections
- C. for a group of users in the same vicinity sharing a connection
- D. for use by mobile users

Answer: C

26. You are the network consultant from Cisco.com. Please point out the reason that STP required when VLANs span access layer switches

- A. ensure a loop-free topology
- B. protect against user-side loops
- C. support business applications
- D. risk of lost connectivity without STP

Answer: B

27. Which three components are part of the Intelligent Network Services provided by the Cisco AVVID framework? (Choose three.)

- A. IP telephony
- B. security
- C. IP multicasting
- D. QoS

Answer: BCD

28. Cisco IDS sensors form the eyes and ears of your Cisco network intrusion detection system. Placing sensors correctly throughout your network is crucial to successfully implementing your Cisco intrusion detection system .

Where can an IPS sensor be placed in an enterprise network? (Choose two.)

- A. core layer
- B. bridging two VLANs on one switch
- C. between two Layer 2 devices with trunking
- D. between two Layer 2 devices without trunking

Answer: CD

29. Which typical enterprise campus requirement ensures that the network supports the required applications and that data flows within the required time frames?

- A. availability
- B. performance
- C. functionality

D. manageability

Answer: C

30. In base e-Commerce module designs, where should firewall perimeters be placed?

A. core layer

B. Internet boundary

C. aggregation layer

D. aggregation and core layers

E. access and aggregation layers

Answer: A

More [642-873 Braindumps](#)

### Related 642-873 Exams

[642-873](#) *Designing Cisco network Service Architectures (ARCH)*

[642-871](#) *Designing Cisco network Service Architectures (ARCH)*

### Other Cisco Exams

[642-373](#)

[642-502](#)

[642-832](#)

[642-453](#)

[642-067](#)

[642-564](#)

[642-979](#)

[642-681](#)

[642-425](#)

[642-591](#)

[642-054](#)

[642-533](#)

[640-822](#)

[642-072](#)

[642-053](#)

[650-575](#)

[642-176](#)

[642-242](#)

[646-588](#)

[646-656](#)