

## **E20-815 Technology Foundations**

### **EMC Business Continuity Expert Exam for Technology Architects**

**E20-815: Business Continuity Expert Exam for Technology Architects**

**Practice Exam:** E20-815 Exams

**Exam Number/Code:** E20-815

**Exam Name:** Business Continuity Expert Exam for Technology Architects

**Questions and Answers:** 143 Q&As

( [Technology Foundations](#) )



Technology Foundations [E20-815](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and Technology

**Exam :** [E20-815](#)

Foundations product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **EMC Technology Foundations E20-815** examination of original title complete coverage. Just4Exam **E20-815 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: E20-815**

Exam Name: Business Continuity Expert Exam for Technology Architects( Technology Foundations )

Questions and Answers: 143 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the E20-815 Exam.

E20-815 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Technology Foundations product experts, included the current newest E20-815 examination questions.

3. 100% Guarantee to Pass Your Technology Foundations exam and get your Technology Foundations Certification. All will purchase "E20-815 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the Technology Foundations E20-815 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of E20-815 Q&A are more than 96%. All you need to study the whole E20-815 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our E20-815 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of E20-815 Q&A, absolutely guarantee you interests have no

losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the E20-815 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

**EMC E20-815** Test belongs to one of the Technology Foundations certified test, if needs to obtain the Technology Foundations certificate, you also need to participate in other related test, the details you may visit the [Technology Foundations](#) certified topic, in there, you will see all related Technology Foundations certified subject of examination.

E20-815

Just4Exam professional provide Technology Foundations E20-815 the newest Q&A, completely covers E20-815 test original topic. With our complete Technology Foundations resources, you will minimize your Technology Foundations cost and be ready to pass your E20-815 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about E20-815 exam

E20-815 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

E20-815 exam questions updated on regular basis

Same type as the certification exams, E20-815 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free E20-815 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

***Just4Exam.com** offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : EMC E20-815

Title : Symmetrix Business Continuity Expert Technology Architects

1. Click the Exhibit button.

The exhibit represents a solution you have architected for a customer. You then configured Replication Manager to create automated BCV copies of the database. After configuring the application set and job, the job simulation is failing.

What is the most likely cause for the failure?

- A. Database and Transaction Logs must reside on the same mount point
- B. System Path and Transaction Logs must reside on the same mount point
- C. Too few spindles are allocated to the System Path
- D. Too few spindles are allocated to the Transaction Logs

Answer: B

2. A customer is consolidating 2,000 seats from Lotus Notes to one Microsoft Exchange 2007 server. They want to provision each Exchange storage group allowing for 100 "Heavy" profile users. Mailbox quotas are set at 500 MB per mailbox.

Deleted item recovery is set to the defaults and a full pass of database maintenance takes 48 hours to complete.

Content indexing is enabled and the customer has no need for offline maintenance.

What is the minimum LUN size that can be allocated for each Exchange Storage Group's database, while meeting the customer's needs?

- A. 25 GB
- B. 95 GB
- C. 100 GB
- D. 125 GB

Answer: C

3. A customer wants to implement a consolidated solution for an Oracle 11g database environment. During your discussions, which issues need to be highlighted and reviewed before moving forward with any recommendations?

- A. 1. ASM device groups properly sized  
2. Disk groups appropriately set up  
3. Volume groups appropriately sized
- B. 1. Device groups appropriately set up  
2. Oracle files laid out efficiently on the array  
3. Volume groups appropriately sized
- C. 1. OFA compliance  
2. Device groups appropriately set up  
3. File systems properly sized
- D. 1. OFA compliance  
2. Oracle files laid out efficiently on the array  
3. Volume groups appropriately sized

Answer: D

4. A customer wants to use Replication Manager to create application consistent BCV copies of their Microsoft Exchange 2007 server running Cluster Continuous Replication (CCR). They would like to create the replica from the passive copy of the CCR storage group, regardless of which physical node in the cluster currently hosts that role. What is your recommendation?

- A. Replication Manager can replicate only the active copy of a CCR cluster
- B. Use combination replication to replicate the CCR storage group
- C. Use node-based replication of the CCR storage group
- D. Use role-based replication of the CCR storage group

Answer: D

5. When performing an incremental synchronization of an Oracle database environment, what are the key objects that need to be replicated to ensure a restartable instance on the target host?

- A. Archive Log Files and Data Files
- B. Control File and Oracle System Files
- C. Control File and Redo Logs
- D. Data Files and Control File

Answer: C

6. A customer is configuring SRDF/S. Their current configuration does not provide local recoverability. The local DMX is nearing capacity. They have a requirement for a solution that will simplify the restore process. In addition, the customer wants you to take their tape backup solution into consideration.

How should you address the customer's requirement?

- A. Create a solution that will utilize the STD, R1BCV to R2, BRBCV layout. Recover from BRBCV.
- B. Create a solution that will utilize the R1 to R2/R1BCV to R2, and BRBCV layout. Recover from R2.
- C. Create a solution that will utilize the R1, R2 to RBCV layout. Recover from R2.
- D. Create a solution that will utilize the R1, R2 to RBCV layout. Recover from RBCV.

Answer: D

7. You are designing a Replication Manager solution to provide VSS backups of Exchange 2007 with

TimeFinder/Clone. What should you take into consideration?

- A. A maximum of five databases per storage group is supported
- B. Circular logging must be disabled
- C. Transaction Log and database paths must be the same
- D. Transaction Log and system path cannot be on the same device

Answer: B

8. A customer has noticed that performance is degraded on one of their Microsoft Exchange servers after migrating all Exchange 2003 servers to Exchange 2007. Analysis indicated that the system is performing two reads for every transaction.

What is the most probable cause?

- A. Block size is too small
- B. Cache is disabled
- C. Sector misalignment
- D. Stripe size is too small

Answer: C

9. A customer is migrating from Microsoft Exchange 2003 to Exchange 2007. The customer is trying to estimate the user load profile that fits their environment for the purposes of sizing the disk subsystem.

Which condition could cause the customer to underestimate the IOPS required for their environment?

- A. Database maintenance
- B. Deleted items retention
- C. Mobile device users
- D. Nested subfolders with many thousands of items

Answer: C

10. A customer is consolidating 2,000 seats from Lotus Notes to one Microsoft Exchange 2007 server. They want to provision each Exchange storage group allowing for 100 "Very Heavy" profile users. Mailbox quotas are set at 500 MB per mailbox. Deleted item recovery is set to the defaults and a full pass of database maintenance completes nightly. Content indexing is enabled and the customer has no need for offline maintenance.

What is the minimum LUN size that can be allocated for each Exchange Storage Group's database, while meeting the customer's needs?

- A. 25 GB
- B. 113 GB
- C. 119 GB
- D. 133 GB

Answer: C

11. Click the Exhibit button.

A customer is planning to consolidate 2,000 "Average" profile Microsoft Exchange 2007 users from DAS to SAN using newly added 146 GB 15,000 rpm FC drives on their DMX-4. The exhibit shows perfmon data gathered from the database LUN of the mailbox server as it now performs. In addition, the exhibit reflects the level of concurrency in the environment. Anticipated growth is expected to be no greater than 20%.

Following EMC best practices guidelines, what is the minimum number of RAID 1 protected spindles needed to support the Exchange database?

- A. 2
- B. 4
- C. 6
- D. 8

Answer: A

12. A customer has a requirement to simplify management of their Microsoft Exchange database replication. You have been assigned the task of meeting this requirement.

In creating application sets and jobs, which configuration considerations should you be aware of for Replication Manager?

- A. Storage groups for Exchange data and logs can be on the same volumes but have to reside on different hypervolumes
- B. Storage groups for Exchange data and logs cannot be on the same volumes but have to reside on different hypervolumes
- C. System path and transaction log path must always exist in different locations due to the checkpoint file
- D. System path and transaction log path must always exist in the same location due to the checkpoint file

Answer: D

13. A customer noticed that their RDF links between Site A and Site B are suspended. You have been contacted by the customer to resolve database corruption and inconsistencies. Their SRDF setup includes standard, R1BCV, R2, and RBCV volumes.

You verify, in the application event logs, that TimeFinder/EIM was synchronizing before the link suspension. How do you provide the customer with consistent data?

- A. Restore from tape to the RBCV to the R2
- B. Restore from the RBCV to the R2
- C. Restore the STD device from either the R2 or the RBCV
- D. Restore the STD device from R1BCV

Answer: B

14. A customer has asked you to design a TimeFinder/EIM architecture. You have been given the following information:

- 1 Two sites are approximately 300 kilometers apart
- 2 Round trip latency between sites is 50 ms
- 3 Current network utilization is 80%

The customer is concerned about recoverability and local application performance. Other applications reside on the source DMX hosting Microsoft Exchange and it is currently nearing capacity. The customer has cost concerns and is looking for you to design the best solution with their existing resources.

Which solution meets the customer's requirements for performance, recoverability, and cost?

- A. SRDF/A using a production R1, R2, and RBCV as well as R1 BCV, R2, and a BRBCV copy
- B. SRDF/A using standard R1, remote R2, and RBCV
- C. SRDF/S using a standard volume, a local R1 BCV, R2, and BRBCV
- D. SRDF/S using standard R1, remote R2, and RBCV

Answer: B

15. Click the Exhibit button.

A customer is planning to consolidate 4,000 "Very Heavy" profile Microsoft Exchange 2007 users from DAS to SAN using newly added 146 GB 15,000 rpm FC drives on their DMX-4. The exhibit shows perfmon data gathered from the database LUN of the mailbox server as it now performs. In addition, the exhibit reflects the level of concurrency in the environment. Anticipated growth is expected to be no greater than 20%.

Following EMC best practices guidelines, what is the minimum number of RAID 5 protected spindles needed to support the performance profile of the Exchange transaction logs?

- A. 8
- B. 12
- C. 16
- D. 20

Answer: B

16. Click the Exhibit button.

You are migrating a customer's Microsoft Exchange 2007 server from DAS to SAN. The LUNs shown in the exhibit are presented to the server. You must select six LUNs to use for databases and logs.

According to EMC best practice, which Symmetrix DMX devices should you select?

- A. 00D, 005, 01D, 02F, 055, and 05D
- B. 005, 00D, 015, 01D, 02F, and 055
- C. 005, 015, 01D, 02F, 055, and 05D
- D. 015, 01D, 005, 02F, 055, and 05D

Answer: B

17. Click the Exhibit button.

You are migrating a customer's Microsoft Exchange 2007 server from DAS to SAN. The LUNs shown in the exhibit are presented to the server. You must select six LUNs to use for databases and logs.

According to EMC best practice, which Symmetrix DMX devices should you select?

- A. 005, 00D, 015, 01D, 02F, and 055
- B. 005, 00D, 015, 01D, 02F, and 05D
- C. 005, 00D, 015, 02F, 055, and 05D
- D. 00D, 015, 01D, 02F, 055, and 05D

Answer: D

18. Click the Exhibit button.

A customer is planning to consolidate 2,000 "Average" profile Microsoft Exchange 2007 users from DAS to SAN using newly added 146 GB 15,000 rpm FC drives on their DMX-4. The exhibit shows perfmon data gathered from the database LUN of the mailbox server as it now performs. In addition, the exhibit reflects the level of concurrency in the environment. Anticipated growth is expected to be no greater than 20%.

Following EMC best practices guidelines, what is the minimum number of RAID 1 protected spindles needed to support the performance profile of the Exchange transaction logs?

- A. 1
- B. 2
- C. 4
- D. 6

Answer: A

19. A customer is migrating from Microsoft Exchange 2003 to Exchange 2007. They want to provision each mailbox server with 2,000 users, allowing for 100 "heavy" profile users per Exchange storage group. In designing an SLA for the customer, you determine that the customer requires the use of recovery storage groups for disaster recovery purposes.

Which consideration must be made when architecting this solution?

- A. A maximum of 50 production storage groups can be hosted per Exchange Server
- B. A maximum of four production storage groups can be hosted per Exchange Server
- C. Exchange 2007 Enterprise Edition is required
- D. Server hosting the recovery storage group must be in a separate Active Directory forest from the source storage groups

Answer: C

20. A customer is implementing Replication Manager 5.1.3 to create BCV replicas against a Microsoft Exchange 2007 server. The Exchange server has two sets of STD devices: one set running the production LUNs and the other acting as a local continuous replication destination.

The customer would like an application consistent BCV replica of the production LUN with minimal impact on the production LUN. How should the Replication Manager job be configured?

- A. A file system job should be configured against the local continuous replication target LUN(s)
- B. A file system job should be configured against the production Exchange LUN(s)
- C. An Exchange job should be configured against the local continuous replication target LUN(s)
- D. An Exchange job should be configured against the production Exchange LUN(s)

Answer: D

## Related E20-815 Exams

<a href="#">e20-070</a>	<i>emc technology foundations-san</i>
<a href="#">e20-322</a>	<i>Technology Architect Solutions Design</i>
<a href="#">E20-815</a>	<i>Business Continuity Expert Exam for Technology Architects</i>
<a href="#">e20-597</a>	<i>Backup &amp; Recovery Specialist Exam for Storage Administrators</i>
<a href="#">e20-593</a>	<i>Backup &amp; Recovery Implementation Exam</i>
<a href="#">e20-050</a>	<i>emc technology foundations -clariion</i>
<a href="#">e20-540</a>	<i>networked storage-nas specialist exam</i>
<a href="#">E20-097</a>	<i>EMC Technology Foundations-Backup and Recovery</i>
<a href="#">e20-090</a>	<i>emc technology foundations storage management</i>
<a href="#">e20-095</a>	<i>EMC Technology Foundations-CAS</i>
<a href="#">e20-820</a>	<i>CLARiiON Solutions Expert Exam for Technology Architects</i>
<a href="#">e20-040</a>	<i>emc technology foundations</i>
<a href="#">e20-080</a>	<i>emc technology foundations-nas</i>
<a href="#">E20-830</a>	<i>Networked Storage--NAS Expert Exam for Technology Architects</i>
<a href="#">E20-840</a>	<i>Storage Management Expert Exam for Technology Architects</i>
<a href="#">E20-322</a>	<i>Technology Architect Solutions Design</i>
<a href="#">E20-593</a>	<i>Backup &amp; Recovery Implementation Exam</i>
<a href="#">E20-597</a>	<i>Backup &amp; Recovery Specialist Exam for Storage Administrators</i>

## Other EMC Exams

<a href="#">e22-106</a>	<a href="#">E20-616</a>	<a href="#">e20-510</a>	<a href="#">e20-540</a>	<a href="#">e20-080</a>	<a href="#">e20-617</a>	<a href="#">E22-211</a>	<a href="#">e20-665</a>
<a href="#">e20-050</a>	<a href="#">E20-351</a>	<a href="#">E20-500</a>	<a href="#">e22-141</a>	<a href="#">E20-611</a>	<a href="#">e20-535</a>	<a href="#">e22-128</a>	<a href="#">e20-532</a>
<a href="#">e20-661</a>	<a href="#">E20-815</a>	<a href="#">E20-322</a>	<a href="#">E22-280</a>				