

E20-863 EMC Certification

EMC Networked Storage-NS Expert Exam Implementation Engineers

E20-863: Networked Storage-NS Expert Exam Implementation Engineers

Practice Exam: E20-863 Exams

Exam Number/Code: E20-863

Exam Name: Networked Storage-NS Expert Exam Implementation Engineers

Questions and Answers: 112 Q&As

([EMC Certification](#))



EMC Certification [E20-863](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and EMC Certification product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title. Exam : [E20-863](#)

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **EMC EMC Certification E20-863** examination of original title complete coverage. Just4Exam **E20-863 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: E20-863

Exam Name: Networked Storage-NS Expert Exam Implementation Engineers(EMC Certification)

Questions and Answers: 112 Q&A

Just4Exam provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the E20-863 Exam.

E20-863 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the EMC Certification product experts, included the current newest E20-863 examination questions.

3. 100% Guarantee to Pass Your EMC Certification exam and get your EMC Certification Certification.

All will purchase "E20-863 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the EMC Certification E20-863 tests.

We promised that use Just4Exam Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of E20-863 Q&A are more than 96%. All you need to study the whole E20-863 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our E20-863 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of E20-863 Q&A, absolutely guarantee you interests have no losses. (For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the E20-863 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[EMC E20-863](#) Test belongs to one of the EMC Certification certified test, if needs to obtain the EMC Certification certificate, you also need to participate in other related test, the details you may visit the [EMC Certification](#) certified topic, in there, you will see all related EMC Certification certified subject of examination.

E20-863

Just4Exam professional provide EMC Certification E20-863 the newest Q&A, completely covers E20-863 test original topic. With our complete EMC Certification resources, you will minimize your EMC Certification cost and be ready to pass your E20-863 tests on Your First Try, 100% Money Back Guarantee included!

Just4Exam Engine Features

Comprehensive questions and answers about E20-863 exam

E20-863 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

E20-863 exam questions updated on regular basis

Same type as the certification exams, E20-863 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free E20-863 exam demo before you decide to buy it in Just4Exam.com

Just4Exam Help You Pass Any IT Exam

Just4Exam.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : EMC E20-863

Title : Networked Storage-NS Expert Exam Implemnetation Engineers

1. A customer would like to add a NAS head to an existing CLARiiON array. The utilization of all of the disks in the array is roughly 50%. Navisphere Analyzer reports that the read throughput is typically equal to the cache hit. No forced flushing is occurring. The workload on the hosts that are using the array is large, sequential read I/O. You have been asked what the performance implications would be of adding the NAS device to the exiting SAN. What is your response?

A. In general, if the utilization of the disks is less than 85%, the addition of the NAS head should not degrade performance.

B. Since forced flushing is not occurring, and the current applications are sequential in nature, the NAS head should not degrade performance.

C. The NS will not degrade the performance of the existing SAN since a typical NAS workload consists of 80% sequential I/O, and 20% random I/O.

D. A typical NAS workload could severely disrupt a sequential workload. Add the NAS to the CLARiiON only if the workloads are on different spindles.

Answer: D

2. A customer recently deployed another antivirus server into their existing environment, increasing the number of external checking servers to three (3). They also added an additional primary Data Mover, increasing the number of

active Data Movers to three (3). Some tuning on their Data Mover parameters was done and their performance is less than was expected with the additional server.

You investigate the CAVA parameters and find that the customer has adjusted the value for the cifs maxVCthreads parameter to 25 with all the others remaining at the default values.

What is the EMC recommended value for this parameter?

- A.10
- B.15
- C.20
- D.The value they used is correct.

Answer: C

3. Click the Exhibit button.

A customer recently configured new network connections on a newly installed Celerra. The customer can access data on all interfaces but is reporting performance problems.

The customer sends you ifconfig outputs from the Celerra and client machines. What could be causing the performance issues?

- A.Celerra is running with packet reflect enabled.
- B.Maximum transmission units are not configured correctly.
- C.Client is running IPv4, which is not supported on the Celerra.
- D.Interface "eng" is on a different VLAN from the other interfaces.

Answer: B

4. What does the TCP Receive Window size setting specify?

- A.Number of bytes a sender can transmit without receiving an ACK
- B.Maximum number of bytes that can be received in a single frame
- C.How much memory TCP allocates to store segment data in the router segment queue
- D.Number of times TCP will retransmit a connect request (SYN) before aborting the attempt

Answer: A

5. Which characteristic has the greatest impact in determining Celerra system performance?

- A.Storage array
- B.Celerra platform
- C.File system layout
- D.Application workload

Answer: D

6. A customer is going to deploy a Celerra gateway system to a CLARiiON storage array. They are planning to deploy four (4) file systems of 500 GB and five (5) file systems of 10 GB each.

What is the minimum amount of additional storage that needs to be allocated to allow for at least one automatic file system extension operation on all file systems?

- A. ~70 GB
- B. ~74 GB
- C. ~118 GB
- D. ~122 GB

Answer: C

7. A customer would like to try and maximize cache utilization when using their sequential read application via their Celerra to their CLARiiON storage array. They have set a prefetch value of N=2. Their file systems are all configured on clar_r5_performance storage pools.

How much more data will be prefetched using this value instead of the default value?

- A.32 KB
- B.64 KB
- C.480 KB

D.512 KB

Answer: C

8. In what way does the Alacritech TOE Accelerator Card impact performance in an environment using jumbo frames?

- A. Not supported
- B. Improved performance
- C. Degraded performance
- D. No performance impact

Answer: D

9. A customer would like to try and maximize cache utilization when using their sequential read application via their Celerra to their CLARiiON storage array. They have set a prefetch value of N=2. Their file systems are all configured on clar_r5_performance storage pools.

How many more I/Os will be serviced from cache using this value instead of the default value?

- A. 30
- B. 32
- C. 60
- D. 63

Answer: D

10. Your NS customer is using the default CLARiiON "prefetch multiplier" and "segment multiplier" settings.

In most cases, what will be the size of the prefetched data for the Celerra?

- A. 16 KB
- B. 32 KB
- C. 64 KB
- D. 128 KB

Answer: B

11. Click the Exhibit button.

A customer would like to better understand how AVM automatically creates file systems.

Given this CLARiiON configuration, how will AVM satisfy the following file system request (assuming no file systems already exist).

```
nas_fs -n testfs1 -create size=500G pool=clar_r5_performance -option slice=yes
```

- A. A meta is placed on volumes d13, d9, d15, and d11, and a file system is created.
- B. d7, d13, d9, and d15 are striped together, a meta is placed on the stripe, and a file system is created.
- C. d8, d9, d10, and d11 are striped together, a slice is taken from the stripe, a meta is placed on the stripe, and a file system is created.
- D. d8, d14, d10, and d16 are striped together, a slice is taken from the stripe, a meta is placed on the slice, and a file system is created.

Answer: D

12. Click the Exhibit button.

A customer is experiencing poor performance when accessing data from the Celerra CIFS shares. SRT, or Service Response Time, is the time it takes the server to send the reply.

What conclusion can be made given the Ethereal capture shown?

- A. Average SRT for read is too high.
- B. Average SRT for writes is too high.
- C. Maximum SRT for writes is too low.
- D. Minimum of write SRT is not acceptable.

Answer: B

13. A customer will be adding an ATA shelf for backup to disk operations. You suggest that they configure the shelf with RAID 3 groups.

Which shelf configuration is a valid option?

- A.
- B.
- C.
- D.

Answer: B

14. After implementing several File Retention Capable File Systems (CWORM) on a Celerra, several employees have tried unsuccessfully to delete some of the files saved.

They then approached the system administrator to delete these files.

What is the first procedure that must be completed before the files can be deleted?

- A. Map the file system.
- B. Change the state to CLEAN.
- C. Change the state to DELETE.
- D. Change the state to EXPIRED.

Answer: D

15. Click the Exhibit button.

A customer is using Celerra Replicator. For maintenance purposes, the customer must fail over their production FS to the remote site. After a successful failover, the customer is unable to access their share on the remote site.

What is a possible reason that the customer is unable to access the share?

- A. The local cache on the Windows client needs to be updated.
- B. There are still outstanding delta sets in the secondary SaVol.
- C. Production FS is mounted to a different mountpoint on the remote site.
- D. The customer is using internal usermapper as a secondary service instead of as a primary service.

Answer: C

16. Click the Exhibit button.

Which stripe volume, v136 or laserct500stripe, would provide better general performance characteristics?

- A. v136, because it resides on four different RAID groups and is SP balanced
- B. v136, because the capacity of the stripe is much larger than laserct500stripe
- C. laserct500stripe, because it resides within RAID group 9 (which is a RAID 5 8+1)
- D. Both volumes would provide comparable performance since each contains four FC disk volumes

Answer: A

17. A customer recently added a new department of approximately 100 people. The new department's data shares were created on the existing Celerra that is currently serving 1,000 users. Now the new users alone are experiencing performance problems when accessing the data shares.

The Celerra is configured with a single, four-port EtherChannel trunk using MAC addressing statistical load balancing.

The customer has reported that one of the interfaces in the trunk has three times the packet count of the other ports in the trunk.

What might be causing the performance problem?

- A. EtherChannel does not provide the same throughput as LACP.
- B. There are not enough ports in the trunk to support the new user network traffic.
- C. MAC addressing load balancing does not work correctly because packet reflect is enabled by default.
- D. From the Celerra perspective, all new user network traffic appears to be from the same client MAC address.

Answer: D

18. You have configured a SHARE level security file system, and it has been running for six months. The customer wants to add the HOME directory feature to that file system.

You enable this service and it does not work. Why?

- A. The .homedir file is not configured.
- B. SHARE level security is not supported with HOME directories.

- C.You cannot enable HOME directories on a production file system.
- D.Customer does not have the HOME directory license key installed.

Answer: B

19. NDMP2Disk has been implemented for a customer.

The customer wants to copy their backups to tape. What must they do?

- A.Initiate a cloning process through the backup software.
- B.Export the tape set from the VTLU and import it into the physical TLU.
- C.Export the file system to the backup server and back up the file system to the tape.
- D.Attach a tape drive to the Data Mover with the mounted file system, and run server_archive.

Answer: A

20. A customer uses quotas on existing Windows server and wants to implement tree quotas on their new Celerra.

The data is strictly home directories with no .pst files.

Which tool would you use to migrate this file system from the Windows server to the Celerra?

- A.After creating tree quotas use fscopy to migrate data
- B.CDMS assigning tree quotas once data is migrated
- C.After creating tree quotas use emcopy to migrate data
- D.Celerra Replicator assigning tree quotas once data is replicated

Answer: C

More [E20-863 Braindumps](#)

Related E20-863 Exams

[E20-001](#) Storage Technology Foundations (Information Storage and Mgmt)

[E22-211](#) Mainframe Remote Replication Exam

[E20-611](#) CLARiiON Installation and Troubleshooting Specialist

[E20-120](#) EMC Content Management Foundation Exam(CMF)

[E20-361](#) Network Attached Storage (NAS) Implementation Exam

[E20-616](#) Symmetrix Installation and Troubleshooting Specialist

[E20-011](#) Storage Networking Design and Management

[E20-351](#) Storage Attached Network (SAN) Specialist Exam

[E22-280](#) Avamar Backup and Data Deduplication Exam

[E20-501](#) Commercial Storage & Info Infrastructure Exam for Tech Archs

[E20-455](#) Content Management Web Application Programming Exam

[E22-201](#) Mainframe Local Replication Exam

[E20-590](#) Backup and Recovery Specialist Exam

[E20-485](#) Content Management Application Architecture Exam

[e20-661](#) Networked Storage-NAS Installation and Troubleshooting Exam

[E20-465](#) Content Management System Administration

[e20-617](#) DMX Migration

[e20-845](#) Business Continuity Expert Exam for Implementation Engineers

[E20-475](#) Content Management Systems Architecture

[e20-537](#) networked storage-ns exam for storage administrators

Other EMC Exams

[E20-863](#) [E20-465](#) [E20-590](#) [E20-370](#) [E20-520](#) [E20-405](#) [e20-670](#) [E20-361](#)

[E22-280](#) [e20-582](#) [E20-351](#) [e20-012](#) [E20-501](#) [E20-597](#) [e20-665](#) [e20-522](#)

e20-512

E20-097

e20-535

E20-340