

## **e20-825 EMC Certification**

### **EMC Networked Storage-SAN Expert Exam for Technology Architects**

**e20-825: Networked Storage-SAN Expert Exam for Technology Architects**

**Practice Exam:** e20-825 Exams

**Exam Number/Code:** e20-825

**Exam Name:** Networked Storage-SAN Expert Exam for Technology Architects

**Questions and Answers:** 120 Q&As

( [EMC Certification](#) )



Exam : [e20-825](#)

EMC Certification [e20-825](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and EMC Certification product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **EMC EMC Certification e20-825** examination of original title complete coverage. Just4Exam **e20-825 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: e20-825**

Exam Name: Networked Storage-SAN Expert Exam for Technology Architects( EMC Certification )

Questions and Answers: 120 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the e20-825 Exam.

e20-825 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the EMC Certification product experts, included the current newest e20-825 examination questions.

3. 100% Guarantee to Pass Your EMC Certification exam and get your EMC Certification Certification.

All will purchase "e20-825 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam, And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the EMC Certification e20-825 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of e20-825 Q&A are more than 96%. All you need to study the whole e20-825 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our e20-825 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of e20-825 Q&A, absolutely guarantee you interests have no

losses.(For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the e20-825 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

**EMC e20-825** Test belongs to one of the EMC Certification certified test, if needs to obtain the EMC Certification certificate, you also need to participate in other related test, the details you may visit the [EMC Certification](#) certified topic, in there, you will see all related EMC Certification certified subject of examination.

e20-825

Just4Exam professional provide EMC Certification e20-825 the newest Q&A, completely covers e20-825 test original topic. With our complete EMC Certification resources, you will minimize your EMC Certification cost and be ready to pass your e20-825 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about e20-825 exam

e20-825 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

e20-825 exam questions updated on regular basis

Same type as the certification exams, e20-825 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free e20-825 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

***Just4Exam.com** offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : EMC E20-825

Title : Storage Area Network (SAN) Expert Exam for Technology Archs

1. What is a valid FCID for a node connected to a MDS-series director in a fabric consisting of MDS-series, B-series and M-series switches?

- A. 0x330000
- B. 0x441111
- C. 0x552222
- D. 0x663333

Answer: D

2. A company wants the most cost effective way to add 100 new hosts. Each host requires approximately 15MBps. All servers must be dual attached. They currently have all MDS 9509 directors, and could add line cards at your recommendation. What solution should you recommend?

- A. Add 2 IP cards with 4 ports each and use iSCSI to connect into the SAN
- B. Add 2 IP cards with 8 ports each and use iSCSI to connect into the SAN
- C. Add 2 fiber channel cards with 32 ports each and fiber attach all the hosts
- D. Add 8 fiber channel cards with 32 ports each and fiber attach all the hosts

Answer: B

3. A customer has two separate SAN environments, located 5 km apart, with both DMX and CLARiiON storage. They have a Windows 2000 application that is currently connected to a CX600. They plan to deploy a second server at the remote site and implement a MSCS clustered environment for this application. The solution needs to be disaster tolerant. What would they do as part of this implementation?

- A. Implement MirrorView to replicate data between sites
- B. Implement EMC OpenReplicator to replicate data between sites
- C. Move the server's data to DMX and use SRDF to replicate data between sites
- D. Implement EISLs between sites to provide remote access to the CLARiiON volumes

Answer: C

4. A customer has deployed two separate data centers located 100 km apart. Each site has two MDS 9509 configured with 2 VSANs in each director. The directors have IPS modules with FCIP configured between the MDS directors using their existing IP network between sites. NO EISLs currently exist. They want to implement a backup solution where all backups are done to CDL units located at the remote data center location.

What is the best solution for this requirement?

- A. Configure EISL between locations and create a new tape VSAN containing CDL ports and all host ports
- B. Configure new EISLs between locations, merge ALL existing fabrics between sites and connect CDL ports to new fabrics
- C. Create a new tape VSAN at each location containing CDL ports and implement IVR for host access to tape resources at the remote location
- D. Configure EISL between locations and create a new tape VSAN containing all CDL ports and implement IVR for backup hosts to access tape resources at local the location

Answer: C

5. Your customer is asking if fabric latency is related to different application I/O patterns when using 3 hops in a B-series Fabric. What do you tell the customer?

- A. Only optic latency is relevant to different I/O patterns
- B. Hop and speed do not depend on different I/O patterns
- C. Hop and optical latency count is dependant on different I/O patterns
- D. Hop, speed, and optic latency do not depend on different I/O patterns

Answer: D

6. A company just completed an implementation of 800 iSCSI attached nodes. After some time, performance problems such as device discovery, and change notification service have started to effect the environment. Which service can be implemented to increase the robustness of the environment?

- A. DNS
- B. iSNS
- C. LDAP
- D. iSCSI

Answer: B

7. A customer is designing an in-band management framework for the M-series switch fabric. What protocol is used within the framework?

- A. FCIP
- B. IPFC
- C. OSPF
- D. TCP/IP

Answer: B

8. Why are MDS-series port channels not compatible with B-series switches?

- A. B-series FSPF settings are incompatible with MDS-series
- B. Persistent FCIDs cannot be translated across the Port Channel

C. B-series will reject MDS-series Virtual Channel flow control and negotiate a standards based buffer-to-buffer flow control

D. MDS-series will reject B-series Virtual Channel flow control and negotiate a standards based buffer-to-buffer flow control

Answer: D

9. Your customer is maintaining a small SAN, built of four DS-32B2 switches in full mesh topology and a CLARiiON CX500, with VisualSAN. Over the weekend they want to connect several HP-UX servers to the SAN. For ease of management and time savings, they want to create the zones beforehand and activate them on the weekend. What are the necessary steps to do this?

A. Customer needs to upgrade to ControlCenter

B. Create zones, edit zoneset directly on the switch with native tools

C. Create zones, edit zoneset and save it in the Active Zoneset folder

D. Create zones, edit zoneset and save it in the Inactive Zoning Library folder

Answer: B

10. The redraw time of the alerts window pane in ControlCenter takes several minutes to complete. What do you recommend to fix this problem?

A. Edit the Alert Definition

B. Edit the Alert Templates

C. Edit the Alert Data Retention

D. Edit the Alert Data Collection Policies

Answer: C

11. A company has many low end servers that need to access SAN attached storage. The company does not want to invest any additional money in the servers to make this happen. Each server will have one NIC card that will be used for iSCSI. The customer wants as high availability as possible. Their current SAN infrastructure consists of all MDS directors, with multiple FC and IP cards in each. What feature can be used to make their environment as fault tolerant as possible?

A. VRRP

B. Host based multipathing

C. Ethernet adapter teaming

D. Zone with SANvergence Manager

Answer: A

12. A company is interested in migrating four standalone M-series switches to a full mesh fabric topology. The total combined throughput of the servers and storage is 6GB/sec, including local and ISL traffic. Using EMC recommendations, how much combined throughput should you design the ISLs to handle?

A. 3GB/s

B. 4GB/s

C. 5GB/s

D. 6GB/s

Answer: A

13. Click the Exhibit button.

Your customer has the CLARiiON environment in the diagram. They want to improve security.

What should you recommend?

A. Each switch in each fabric should have the same domain ID

B. The zoning policy should be single-HBA or single-initiator zoning

C. The zoning policy should be port zoning on Fabric A and Fabric B

D. The switches with the lowest WWNs always be located at the center of the fabric

Answer: B

14. A customer has an existing SAN using a single ED-24000B director and they need to expand their SAN capacity. They also want to increase their SAN availability as part of the upgrade. Which approach provides the highest availability?

- A. Add a second ED-24000B as an independent fabric
- B. Replace the ED-24000B with an ED-140M director with 32 port cards
- C. Replace the ED-24000B with a MDS 9509 director configured with four 32 port modules
- D. Add two additional DS-32B switches and configure their fabric into a core-edge topology with the ED-24000B at the core

Answer: A

15. You are designing a connectivity tier fabric for a company with eight switches on the host and storage tiers, and four switches in the connectivity tier. Where should you locate the principle switch?

- A. Host tier
- B. Backup tier
- C. Storage tier
- D. Connectivity tier

Answer: D

16. Port Security is enabled at the customer site on all ports of the MDS-series switch. Which statement is true?

- A. All intrusion attempts are reported when accessing switches in a fabric using FTP
- B. Login requests via Telnet are restricted from unauthorized Fibre Channel devices accessed in a fabric
- C. Login requests from unauthorized Fibre Channel devices (Nx ports) and switches (xE ports) are rejected
- D. Login requests from unauthorized users to the fabric are rejected from the network security management in the switch

Answer: C

17. Click the Exhibit button.

In the event log of the M-series switches in the diagram you see the following messages:

Unrelieved Fibre Channel traffic congestion on an ISL, no reroute done.

End of Unrelieved Fibre Channel traffic congestion on an ISL.

Unrelieved Fibre Channel traffic congestion on an ISL, no reroute done.

End of Unrelieved Fibre Channel traffic congestion on an ISL.

What is the reason for this?

- A. Trunking is enabled
- B. Trunking is not enabled
- C. There is no performance issue
- D. There are not enough ISL connections

Answer: D

18. A customer, using MDS-series switches, would like to exceed the recommended oversubscription on the ports. What feature can be utilized to benefit performance on these ports?

- A. IVR
- B. FSPF
- C. FCID address caching
- D. Fibre Channel Congestion Control

Answer: D

19. Click the Exhibit button.

As shown in the diagram, two environments are linked via dual FCIP links. The customer is using Cisco gear as the router and wants to maintain as stateful a connection as possible.

Which protocol would you recommend to run between the routers at either side of the environment?

- A. RIP
- B. VRRP

- C. HSRP
  - D. VLAN Tagging
- Answer: C

20. The customer manages their SAN environment with ControlCenter. They have installed FCC Agent on Host A and Host B. They have installed the NAS Agent on Host B. Host A was down for one day, during which they lost NAS monitoring and switch management. Why did this happen?

- A. SNMP traps on both agents are set to READ/ ONLY
- B. Both Agents are communicating over the same SNMP Port
- C. SNMP traps on both agents are set to the wrong IP Address
- D. FCC Agent does not initiate a fail over to the Host B, and NAS Agent was inactive

Answer: B

More [e20-825 Braindumps](#)

### Related e20-825 Exams

[E20-001](#) Storage Technology Foundations (Information Storage and Mgmt)

[E22-211](#) Mainframe Remote Replication Exam

[E20-611](#) CLARiiON Installation and Troubleshooting Specialist

[E20-120](#) EMC Content Management Foundation Exam(CMF)

[E20-361](#) Network Attached Storage (NAS) Implementation Exam

[E20-616](#) Symmetrix Installation and Troubleshooting Specialist

[E20-011](#) Storage Networking Design and Management

[E20-351](#) Storage Attached Network (SAN) Specialist Exam

[E22-280](#) Avamar Backup and Data Deduplication Exam

[E20-501](#) Commercial Storage & Info Infrastructure Exam for Tech Archs

[E20-455](#) Content Management Web Application Programming Exam

[E22-201](#) Mainframe Local Replication Exam

[E20-590](#) Backup and Recovery Specialist Exam

[E20-485](#) Content Management Application Architecture Exam

[e20-661](#) Networked Storage-NAS Installation and Troubleshooting Exam

[e20-617](#) DMX Migration

[E20-465](#) Content Management System Administration

[e20-845](#) Business Continuity Expert Exam for Implementation Engineers

[E20-475](#) Content Management Systems Architecture

[e20-537](#) networked storage-ns exam for storage administrators

### Other EMC Exams

[e20-340](#)    [e20-617](#)    [E20-001](#)    [e20-322](#)    [e20-860](#)    [E20-500](#)    [e20-582](#)    [e20-597](#)

[e20-040](#)    [e20-845](#)    [E20-351](#)    [E20-500](#)    [E20-590](#)    [e20-060](#)    [E20-815](#)    [E20-593](#)

[E20-616](#)    [E20-331](#)    [E22-310](#)    [E20-465](#)