

## **e20-845 EMC Certification**

### **EMC Business Continuity Expert Exam for Implementation Engineers**

**e20-845: Business Continuity Expert Exam for Implementation Engineers**

**Practice Exam:** e20-845 Exams

**Exam Number/Code:** e20-845

**Exam Name:** Business Continuity Expert Exam for Implementation Engineers

**Questions and Answers:** 199 Q&As

( [EMC Certification](#) )



EMC Certification [e20-845](#) Braindumps Q&A are created by senior IT lecturers in Just4Exam certification Q&A network and EMC Certification product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title. Exam : [e20-845](#)

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **EMC EMC Certification e20-845** examination of original title complete coverage. Just4Exam **e20-845 Braindumps** Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: e20-845**

Exam Name: Business Continuity Expert Exam for Implementation Engineers( EMC Certification )

Questions and Answers: 199 Q&A

#### **Just4Exam provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the e20-845 Exam.

e20-845 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the EMC Certification product experts, included the current newest e20-845 examination questions.

3. 100% Guarantee to Pass Your EMC Certification exam and get your EMC Certification Certification.

All will purchase "e20-845 Q&A" customers will obtain refund money after-sale commitments if do not pass the exam,

And enjoy the upgrade Q&A service for free in one year. Ensure customers a pass rate. Just4Exam helps you one time pass the EMC Certification e20-845 tests.

#### **We promised that use Just4Exam Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title, summarized by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A. The correctly of the Q&A is 100%, the coverage of e20-845 Q&A are more than 96%. All you need to study the whole e20-845 Q&A before you participate the certification exam, it should be possible to easily complete the exam and pass the certification.

2. Just4Exam to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our e20-845 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of e20-845 Q&A, absolutely guarantee you interests have no losses. (For a full refund details)

3. Just4Exam professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the e20-845 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[EMC e20-845](#) Test belongs to one of the EMC Certification certified test, if needs to obtain the EMC Certification certificate, you also need to participate in other related test, the details you may visit the [EMC Certification](#) certified topic, in there, you will see all related EMC Certification certified subject of examination.

e20-845

Just4Exam professional provide EMC Certification e20-845 the newest Q&A, completely covers e20-845 test original topic. With our complete EMC Certification resources, you will minimize your EMC Certification cost and be ready to pass your e20-845 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Exam Engine Features**

Comprehensive questions and answers about e20-845 exam

e20-845 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

e20-845 exam questions updated on regular basis

Same type as the certification exams, e20-845 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free e20-845 exam demo before you decide to buy it in Just4Exam.com

### **Just4Exam Help You Pass Any IT Exam**

[Just4Exam.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : EMC E20-845

Title : Business Continuity Expert Exam for Implementation Engineers

1. A customer is implementing an SRDF/S solution using switched Fibre Channel. The throughput is lower than expected on the SRDF link.

What is the most likely cause of the problem?

- A. Incorrect SRDF listener port settings
- B. Incorrect BB\_Credit setting on the switches
- C. More than 8 RA groups assigned to the RAFs
- D. Not enough cache allocated to the SRDF devices

Answer: B

2. A customer is implementing SRDF/A over GigE but is having problems getting through the corporate firewall.

What are the first steps for troubleshooting?

- A. Verify cache on both DMXs exactly match, and COVDs are defined on both DMXs
- B. Verify the SRDF link TCP/IP port matches on each DMX, and that port is open on the firewall(s)
- C. Verify the Fibre adapters are configured as SNOW resources, and COVDs are properly defined in the bin files
- D. Turn off data compression on the GigE adapters, verify TCP/IP addresses on both DMXs, and verify SNOW is defined on the SRDF GigE adapters' bin file.

Answer: B

3. A customer has implemented SRDF over Fibre Channel at a distance of 10 km. The two Symms are direct-connected. The customer is experiencing poor link throughput with this solution.

What will fix the problem?

- A. Install 2GB HBAs
- B. Perform switch tuning
- C. Modify the Symmetrix bin
- D. Install a Fibre Channel switch

Answer: D

4. A customer is having performance issues with an Oracle database. Workload Analyzer data was collected and reviewed. The EMC IE found a number of busy volumes.

What course of action could the IE use to further identify these busy volumes?

- A. Run Symperf
- B. Ask for an IOSTAT output report
- C. Generate a Symmetrix workload analysis report
- D. Generate reports using the syminq and symdev commands

Answer: D

5. You are planning a new replication of an online transaction processing (OLTP) Oracle database to a remote Symmetrix. The requirements for the task are:

- 1. The distance between the local and remote sites is 1600 km
- 2. The local database must remain online
- 3. The customer requires only a restartable copy of the database on the target site
- 4. The task should have a minimum performance impact to the local database

Choose the best set of EMC technologies for the implementation.

- A. R2, RBCV, Instant Split Technology, and SRDF/DM
- B. R1/BCV, R2, Instant Split Technology, and SRDF/S
- C. R2, RBCV, Consistent Split Technology, and SRDF/S
- D. SRDF/A or SRDF/AR single hop

Answer: D

6. You are validating a remote replica configuration where a RAID-1 protected R1 device needs to be replicated remotely to a RAID-1 protected R2 device. The source R1 device already is a part of a TimeFinder concurrent BCV configuration.

What should you consider to validate the configuration?

- A. The number of I/Os between R1 and BCVs
- B. Whether the R2 device is being remotely replicated to a RBCV
- C. The number of mirror positions available to the RDF target device
- D. The number of mirror positions available to the RDF source device

Answer: D

7. A customer wants to implement a remote site replication via SRDF.

Which tool is used to calculate the number of tracks to be replicated?

- A. EMC DRU
- B. EMC TimeFinder
- C. EMC Change Tracker
- D. EMC Symmetrix Optimizer

Answer: C

8. A customer has an application that runs on a SQL Server 2000 database, and the information is stored on a DMX. The customer wants to make daily, local backups of the database using TSIM.

What action does the tsimsnap backup command perform to create this local copy?

- A. Establishes standard and BCV volumes

- B. Keeps track of the database backup history
- C. Requests the operator perform a SQL Server snapshot
- D. Flushes the filesystems used by the database and performs the BCV split

Answer: D

9. Your DMX configuration is approaching 16,000 volumes. In defining the Volume Access Control Database (VCMDB), your 96-cylinder volume is configured as a type-5 VCM database. Once implemented, an old host cannot access the new VCM for device masking commands through SYMCLI. You have verified that the zoning information is correct and can see the VCM using syminq.

What is the next step for troubleshooting?

A. Verify that the old host is at the latest recommended version of Solutions Enabler using symcli

B. Initialize the VCMDB using:

```
symmaskdb sid nnn init file MyInItBackup vcmdb_type 5
```

C. Initialize the VCMDB to a type-4 using:

```
symmaskdb sid nnn init file MyInItBackup vcmdb_type 4
```

D. Backup and restore the VCMDB using:

Answer: A

10. A customer wants to split a BCV copy of the production database once a week and then use Clones of the BCV for testing.

Which operations are required to make a Clone usable by a host?

A. Activate the Clone and split the Clone

B. Establish the Clone and split the Clone

C. Split the BCV, create the Clone, and activate the Clone

D. Establish the BCV, create the Clone, and mount the Clone

Answer: C

11. A customer has had security issues in the past. To resolve them, firewalls were set up between network segments within and external to his data center environment. You are configuring the communication between the Replication Manager server and the administration console(s).

Which port must be allowed to pass through the firewalls to facilitate administration?

A. 6753

B. 8080

C. 65431

D. 65432

Answer: D

12. Click the Exhibit button.

A customer receives an error when trying to back up Exchange using TEIM. The error is, "EMC:ResourcePak\_TEIM SymDbVssControl iExchDbVssControl::IEMCVSSRequestor\_BackupServer failed." The databases on the Exchange Server are laid out as shown.

Which is most likely the cause of the error?

A. Exchange production volumes are corrupt

B. There is insufficient time to split all the volumes

C. Services for Exchange on the backup host are started

D. Services for Exchange on the production host are down

Answer: B

13. Click the Exhibit button.

Based on the symrdf query output, what is needed to make the state of RDF pairs consistent?

A. Change SRDF to synchronous mode, perform SRDF update, then change SRDF to asynchronous mode

B. Change SRDF to adaptive copy mode, perform SRDF update, then change SRDF to asynchronous mode

C. Change SRDF to adaptive copy mode, perform SRDF resume, then change SRDF to asynchronous mode.

D.Change SRDF to synchronous mode, write disable R2, perform SRDF failover, perform SRDF resume, then change SRDF to asynchronous mode

Answer: C

14. A customer wants to implement an Exchange 2003 "hot backup" solution on a DMX with TimeFinder Exchange Integration Module (TEIM) software. The Exchange Servers are running on Windows 2003.

When using TEIM which volume layout is required?

A.Configure the data files and logs on the same volume

B.Separate storage groups must always reside on separate volumes

C.Data stores must be stored on the same Symmetrix logical volume

D.The checkpoint file for a storage group and the databases that make up that storage group must be located on different volumes

Answer: B

15. You need to configure the volume layout for Oracle on a Linux server that will reside on the Symmetrix DMX. You also need to minimize performance issues resulting from partition misalignment on the physical disks.

Which tool is used to align the disk partition?

A.fdisk

B.format

C.Diskpar

D.Diskpart

Answer: A

16. You are implementing SRDF at a customer site, and the customer asks you to configure three additional R1 devices on the source Symmetrix and corresponding R2 devices on the target Symmetrix. You have a host attached to the Symmetrix with SYMCLI already installed, and you have created a device file.

Which operation(s) will create the SRDF device pairs and establish them?

A.symrdf createpair command with -establish

B.symrdf createpair command followed by symmir establish command

C.symmir createpair command followed by symmir establish command

D.symcfg createpair command followed by symdev establish command

Answer: A

17. After doing a BCV split and mount on a Window's backup host, the customer determines the data on the BCV copy is inconsistent and missing files. The customer's script is using the SUI utility symmctl.

Which command should be used to help prevent the inconsistent BCV?

A.umask

B.flush

C.umount

D.deport

Answer: B

18. A customer is using a RAID-1 standard device that already has a paired BCV and one CopyOnAccess Clone copy.

What is the maximum number of additional CopyOnWrite Snap sessions that the customer can create on this device?

A.1

B.7

C.13

D.16

Answer: C

19. A customer needs to implement a multi-hop SRDF/AR configuration.

How does the bandwidth between Symmetrix arrays impact the potential amount of data lost in case of failure?

- A. Less bandwidth means more cache required
- B. Less bandwidth means longer SRDF/AR cycles
- C. More bandwidth means longer SRDF/AR cycles
- D. More bandwidth means potential data inconsistency in case of failure

Answer: B

20. You are reconfiguring a DMX with Solutions Enabler SYMCLI. There are several volumes that are already mapped but not in use. The customer wants to convert them to metavolumes.

What do you do to perform this task?

- A. Unmap the devices, set the volumes to not ready, create the metavolumes, and map them
- B. Create a device group, unmap the devices, create the metavolumes, and map the metavolumes
- C. Set the volumes to not ready, unmap the devices, create the metavolumes, and mount the volumes
- D. Create a device group, set volumes to not ready, unmap the devices, create metavolumes, and map the metavolumes

Answer: D

More [e20-845 Braindumps](#)

### Related e20-845 Exams

[E20-001](#) Storage Technology Foundations (Information Storage and Mgmt)

[E22-211](#) Mainframe Remote Replication Exam

[E20-611](#) CLARiiON Installation and Troubleshooting Specialist

[E20-120](#) EMC Content Management Foundation Exam (CMF)

[E20-361](#) Network Attached Storage (NAS) Implementation Exam

[E20-616](#) Symmetrix Installation and Troubleshooting Specialist

[E20-011](#) Storage Networking Design and Management

[E20-351](#) Storage Attached Network (SAN) Specialist Exam

[E22-280](#) Avamar Backup and Data Deduplication Exam

[E20-501](#) Commercial Storage & Info Infrastructure Exam for Tech Archs

[E20-455](#) Content Management Web Application Programming Exam

[E22-201](#) Mainframe Local Replication Exam

[E20-590](#) Backup and Recovery Specialist Exam

[E20-485](#) Content Management Application Architecture Exam

[e20-661](#) Networked Storage-NAS Installation and Troubleshooting Exam

[e20-617](#) DMX Migration

[e20-845](#) Business Continuity Expert Exam for Implementation Engineers

[E20-465](#) Content Management System Administration

[E20-475](#) Content Management Systems Architecture

[e20-537](#) networked storage-ns exam for storage administrators

### Other EMC Exams

[E22-181](#)    [E20-465](#)    [E20-840](#)    [e20-582](#)    [e20-537](#)    [E22-211](#)    [e22-128](#)    [E22-280](#)

[e20-080](#)    [e20-860](#)    [e20-340](#)    [e20-570](#)    [e20-360](#)    [e20-530](#)    [E20-616](#)    [e20-661](#)

[E20-340](#)    [e22-183](#)    [e22-106](#)    [E20-331](#)